View NSN Online: https://aerobasegroup.com/nsn/6850-00-224-9582

Product ID:DIALA(R) A OIL MSDS Date:02/23/1993 FSC:6850 NIIN:00-224-9582 MSDS Number: BTHLV === Responsible Party === Company Name: SHELL OIL COMPANY Address:1 SHELL PLAZA Box:2463 **City:HOUSTON** State:TX ZIP:77001 Country:US Info Phone Num:713-241-4819 Emergency Phone Num:713-473-9461 (24 HOUR EMERGENCY) Prep arer's Name: J. C. WILLETT CAGE:54527 === Contractor Identification === Company Name: SHELL OIL COMPANY Box:2463 City:HOUSTON State:TX ZIP:77210 Country:US Phone:800-231-6950 CAGE:54527

Ingred Name:HYDROTREATED MIDDLE PETROLEUM DISTILLATE CAS:64742-46-7 RTECS #:JN9379645 Fraction by Wt: 50-100% Other REC Limits:NONE RECOMMENDED

Ingred Name:MINERAL OIL, PETROLEUM DISTILLATES, HYDROTREATED LIGHT NAPHTHENIC CAS:64742-53-6 RTE CS #:PY8036000 Fraction by Wt: 0-50% Other REC Limits:NONE RECOMMENDED ACGIH TLV:5 MG/M3 (OIL MIST)

LD50 LC50 Mixture:ORAL LD50 (RAT) > 5.0 G/KG Routes of Entry: Inhalation:YES Skin:YES Ingestion:NO Reports of Carcinogenicity:NTP:NO IARC:NO OSHA:NO Health Hazards Acute and Chronic: SLIGHTLY IRRITATING OT SKIN. PROLONGED OR REPEATED CONTACT WITH SKIN MAY RESULT IN DERMATITIS, FOLLICULITIS, OIL ACNE. INHALATION MAY CAUSE A MILD IRRITATION OF THE UPPER RESPIRATORY TRACT. INGESTION MAY RESULT IN VOMITING, ASPIRATION HAZARD. Explanation of Carcinogenicity: THIS COMPOUND CONTAINS NO INGREDIENTS AT CONCENTRATIONS OF 0.1% OR GREATER THAT ARE CARCINOGENS OR SUSPECT CARCINOGENS. Effects of Overexposure: SKIN IRRITATION, DERMATITIS, FOLLICULITIS, OIL ACNE, UPPER RESPIRATORY TRACT IRRITATION, CHEMICAL PNEUMONIA, COUGHING, LABORED BREATHING, BLUISH SKIN, DEATH. Medical Cond Aggravated by Exposu re:PRE-EXISITNG SKIN AND RESPIRATORY DISORDERS MAY BE AGGRAVATED BY EXPOSURE TO THIS PRODUCT.

First Aid:INHALATION: REMOVE FROM EXPOSURE. RESTORE BREATHING. GET MEDICAL ATTENTION. SKIN: WASH AFFECTED AREA THOROUGHLY WITH SOAP AND WATER. REMOVE CONTAMINATED CLOTHING AND SHOES. IF IRRITATION PERSISTS, GET MEDICAL ATTENTION. EYES: FLUSH WITH LARGE AMOUNTS OF WATER FOR 15 MINUTES. GET MEDICAL ATTENTION. INGES

TION: DO NOT

INDUCE VOMITING. IF VOMITING OCCURS, KEEP HEAD BELOW HIPS. GET MEDICAL ATTENTION.

Flash Point Method: PMCC Flash Point:280F,138C Lower Limits:NOT GIVEN Upper Limits:NOT GIVEN Extinguishing Media:WATER FOG, FOAM, DRY CHEMICAL, CARBON DIOXIDE. DO NOT USE A DIRECT STREAM OF WATER, PRODUCT WILL FLOAT. Fire Fighting Procedures: FIRE FIGHTERS SHOULD USE NIOSH APPROVED SCBA & FULL PROTECTIVE EQUIPMENT WHEN

FIGHTING CHEMICAL FIRE. USE WATER SPRAY TO COOL NEARBY CONTAINERS EXPOSED TO FIRE. Unusual Fire/Explosion Hazard:MATERIAL WILL NOT BURN UNLESS PREHEATED.

Spill Release Procedures:WEAR APPROPRIATE PERSONAL PROTECTIVE EQUIPMENT. STORE SOURCE OF LEAK. SOAK UP WITH AN ABSORBENT SUCH AS CLAY, SAND OR OTHER SUITABLE MATERIALS Neutralizing Agent:NONE SPECIFIED BY MANUFACTURER.

======================= Handling and Storage

================================

Handling and Storage Precautions:STORE IN A COOL, DRY PLACE WITH ADEQUATE VENTILATION. MINIMIZE SKIN CONTACT. PROPERLY DISPOSE OF CONTAMINATED LEATHER ARTICLES.

Other Precautions: KEEP AWAY FROM OPEN FLAMES AND HIGH TEMPERATURES. LAUNDER CONTAMINATED CLOTHING BEFORE REUSE.

======= Exposure Controls/Personal Protection ==========

Respiratory Protection: IF VENTILATION DOES NOT MAINTAIN INHALATION EXOSURES BELOW PEL (TLV), USE NIOSH/MSHA APPROVE

D RESPIRATOR AS PER CURRENT 29 CFR 1910.134, INSTRUCTIONS/WARNINGS AND NIOSH RESPIRATOR SELECTION.

Ventilation:LOCAL EXHAUST AND MECHANICAL (GENERAL) VENTILATION TO MAINTAIN EXPOSURE LEVELS.

Protective Gloves: CHEMICAL RESISTANT

Eye Protection:NOT NEEDED

Other Protective Equipment:PROTECTIVE CLOTHING AS REQUIRED TO MINIMIZE SKIN CONTACT.

Work Hygienic Practices: WASH WITH SOAP AND WATER AFTER HANDLING PRODUCT AND BEFORE EATING DRINKING OR SMOKING.

Supplemental Safety and Health

NOTE TO PHYSICIAN: IF MORE THAN 2.0 ML PER KG HAS BEEN INGESTED AND VOMITING HAS NOT OCCURRED, EMESIS SHOULD BE INDUCED WITH SUPERVISION. KEEP VICTIM'S HEAD BELOW HIPS TO PREVENT ASPIRATION.

HCC:N1

Boiling Pt:B.P. Text:>104F,>40C Melt/Freeze Pt:M.P/F.P Text:-40F,-40C Vapor Pres:NOT GIVEN Vapor Density:NOT GIVEN Spec Gravity:0.8833 Viscosity:12 CST Evaporation Rate & amp; Reference:NOT GIVEN Solubility in Water:NEGLIGI

BLE Appearance and Odor:WHITE LIQUID, SLIGHT HYDROCARBON ODOR

Stability Indicator/Materials to Avoid:YES OXIDIZING MATERIALS Stability Condition to Avoid:AVOID HEAT, OPEN FLAMES Hazardous Decomposition Products:A COMPLEX MIXTURE OF AIRBORNE SOLID, LIQUID, PARTICULATES AND GASES

Waste Disposal Methods:PREVENT WASTE FROM CONTAMINATING SURROUNDING ENVIR

ONMENT. DISCARD ANY PRODUCT, RESIDUE, DISPOSAL CONTAINER OR LINER IN ACCORDANCE WITH ALL FEDERAL, STATE AND LOCAL REGULATIONS.

Disclaimer (provided with this information by the compiling agencies): This information is formulated for use by elements of the Department of Defense. The United States of America in no manner whatsoever, expressly or implied, warrants this information to be accurate and disclaims all liability for its use. Any person utilizing this document should seek com petent professional advice to verify and assume responsibility for the suitability of this information to their particular situation.