View NSN Online: https://aerobasegroup.com/nsn/6685-00-242-2158

## WEISS INSTRUMENTS INC -- THERMOMETER-INDUSTRIAL 5,7,9 OR 12" CASE -- 6685-00-242-2158

Product ID:THERMOMETER-INDUSTRIAL 5,7,9 OR 12" CASE

MSDS Date: 10/26/1990

FSC:6685

NIIN:00-242-2158

MSDS Number: BTHLX === Responsible Party ===

Company Name: WEISS INSTRUMENTS INC

Address:85 BELL ST City:WEST BABYLON

State:NY

ZIP:11704-1086 Country:US

Info Phone Num:516-752-1655

Emergency Phone Num:516-752-1655,800-424-9300(CHEMTREC)

Preparer's Name: NONE

CAGE:14449

=== Contractor Identification ===

Company Name: WEISS INSTRUMENTS INC

Address:905 WAVERLY AVE

Box:City:HOLTSVILLE

State:NY ZIP:11742 Country:US

Phone:631-207-1200/ FAX: 631-207-0900

CAGE:14449

======= Composition/Information on Ingredients ========

Ingred Name: MERCURY (SARA III)

CAS:7439-97-6

RTECS #:OV4550000 Fraction by Wt: 100%

Other REC Limits: NONE RECOMMENDED

OSHA PEL:S, C, 0.1 MG/M3

**ACGIH** 

EPA Rpt Qty:1 LB DOT Rpt Qty:1 LB ============= Hazards Identification ======================== LD50 LC50 Mixture: ORAL LD50 (RAT) IS UNKNOWN. Routes of Entry: Inhalation:YES Skin:YES Ingestion:YES Reports of Carcinogenicity:NTP:NO IARC:NO OSHA:NO Health Hazards Acute and Chronic:THERMOMETER CONTAINS SMALL AMOUNT OF MERCURY ENCLOSED IN A GLASS TUBE. HAZARDOUS ONLY IF BROKEN. FOR MERCURY ITSELF: ACUTE: INHALATION OF HIGH CONCENTRATIONS OF MERCURY VAPOR CAN CAUSE KIDNEY, LIVER, CNS DAMAGE. CHRONIC: EXPOSURE TO MERCURYOVER LONG PERIOD OF TIME MAY CAUSE TREMORS, IRRITABILITY, KIDNEY, LIVER, CNS DAMAGE. **Explanation of Carcinogenicity:NONE** Effects of Overexposure: FOR MERCURY ITSELF: ACUTE POISONING THROUGH MASSIVE INHALATION OF MERCURY FUMES IS RARE. SYMPTOMS ARE, COUGH, FEVER, METALLIC TASTE. CHRONIC EXPOSURE OVER A LONG PERIOD OF TIME MAY CAUSE TREMORS, IRRI TABILITY, KIDNEY, LIVER, AND CENTRAL NERVOUS SYSTEM DAMAGE. Med ical Cond Aggravated by Exposure: PERSONS WITH CHRONIC DISEASE OR IN POOR HEALTH, SHOULD BE EXCLUDED FROM MERCURY WORK AREA. First Aid: FOR MERCURY ITSLF: GET MEDICAL ATTENTION IF EXPOSED TO MERCURY FUMES OR INGESTED MERCURY LIQUID. Flash Point: NON-FLAMMABLE Extinguishing Media: NOT COMBUSTIBLE. USE MEDIA SUITABLE FOR SURROUNDING FIRE. Fire Fighti ng Procedures:WEAR FIRE FIGHTING PROTECTIVE EQUIPMENT AND A FULL FACED SELF CONTAINED BREATHING APPARATUS. COOL FIRE EXPOSED CONTAINERS WITH WATER SPRAY, CONTAIN RUNOFF. Unusual Fire/Explosion Hazard: MERCURY IS NOT COMBUSTIBLE, BUT WILL VAPORIZE RAPIDLY WHEN HEATED, CREATING TOXIC FUMES.

TLV:S, 0.05 MG/M3; 9394

Spill Release Procedures:TAKE UP WITH ABSORBENT MATERIALS AND PLACE IN CONTAINER FOR LATER DISPOSAL OR RECLAMATION.

Neutraliz

======== Accidental Release Measures ============

| ing Agent:NONE SPECIFIED BY MANUFACTURER.  |
|--|
| ============= Handling and Storage =============   |
| Handling and Storage Precautions:HANDLE AND STORE THERMOMETER WITH CARE.   |
| Other Precautions:INSPECT THERMOMETER FOR DAMAGE BEFORE HANDLING OR STORAGE.   |
| ====== Exposure Controls/Personal Protection ========  |
| Respiratory Protection:NONE NORMALLY REQUIRED FOR MERCURY THERMOMETER. IF RESPIRATORY PROTECTION NEEDED FOR MERCURY USE A NIOSH/MSHA CERTIFIED RESPIRATO R OR MASK.  |
| Ventilation:NONE NORMALLY REQUIRED FOR MERCURY THERMOMETER. Protective Gloves:NONE REQUIRED FOR MERCURY THERMOMETER.   |
| Eye Protection:NONE REQUIRED FOR MERCURY THERMOMETER. Other Protective Equipment:NONE NORMALLY REQUIRED FOR THERMOMETER. Work Hygienic Practices:OBSERVE GOOD PERSONAL HYGIENE PRACTICES AND RECOMMENDED PROCEDURES. Supplemental Safety and Health MERCURY IS A PROBLEM ONLY IF THERMOMETER IS BROKEN AND MERCURY |
| RELEASED. THERMOMETER CONTAINS APPROXIMATELY 0.45 CC OF M ERCURY.  |
| ========= Physical/Chemical Properties ==========  |
| HCC:Z2 Boiling Pt:B.P. Text:676F,358C Melt/Freeze Pt:M.P/F.P Text:-38F,-39C Vapor Pres:0.0019 Vapor Density:7.0 Spec Gravity:13.54 Solubility in Water:INSOLUBLE Appearance and Odor:SILVER WHITE LIQUID METAL IN GLASS. ODORLESS.   |
| ======== Stability and Reactivity Data =========   |
| Stability Indicator/Materials to Avoid:YES MERCURY FORMS AMALGAMS WITH SILVER AND GOLD. Stability Condition to Avoid:EXTREME   |
|  |

LY HIGH TEMPERATURES BEYOND MEASURING RANGE OF THERMOMETER

Hazardous Decomposition Products:MERCURY FUMES AND MERCURY COMPOUNDS ARE INDUSTRIAL POISONS.

Conditions to Avoid Polymerization: WILL NOT OCCUR.

======= Disposal Considerations ===========

Waste Disposal Methods:DISPOSE OF WASTE IN ACCORDANCE WITH LOCAL, STATE AND FEDERAL REGULATIONS.

Disclaimer (provided with this information by the compiling agencies):
This information is formulated for use by el
ements of the Department

of Defense. The United States of America in no manner whatsoever, expressly or implied, warrants this information to be accurate and disclaims all liability for its use. Any person utilizing this document should seek competent professional advice to verify and assume responsibility for the suitability of this information to their particular situation.