
LUBRICATING SPECIALTIES CO -- DEXRON IIE AUTO TRANSMISSION FLUID, PROD CODE

MSDS Safety Information

_____ FSC: 9150 NIIN: 01-114-9968 MSDS Date: 04/09/1993 MSDS Num: BTHPG Product ID: DEXRON IIE AUTO TRANSMISSION FLUID, PROD CODE:D0210 MFN: 01 **Responsible Party** Cage: 2X769 Name: LUBRICATING SPECIALTIES CO Address: 8015 PAR AMOUNT BLVD City: RICO RIVERA CA 90660-4888 Info Phone Number: 213-928-3311 Emergency Phone Number: 310-928-3311/800-424-9300(CHEMTREC) Preparer's Name: RICHARD J. EBERHARDT Review Ind: Y Published: Y ______ Preparer Co. when other than Responsible Party Co. . Cage: 2X769 Name: TECHNOLUBE PRODUCT COMPANY Address: 8015 PARAMOUNT BLVD. City: PICO RIVERA CA 90660-4811 _____ _____ Contractor Summary _____ Cage: 8Y842 Name: LUBRICATING SPECIALTIES CO. TECHNOLUBE PRODUCTS DIV Address: 3365 E. SLAUSON AVE City: LOS ANGELES CA 90058 Phone: 562-776-4033; FAX:562-776-4003 Cage: 2X769 Name: TECHNOLUBE PRODUCT COMPANY Address: 8015 PARAMOUNT BLVD. City: PICO RIVERA CA 90660-4811 Phone: 562 776-4000 GEN: 562-776-4000 _____ Item Description Information

=

Item Manager: S9G Item Name: HYDRAULIC FLUID,AUTOMATIC TRANSMISSION Specification Number: NONE Type/Grade/Class: NONE Unit of Issue: DR Quantitative Expression: 0000000055GL UI Container Qty: 0 Type of Container: DRUM

Ingredients

Cas: 64742-65-0 RTECS #: PY8038500 Name: MINERAL OIL, PETROLEUM DISTILLATES, SOLVENT-DEWAXED HEAVY PA RAFFINIC % Wt: &It;90 Other REC Limits: NONE RECOMMENDED OSHA PEL: 5 MG/M3 AS OIL MIST ACGIH TLV: 5 MG/M3 AS OIL MIST

Name: ZINC SALT OF DIAKYL DITHIOPHOSPHORIC ACID Other REC Limits: NONE RECOMMENDED OSHA PEL: NOT ESTABLISHED ACGIH TLV: NOT ESTABLISHED

Health Hazards Data

LD50 LC50 Mixture: TLV=5MG/M3 AS OIL MIST. Route Of Entry Inds - Inhalation: YES S kin: YES Ingestion: YES Carcinogenicity Inds - NTP: NO IARC: NO OSHA: NO Effects of Exposure: ACUTE:EYE/SKIN/INGEST:NOT NORMALLY EXPECTED TO CAUSE ANY ILL EFFECTS EXCEPT IN VERY SENSITIVE INDIVIDUALS. INHAL:NO SIGNIFICANT ADVERSE HEALTH EFFECTS EXPECTED FOR SHORT TERM EXPOSURE. CHRONIC:SKIN:PR OLONGED/REPEATED CONTACT MAY PRODUCE MILD SKIN IRRIT & amp; INFLAMMATION. Signs And Symptions Of Overexposure: SKIN:REDNESS, INFLAMMATION. Medical Cond Aggravated By Exposure: PRE-EXISTING SKIN DISORD **ER SHOULD AVOID** CONTACT AND VERY SENSITIVE INDIVIDUALS. First Aid: INGEST:DO NOT INDUCE VOMIT. CONSULT PHYSICIAN. INHAL:REMOVE FROM CONTAMINATED AREA. APPLY ARTIFI RESP. IF UNCONSCIOUS CONSULT PHYSICIAN. EYE: FLUSH W/CUPIOUS AMTS OF WATER. IF IRRIT DEVELOPS CONSULT PH YSICIAN. SKIN:WASH W/SOAP & amp; WATER. CONSULT PHYSICIAN IF IRRIT OR INFLAMMATION DEVELOPS. ______ Handling and Disposal _____ === Spill Release Procedures: STOP FLOW, WIPE OR MOP UP OR ABSORB W/DIATOMACEOUS EARTH OR OTHER INERT MATERIAL. STORE IN APPRORPIATE CONTAINER FOR DISPOSAL. Neutralizing Agent: NONE SPECIFIED BY MANUFACTURER. Waste Disposal Methods: DISPOSE OF IN ACCORDANCE WITH LOCAL, STATE AND FEDERAL **REGULATIONS.** Handling And Storage Precautions: AVOID STORAGE NEAR OPEN FLAME OR OTHER SOURCES OF IGNITION. EXCESSIVE MISTING MAY CAUSE SLIPPERY FLOORS. PROPER FOOTWEAR REQUIRED. Other Precautions: WASH OR TAKE SHOWER IF GENERAL CONTACT OCCURS. REMOVE OIL-SOAKED CLOTHING AND LAUNDER BEFORE REUSE. DISCARD CONTAMINATED LEATHER GLOVES AND SHOES. _____ Fire and Explosion Hazard Information _____ Flash Point Method: COC Flash Point Text: >392F,>200C Extinguishing Media: CARBON DIOXIDE, DRY CHEMICAL, FOAM, WATERFOG. Fire Fighting Procedures: DO NOT ENTER ANY ENCLOSED OR CONFINED AREA WITHOUT PROPER PTORTECTIVE EQUIPMENT & amp; SELF CONTAINED BREATHING APPARATUS. Unusual Fire/Explosion Hazard: SLIGHTLY COMBUSTIBLE WHEN HEATED ABOVE FLASH PT. WILL RELEASE FLAMM VAPORS WHICH CAN BURN IN OPEN OR BE EXPLOSIVE IN CONFINED SPACES IF EXPOSED TO SOURCE OF IGN

Control Measures

Respiratory Protection: NONE NORMALLY REQUIRED. IF TLV IS EXCEEDED WEAR NIOSH-APPROVED RESPIRATORY F

OR OIL MIST. Ventilation: SUFFICIENT TO MAINTAIN ATMOSPHER BELOW TLV LIMIT. Protective Gloves: IMPERVIOUS RECOMMENDED. Eye Protection: SAFETY GLASSES OR FACE SHIELDS. Other Protective Equipment: CHEMICALLY RESISTANT BOOTS AND APRONS RECOMMENDED. Work Hygienic Practices: WASH HANDS THOROUGHLY AFTER HANDLING & PRIOR TO EAT/SMOKE/DRINK. _____ Physical/Chemical Properties _____ HCC: V6 B.P. Text: & gt;617F,>325C Vapor Pres: <0.01 Vapor Density: >AIR Spec Gravity: 0.863 Solubility in Water: INSOLUBLE. Appearance and Odor: RED, OILY LIQUID WITH A PETROLEUM ODOR. Percent Volatiles by Volume: NIL _____ **Reactivity Data** _____ Stability Indicator: YES Stability Condition To Avoid: DO NOT HEAT ABOVE FLASH POINT. Materials To Avoid: STRONG OXIDIZING AGENTS. Hazardous Decomposition Products: CARBON MONOXIDE AND ASHPYXIANTS. Hazardous Polymerization Indicator: NO Conditions To Avoid Polymerization: NOT RELEVANT. _____ **Toxicological Information** _____ _____ Ecological Information _____ _____ **MSDS** Transport Information _____ _____ **Regulatory Information** _____ _____ Other Information _____ ______ Transportation Information _____ Responsible Party Cage: 2X769 Trans ID NO: 108406 Produ

ct ID: DEXRON IIE AUTO TRANSMISSION FLUID, PROD CODE:D0210 MSDS Prepared Date: 04/09/1993 Review Date: 05/10/1994 MFN: 1 Multiple KIT Number: 0 Review IND: Y Unit Of Issue: DR Container QTY: 0 Type Of Container: DRUM
Detail DOT Information
DOT PSN Code: ZZZ DOT Proper Shipping Name: NOT REGULATED BY THIS MODE OF TRANSPORTATION
De tail IMO Information
IMO PSN Code: ZZZ IMO Proper Shipping Name: NOT REGULATED FOR THIS MODE OF TRANSPORTATION
Detail IATA Information
IATA PSN Code: ZZZ IATA Proper Shipping Name: NOT REGULATED BY THIS MODE OF TRANSPORTATION
Detail AFI Information
======================================
HAZCOM Label
Product ID: DEXRON IIE AUTO TRANSMISSION FLUID, PROD CODE:D0210 Cage: 2X769 Company Name: TECHNOLUBE PRODUCT COMPANY Street: 8015 PARAMOUNT BLVD. City: PICO RIVERA CA Zipcode: 90660-4811 Health Emergency Phone: 310-928-3311/800-424-9300(CHEMTREC) Label

Required IND: Y Date Of Label Review: 05/10/1994 Status Code: C Label Date: 05/10/1994 Year Procured: 1994 Origination Code: F Eye Protection IND: YES Skin Protection IND: YES Signal Word: CAUTION **Respiratory Protection IND: YES** Health Hazard: Slight Contact Hazard: Slight Fire Hazard: None Reactivity Hazard: None Hazard And Precautions: ACUTE:EYE/SKIN/INGEST:NOT NORMALLY EXPECTED TO CAUSE ANY ILL EFFECTS EXCEPT IN VERY SENSITIVE PEOPLE. INHAL:NO SIGNIFICANT ADVERSE HEALTH EFFECTS EXPECTED F OR SHORT TERM EXPOSURE. CHRONIC:SKIN:PROLONG /REPEAT CONTACT MAY PRODUCE MILD SKIN IRRIT & amp; INFLAMM. TARGET ORGANS: SKIN. 1STAID:INGEST:DO NOT INDUCE VOMIT. SEE DOCTOR. INHAL:REMOVE FROM CONTAMINATED AREA. APPLY ARTIFI RESP. IF UNCONSCIOUS SEE DOC TOR. EYE:FLUSH W/CUPIOUS AMTS OF WATER. IF IRRIT DEVELOPS SEE DOCTOR. SKIN:WASHW/SOAP & amp; WATER. SEE DOCTOR IF IRRIT OR INFLAMM DEVELOPS. EXCESSIVE MISTING MAY CAUSE SLIPPER FLOORS.

=

Disclaimer (provided with this information by the compiling agencies): This information is formulated for use by elements of the Department of Defense. The United States of America in no manner whatsoever expressly or implied warrants, states, or intends said information to have any application, use or viability by or to any person or persons outside the Department of Defense nor any person or persons contracting with any instrumentality of the United States of America and disclaim

s all liability for such use. Any person

utilizing this instruction who is not a military or civilian employee of the United States of America should seek competent professional advice to verify and assume responsibility for the suitability of this information to their particular situation regardless of similarity to a corresponding Department of Defense or other government situation.