

ACCRABOND INC -- MIL-S-461633A-1 GRADE F PRIMER -- 8030-01-152-2285

=====
Product Identification
=====

Product ID:MIL-S-461633A-1 GRADE F PRIMER

MSDS Date:04/19/1991

FSC:8030

NIIN:01-152-2285

MSDS Number: BTHPK

=== Responsible Party ===

Company Name:ACCRABOND INC

Address:8848 HACKS CROSS ROAD

City:OLIVE BRANCH

State:MS

ZIP:38654

Country:US

Info Phone Num:601-895-4480

Emergency Phone Num:601-895-4

480

CAGE:5V071

=== Contractor Identification ===

Company Name:ACCRABOND INC

Address:8848 HACKS CROSS RD

Box:City:OLIVE BRANCH

State:MS

ZIP:38654-3884

Country:US

Phone:601-895-4480

CAGE:5V071

=====
Composition/Information on Ingredients
=====

Ingred Name:METHYL CHLOROFORM (1,1,1-TRICHLOROETHANE) (SARA III)

CAS:71-55-6

RTECS #:KJ2975000

Fraction by Wt: 95% %

Other REC Limits:NONE RECOMMENDED

OSHA PEL:350 PPM

ACGIH TLV:350 PPM/450STEL;9394

EPA Rpt Qty:1000 LBS

DOT Rpt Qty:1000 L

BS

Ozone Depleting Chemical:1

Ingred Name:NON HAZARDOUS INGREDIENTS

Fraction by Wt: 5% %

Other REC Limits:NONE RECOMMENDED

===== Hazards Identification =====

LD50 LC50 Mixture:NOT GIVEN

Routes of Entry: Inhalation:YES Skin:YES Ingestion:YES

Reports of Carcinogenicity:NTP:NO IARC:NO OSHA:NO

Health Hazards Acute and Chronic:MAY CAUSE EYE IRRITATION, SKIN

IRRITATION, RESPIRATORY TRACT IRRITATION. MAY CAUSE LIVER OR KIDNEY
DAMAGE

Explanation of Carci

nogenicity:THIS COMPOUND CONTAINS NO INGREDIENTS AT

CONCENTRATIONS OF 0.1% OR GREATER THAT ARE CARCINOGENS OR SUSPECT
CARCINOGENS.

Effects of Overexposure:IRRITATION OF EYES, SKIN OR RESPIRATORY SYSTEM,
HEADACHE, DIZZINESS, NAUSEA, LIVER AND/OR KIDNEY DAMAGE.

Medical Cond Aggravated by Exposure:EXISITNG LIVER CONDITIONS OR KIDNEY
PROBLEMS MAY BE AGGRAVATED BY EXPOSURE.

===== First Aid Measures =====

First Aid:INHALATION: REMOVE FROM EXPOSUR

E. RESTORE BREATHING. KEEP

WARM AND QUIET. GET MEDICAL ATTENTION. SKIN: WASH AFFECTED AREA
THOROUGHLY WITH SOAP AND WATER. IF IRRITATION PERSISTS, GET MEDICAL
ATTENTION. EYES: FLUSH WITH LARGE AMOUNTS OF WATER FOR 15 MINUTES.
GET MEDICAL ATTENTION. INGESTION: DO NOT INDUCE VOMITING. CONSULT A
PHYSICIAN AT ONCE.

===== Fire Fighting Measures =====

Flash Point Method:TOC

Flash Point:200F,93C

Lower Limits:8 %

Upper Limits:10.5 %

Extinguishing M

edia:CARBON DIOXIDE, FOAM, DRY CHEMICAL

Fire Fighting Procedures:WEAR FIRE FIGHTING PROTECTIVE EQUIPMENT AND FULL FACE-PIECE SELF-CONTAINED BREATHING APPARATUS.

Unusual Fire/Explosion Hazard:NONE SPECIFIED BY MANUFACTURER.

===== Accidental Release Measures =====

Spill Release Procedures:CONTAIN SPILLED MATERIAL. ABSORB WITH SAND AND PLACE IN CLOSED CONTAINER.

Neutralizing Agent:NONE SPECIFIED BY MANUFACTURER.

===== Handling and Storage ====
=====

Handling and Storage Precautions:STORE BELOW 110F.

Other Precautions:AVOID BREATHING VAPORS.

===== Exposure Controls/Personal Protection =====

Respiratory Protection:NIOSH APPROVED FOR CHLORINATED HYDROCARBONS IF EXPOSURE IS ABOVE TLV.

Ventilation:LOCAL EXHAUST AND MECHANICAL (GENERAL) VENTILATION TO MAINTAIN EXPOSURE LEVELS.

Protective Gloves:RUBBER

Eye Protection:SPLASH GOGGLES

Other Protective Equipment:EYE WASH STATION

Work Hygienic Practices:

WASH WITH SOAP AND WATER AFTER HANDLING PRODUCT AND BEFORE EATING DRINKING OR SMOKING.

Supplemental Safety and Health

NONE SPECIFIED BY MANUFACTURER.

===== Physical/Chemical Properties =====

HCC:N1

Boiling Pt:B.P. Text:165F,74C

Melt/Freeze Pt:M.P/F.P Text:NOT GIVEN

Vapor Pres:100

Vapor Density:1

Spec Gravity:1.3

Evaporation Rate & Reference:NOT GIVEN

Solubility in Water:LOW

Appearance and Odor:AQUA-GREEN TO YELLOW LIQUID, SHARP ODOR

===== Stabi

lity and Reactivity Data =====

Stability Indicator/Materials to Avoid: YES

REACTS WITH ALUMINUM ON PROLONGED CONTACT.

Stability Condition to Avoid: HIGH TEMPERATURES (ABOVE 110F)

Hazardous Decomposition Products: OXIDES OF CARBON, TOXIC CHLORIDE COMPOUNDS

===== Disposal Considerations =====

Waste Disposal Methods: PREVENT WASTE FROM CONTAMINATING SURROUNDING ENVIRONMENT. DISCARD ANY PRODUCT, RESIDUE, DISPOSAL CONTAINER OR LINER IN ACCORDANC

E WITH ALL FEDERAL, STATE AND LOCAL REGULATIONS.

Disclaimer (provided with this information by the compiling agencies):

This information is formulated for use by elements of the Department of Defense. The United States of America in no manner whatsoever, expressly or implied, warrants this information to be accurate and disclaims all liability for its use. Any person utilizing this document should seek competent professional advice to verify and assume responsibility for the suitability

of this information to their particular situation.