

VALVOLINE OIL CO -- NAPA AUTOMATIC TRANS FLUID DEXRON II -- 9150-00-698-2382

=====
Product Identification
=====

Product ID:NAPA AUTOMATIC TRANS FLUID DEXRON II

MSDS Date:05/25/1993

FSC:9150

NIIN:00-698-2382

MSDS Number: BTHVD

=== Responsible Party ===

Company Name:VALVOLINE OIL CO

Address:200 E MAIN ST

Box:14000

City:LEXINGTON

State:KY

ZIP:40512

Country:US

Info Phone Num:606-265-7000

Emergency Ph

one Num:606-265-7000

CAGE:72527

=== Contractor Identification ===

Company Name:VALVOLINE OIL CO

Address:3499 BLAZER PKY

Box:14000

City:LEXINGTON

State:KY

ZIP:40512

Country:US

Phone:606-357-7206 / 800-274-5263

CAGE:72527

=====
Composition/Information on Ingredients
=====

Ingred Name:AUTOMATIC TRANSMISSION FLUID PACKAGE

Fraction by Wt: 10-25% %

Other REC Limits:NONE RECOMMENDED

Ingred Name:MINERAL OIL, PETROLEUM DISTILLATES, SOLVENT-DEWAXED HEAVY

PARAFFINIC

CAS:64742-65-0

RTECS #:PY8038500
Fraction by Wt: 85-100%
Other REC Limits:5 MG/M3 OIL MIST
ACGIH TLV:5 MG/M3 (OIL MIST)

=====
Hazards Identification
=====

LD50 LC50 Mixture:NOT ESTABLISHED FOR PRODUCT
Routes of Entry: Inhalation:NO Skin:YES Ingestion:NO
Reports of Carcinogenicity:NTP:NO IARC:NO OSHA:NO
Health Hazards Acute and Chronic:MAY CAUSE SLIGHT EYE IRRITATION.
PROLONGED OR REPEATED CONTACT MAY BE MILDLY IRRITATING TO THE SKIN
AND MAY CAUSE DERMATITIS. INHA
LATION NOT EXPECTED TO BE A HAZARD AT
NORMAL ROOM TEMPERATURES. HOWEVE R IF EXPOSURES EXCEED 5 MG/M3 FOR
OIL MIST, THEN RESPIRATORY IRRITATION MAY RESULT. INGESTION MAY
CAUSE GI TRACT IRRITAT
Explanation of Carcinogenicity:THIS PRODUCT IS NOT LISTED BY IARC, NTP
OR OSHA AS A CARCINOGEN, MUTAGEN, TERATOGEN OR NEUROTOXIN.
Effects of Overexposure:EYE IRRITATION, TEARING, BLURRING OF VISION.
SKIN IRRITATION, DERMATITIS. RESPIRATORY IRRITATION, POSSIBLE
DISCOMFORT. LAXATIVE EF
FECTS, NAUSEA, ABDOMINAL CRAMPS, DIARRHEA.
Medical Cond Aggravated by Exposure:NONE SPECIFIED BY MANUFACTURER.

=====
First Aid Measures
=====

First Aid:SKIN: WASH AFFECTED AREA THOROUGHLY WITH SOAP AND WATER. IF
IRRITATION PERSISTS, GET MEDICAL ATTENTION. REMOVE CONTAMINATED
CLOTHING AND LAUNDRER BEFORE REUSE. EYES: FLUSH WITH LARGE AMOUNTS
OF WATER F OR 15 MINUTES. GET MEDICAL ATTENTION. INGESTION: DO NOT
INDUCE VOMITING. KEEP PERSON WARM A
ND QUIET. GET MEDICAL ATTENTION.

=====
Fire Fighting Measures
=====

Flash Point Method:COC
Flash Point:=160.C, 320.F
Lower Limits:NOT GIVEN
Upper Limits:NOT GIVEN
Extinguishing Media:REGULAR FOAM OR CARBON DIOXIDE OR DRY CHEMICAL
Fire Fighting Procedures:WEAR FIRE FIGHTING PROTECTIVE EQUIPMENT AND
FULL FACE-PIECE SELF-CONTAINED BREATHING APPARATUS. WATER OR FOAM
MAY CAUSE FROTHING WHICH CAN BE DANGEROUS.
Unusual Fire/Explosion Hazard:NEVER USE WELDING

OR CUTTING TORCH ON OR
NEAR DRUM (EVEN EMPTY) BECAUSE PRODUCT (EVEN JUST RESIDUE) CAN
IGNITE EXPLOSIVELY.

===== Accidental Release Measures =====

Spill Release Procedures: ABSORB LIQUID ON VERMICULITE, FLOOR ABSORBENT
OR OTHER ABSORBENT MATERIAL. PREVENT RUN-OFF TO SEWERS, STREAMS OR
OTHER BODIES OF WATER. COLLECT FOR DISPOSAL.
Neutralizing Agent: NONE SPECIFIED BY MANUFACTURER.

===== Handling and Storage =====

Hand
ling and Storage Precautions: AVOID CONTACT WITH EYES AND SKIN. DO
NOT USE CUTTING OR WELDING TORCH ON THIS CONTAINER (EVEN EMPTY). DO
NOT TRANSFER TO UNLABELED CONTAINER.
Other Precautions: EMPTY CONTAINERS RETAIN PRODUCT RESIDUE AND CAN BE
DANGEROUS. DO NOT PRESSURIZE, CUT, WELD, BRAZE, SOLDER, DRILL OR
EXPOSE SUCH CONTAINERS TO HEAT, FLAME, SPARKS, STATIC ELECTRICITY
OR OTHER SOURCES OF IGNITION; THEY MAY EXPLODE.

===== Exposure Controls/Personal Protection =====

Respiratory Protection: NOT REQUIRED UNDER NORMAL CONDITIONS OF USE.
Ventilation: NOT REQUIRED UNDER NORMAL CONDITIONS OF USE.
Protective Gloves: NOT NORMALLY REQUIRED.
Eye Protection: NOT REQUIRED UNDER NORMAL CONDITIONS
Other Protective Equipment: NORMAL WORK CLOTHING COVERING ARMS AND LEGS.
Work Hygienic Practices: WASH WITH SOAP AND WATER AFTER HANDLING PRODUCT
AND BEFORE EATING DRINKING OR SMOKING.
Supplemental Safety and Health
NONE SPECIFIED BY MANUFACTURER.

===== Physical/Chemical Properties =====

HCC: V6
Boiling Pt: >218.3C, 425.F
Melt/Freeze Pt: M.P/F.P Text: NOT GIVEN
Vapor Pres: 1
Spec Gravity: 0.870
Evaporation Rate & Reference: < 1 (ETHER = 1)
Solubility in Water: NEGLIGIBLE
Appearance and Odor: RED LIQUID

===== Stability and Reactivity Data =====

Stability Indicator/Materials to Avoid: YES
STRONG OXIDIZING AGENTS
Stability Condition to Avoid: EXTREME TEMPERATURES, SPARKS
Hazardous Decomposition Products: NONE SP

ECIFIED BY MANUFACTURER.

===== Disposal Considerations =====

Waste Disposal Methods: PREVENT WASTE FROM CONTAMINATING SURROUNDING ENVIRONMENT. DISCARD ANY PRODUCT, RESIDUE, DISPOSAL CONTAINER OR LINER IN ACCORDANCE WITH ALL FEDERAL, STATE AND LOCAL REGULATIONS.

Disclaimer (provided with this information by the compiling agencies):
This information is formulated for use by elements of the Department of Defense. The United States of America in no manner whatsoever, expressly or implied, warrants this information to be accurate and disclaims all liability for its use. Any person utilizing this document should seek competent professional advice to verify and assume responsibility for the suitability of this information to their particular situation.