View NSN Online: https://aerobasegroup.com/nsn/6550-00-139-1321

## WHITEWORTH INC (OUT OF BUSINESS) -- FORMALDEHYDE SOLUTION -- 6550-00-139-1321

Product ID:FORMALDEHYDE SOLUTION

MSDS Date:05/25/1994

FSC:6550

NIIN:00-139-1321

MSDS Number: BTJBS === Responsible Party ===

Company Name: WHITEWORTH INC (OUT OF BUSINESS)

Address:422 W. ALONDRA BLVD

City: GARDENA

State:CA

ZIP:90248-2425 Country:US

Preparer's Name: HMIS STAFF

CAGE:KO199

=

== Contractor Identification ===

Company Name: WHITEWORTH INC (OUT OF BUSINESS)

Address:422 W. ALONDRA BLVD

Box:City:GARDENA

State:CA

ZIP:90248-2425 Country:US CAGE:KO199

Company Name: WHITEWORTH INC.

Box:City:GARDENA

State:CA Country:US

Phone: CO. OUT OF BUSINESS

CAGE:58615

======= Composition/Information on Ingredients ========

Ingred Name: FORMALDEHYDE (SARA III) [% PER DLSC-TIR]

CAS:50-00-0

RTECS #:LP8925000 Fraction by Wt: >10%

Other REC Limits: NONE RECOMMENDED

**OSHA PEL:SEE 1910** 

.1048

ACGIH TLV:C 0.3 PPM; A2; 9394

EPA Rpt Qty:100 LBS DOT Rpt Qty:100 LBS

Ingred Name: METHYL ALCOHOL (METHANOL) (SARA III) [% IS PER DLSC-TIR]

CAS:67-56-1

RTECS #:PC1400000 Fraction by Wt: 10-15%

Other REC Limits: NONE RECOMMENDED

OSHA PEL:S, 200 PPM

ACGIH TLV:S,200PPM/250STEL; 94

EPA Rpt Qty:5000 LBS DOT Rpt Qty:5000 LBS

============= Hazards Identification ========================

LD50 LC50 Mixture:ORAL RAT LD50 = 800 MG/KG (FORMALDEHYDE)

Routes of Entry: Inhalation:YES Skin:YES

Ingestion:YES

Reports of Carcinogenicity:NTP:YES IARC:YES OSHA:NO

Health Hazards Acute and Chronic:ACUTE: INHALATION: MAY CAUSE TISSUE DAMAGE AND SERIOUS RESPIRATORY TRACT INJURY. SKIN: MAY CAUSE BURNS. EYES: MAY CAUSE PROFUSE LACRIMATION AND OCULAR DAMAGE. INGESTION: MAY CAUSE BURNING IN THE MOUTH AND ESOPHAGUS. MAY CAUSE LIVER AND KIDNEY DAMAGE. MAY CAUSE DEATH FROM CIRCULATORY FAILURE. CHRONIC: AS THOSE OF ACUTE.

Explanation of Carcinogenicity:STUDIES SHOW THAT REPEA

**TED EXPOSURE TO** 

LEVELS UP TO 14.3 PPM INDUCED NASAL CAVITY SQUAMOUS CELL CARCINOMA IN RATS.


Effects of Overexposure:INHALATION: MAY CAUSE EYE, NOSE & THROAT IRRITATION. MAY CAUSE DIFFICULTY IN BREATHING, BURNING OF THE NOSE & THROAT; OR EVEN PULMONARY EDEMA AND PNEUMONITIS. SKIN & EYES: IRRITATION, SENSITIZATION DE RMATITIS, LOSS OF VISION. INGESTION: JAUNDICE, ALBUMINURIA, HEMATURIA, ANURIA AND ACIDOSIS. MAY CAUSE DEATH.

Medical Cond Aggravated by Exposure: PERSONS WI

TH A HISTORY OF SKIN OR

EYE DISORDERS MAY BE AT INCREASED RISK FROM EXPOSURE. PERSONS WITH LIVER, KIDNEY AND RESPIRATORY DISORDERS MAY ALSO BE AT INCREASED RISK.

First Aid:INHALATION: REMOVE TO FRESH AIR IMMEDIATELY. IF NOT BREATHING, GIVE ARTIFICIAL RESPIRATION. GET IMMEDIATE MEDICAL ATTENTION. SKIN: REMOVE CONTAMINATED CLOTHING & SHOES. WASH AFFECTED AREA WITH SOAP & WATER. GET MEDICAL ATTENTION. EY



Handling and Storage Precautions: STORE IN A COOL, DRY, WELL VENTILATED

OUTDOORS OR IN SEWERS. RUN-OFF TO SEWER MAY CREATE FIRE OR EXPLOSION HAZARD.

===== Exposure Controls/Personal Protection ========

Respiratory Protection: SELECT NIOSH/MSHA APPROVED RESPIRATOR BASED ON CONTAMINATION LEVELS FOUND IN THE WORK PLACE USING NIOSH POCKET GUIDE TO CHEMICAL HAZARDS. SELF-CONTAINED BREATHING APPARATUS IS RECOMMENDED FOR MOST CAS ES.

Ventilation: PROVIDE LOCAL EXHAUST OR PROCESS ENCLOSURE VENTILATION TO MEET THE PUBLISHED EXPOSURE LIMITS. USE EXPLOSION-PROOF EQUIP.

Protective Gloves:BUTYL OR NITRILE RUBBER.

Eye Protection:SP

LASH PROOF SAFETY GOGGLES/FACESHIELD.

Other Protective Equipment:PROTECTIVE CLOTHING AND EQUIPMENT TO PREVENT ANY POSSIBILITY OF SKIN CONTACT. EYE WASH STATION & SAFETY SHOWER.

Work Hygienic Practices:WASH THOROUGHLY AFTER USE AND BEFORE EATING OR SMOKING. LAUNDER CONTAMINATED CLOTHING BEFORE REUSE.

Supplemental Safety and Health

MSDS GENERATED FOR TECHNICAL SUPPORT BY DLA-HMIS STAFF. COMPANY IN OUT OF BUSINESS AND MSDS UNAVAILABLE. MSDS IS WRITTEN/GENERATED FOR "PURE" FORMALDEHY

DE; PRODUCT IS ACTUALLY A SOLUTION OF FORMALDEHY
DE. PSN AND HCC ARE BEST GUESS-FORMALDEHYDE AND METHANOL ARE BOTH
INGREDIENTS-FLAMMABILITY IS ASSUMED.

	Physical/Chemical Properties	=======================================
HCC:V4		
=======================================	Stability and Reactivity Data =	============

Stability Indicator/Materials to Avoid:YES STRONG OXIDIZING AGENTS

Stability Condition to Avoid:HIGH HEAT, OPEN FLAMES AND OTHER SOURCES OF IGNITION

Hazardous Decomposition Products:THERMA

L DECOMPOSITION PRODUCTS MAY INCLUDE UNBURNED FORMALDEHYDE, UNBURNED METHYL ALCOHOL, AND OXIDES OF CARBON.

Conditions to Avoid Polymerization: MAY UNDERGO A NON-HAZARDOUS SELF-POLYMERIZATION TO FORM PARAFORMALDEHYDE WHICH PRECIPITATES OUT OF SOLUTION.

 Disposal	Considerations	
	Considerations	

Waste Disposal Methods:DISPOSE I/A/W ALL APPLICABLE FEDERAL, STATE & LOCAL REGULATIONS. INCINERATION RECOMMENDED.

Disclaimer (provided with this information by the compiling agencies):

This information is formulated for use by elements of the Department of Defense. The United States of America in no manner whatsoever, expressly or implied, warrants this information to be accurate and disclaims all liability for its use. Any person utilizing this document should seek competent professional advice to verify and assume responsibility for the suitability of this information to their particular situation.