

STEVENSON BRO AND CO INC -- 5-100 PETROLATUM (VVP-236A, AM2) -- 9150-00-250-0926

=====
Product Identification
=====

Product ID:5-100 PETROLATUM (VVP-236A, AM2)

MSDS Date:04/01/1993

FSC:9150

NIIN:00-250-0926

MSDS Number: BTJBV

=== Responsible Party ===

Company Name:STEVENSON BRO AND CO INC

Address:1039 W VENANGO ST

City:PHILADELPHIA

State:PA

ZIP:19140-4313

Country:US

Info Phone Num:215-223-2600/TE

LEX215-223-3597

Emergency Phone Num:215-223-2600

Preparer's Name:(CO'S MSDS # 8009-03-8)

CAGE:78583

=== Contractor Identification ===

Company Name:STEVENSON-COOPER INC

Address:1039 W VENANGO ST

Box:City:PHILADELPHIA

State:PA

ZIP:19140-4313

Country:US

Phone:215-223-2600 FAX: 215-223-3597

CAGE:78583

=====
Composition/Information on Ingredients
=====

Ingred Name:NON-HAZARDOUS MATERIALS (PETROLEUM, USP MIXTURE OF
HYDROCARBONS REFINED FROM PETROLEUM).

Fraction by Wt: 100%

Othe

r REC Limits:NONE RECOMMENDED

=====
Hazards Identification
=====

LD50 LC50 Mixture:NOT GIVEN

Reports of Carcinogenicity:NTP:NO IARC:NO OSHA:NO

Health Hazards Acute and Chronic:PRODUCT IS NONIRRIT TO EYES UPON

DIRECT CONTACT. PRODUCT HASN'T BEEN TESTED FOR ACUTE DERMAL

EFFECTS. PRODUCT ISN'T EXPECT TO CAUSE ANY SKIN IRRIT. PRODUCT HAS

A LOW VAPOR PRESSURE & ISN'T EXPECTED TO PRESENT ANY INHAL HAZ @

AMBIENT CONDITIONS. DON'T INGEST. PRODUCT I

S PRACTICALLY NONTOXIC
BY INGEST.

Effects of Overexposure:PRODUCT LAZATIVE PROPERTIES AND MAY RESULT IN
ABDOMINAL CRAMPS & DIARRHEA.

Medical Cond Aggravated by Exposure:NOT GIVEN.

===== First Aid Measures =====

First Aid:NOT GIVEN BY MFG.

===== Fire Fighting Measures =====

Flash Point:400F,204C

Extinguishing Media:USE DRY CHEMICAL, FOAM, OR CARBON DIOXIDE.

Fire Fighting Procedures:H*2O MAY BE INEFFECTIVE BUT CAN
USE TO COOL

CONTAINERS EXPPOSED TO HEAT.CAUT SHOULD BE EXERCISED WHEN USING
H*2O/FOAM AS FROTH MAY OCCUR ESPCIALLY INTO HOT LIQU

Unusual Fire/Explosion Hazard:DENSE SMOKE MAY BE GENERATED WHILE
BURNING CARBON MONOXIDE, CARBON DIOXIDE, AND OTHER OXIDE MAY BE
GENERATED AS PRODUCTS OF COMBUSTION.

===== Accidental Release Measures =====

Spill Release Procedures:ABSORB WITH APPROPRIATE INERT MATERIAL SUCH AS
SAND, CLAY, ETC.

Neutralizing Agent:NONE SP
ECIFIED BY MANUFACTURER.

===== Handling and Storage =====

Handling and Storage Precautions:DON'T TRANSFER TO UNMARKED CONTAINERS.
STORE IN CLOSED CONTAINERS AWAY FROM HEAT.

Other Precautions:NO ADDITIONAL INFORMATION.

===== Exposure Controls/Personal Protection =====

Respiratory Protection:RESPIRATAORY PROTECTION IS NOT REQUIRED UNDER
CONDITIONS OF NORMAL USE.

Ventilation:NOT SPECIFIED.

Protective Gloves:ONLY WHEN HANDLING HOT MATE

RIAL.
Eye Protection:S NOT REQUIRED UNDER NORMAL USE.
Other Protective Equipment:NOT GIVEN.
Work Hygienic Practices:NOT GIVEN.
Supplemental Safety and Health

===== Physical/Chemical Properties =====

HCC:V6
Melt/Freeze Pt:M.P/F.P Text:100F,38C
Spec Gravity:0.815-0.880
Viscosity:N/GIVEN
Solubility in Water:NEGLIGIBLE
Appearance and Odor:SEMI SOLID, NO ODOR, OPAQUE APPEARANCE.

===== Stability and Reactivity Data =====

MAY REACT WITH STRONG OXIDIZING AGENTS.
Stability Condition to Avoid:NONE.
Hazardous Decomposition Products:NONE.

===== Disposal Considerations =====

Waste Disposal Methods:ALL DISPOSALS MUST COMPLY W/ LOCAL, STATE AND FEDERAL REGULATIONS.

Disclaimer (provided with this information by the compiling agencies):
This information is formulated for use by elements of the Department of Defense. The United States of America in no manner whatsoever, expressly or implied, warrants this information to be accurate and disclaims all liability for its use. Any person utilizing this document should seek competent professional advice to verify and assume responsibility for the suitability of this information to their particular situation.