View NSN Online: https://aerobasegroup.com/nsn/6810-00-824-9072 APCCO CHEMICAL COMPANY -- BARIUM CARBONATE -- 6810-00-824-9072 Product ID:BARIUM CARBONATE MSDS Date:05/13/1992 FSC:6810 NIIN:00-824-9072 MSDS Number: BTMYV === Responsible Party === Company Name: APCCO CHEMICAL COMPANY Address:203 OLDFIELD STREET Box:808 City:LANCASTER State:CA ZIP:93534-7240 Country:US Info Phone Num:800-266-7240 805-726-2590 **Emergency Phone N** um:800-424-3900 805-726-2590 CAGE:0YGW8 === Contractor Identification === Company Name: APCCO CHEMICAL CO Box:808 City:LANCASTER State:CA ZIP:93584-0808 Country:US Phone:805-726-2590 CAGE:0YGW8

======= Composition/Information on Ingredients ========

Ingred Name:BARIUM CARBONATE CAS:513-77-9 RTECS #:CQ8600000 Other REC Limits:NONE RECOMMENDED OSHA PEL:5 MG BA/M3

ACGIH TLV:2 MG BA/M3

======== Hazards Identification ===========

Routes of Entry: Inhalation:Y

Reports of Carcinogenicity:NTP:NO IARC:NO OSHA:NO Health Hazards Acute and Chronic:INHALED:IRRITATION OF THE RESPIRATORY TRACT. SKIN:IRRITATION TO SKIN. EYE:IRRITATION TO EYES. INGESTED:TOXIC. VOMITING & CONVULSIONS MAY OCCUR. CHRONIC:'NK' Explanation of Carcinogenicity:NONE OF THE INGREDIENTS OF THIS PRODUCT
ARE BY IARC, NTP OR OSHA AS A CARCINOGEN. Effects of Overexposure:INHALED:IRRITATION OF THE RESPIRATORY TRACT.
SKIN:IRRITATION TO SKIN. EYE:I RRITATION TO EYES. INGESTED:TOXIC. VOMITING & CONVULSIONS MAY OCCUR.
Medical Cond Aggravated by Exposure:NO INFORMATION GIVEN ON MSDS BY MFR.
======================================
First Aid:INHALED:RMOVE TO FRESH AIR. SKIN:WASH W/SOPA & WATER. EYE:FLUSH W/WATER FOR 15 MINUTES. INGESTED:GIVE SOLUTION OF SODIUM OR MAGNESIUM SULFATE. INDUCE VOMITING. *NOTE TO DOCTOR:TREAT SYMPTOMATICALLY. RECOMMEND ADMINISTERING POTASSIUM SALTS & CONTROLLI NG HYPERTENSIONS.
======================================
Flash Point:NON-COMBUSTIBLE Extinguishing Media:WATER ETC ON SURROUNDING SUBSTANCS Fire Fighting Procedures:AVOID INHALATION OF DUST. Unusual Fire/Explosion Hazard:NONE
========= Accidental Release Measures ==========
Spill Release Procedures:SWEEP UP AND CONTAINERIZE. AVOID DUST. NO EATING OR SMOKING IN VICINITY. MIX WASTE MATERIAL W/SODIUM OR MAGNESIUM SULFATE. Neutralizing Age nt:SODIUM OR MAGNESIUM SULFATE.
======================================
Handling and Storage Precautions:NO INFORMATION GIVEN ON MSDS BY MFR. Other Precautions:NONE
====== Exposure Controls/Personal Protection =======
Respiratory Protection:DUST MASK Ventilation:LOCAL EXHAUST

Protective Gloves:RUBBER

Eye Protection:SAFETY GOGGLES

Other Protective Equipment:NORMAL CLOTHING.
Work Hygienic Practices:MFR: ? HMIS:USE GOOD CHEMICAL HYGIENE PRACTICE. A

VOID UNNECESSARY CONTACT. WASH THOROUGHLY BEFORE EATING OR DRINKING. Supplemental Safety and Health
NONE
========= Physical/Chemical Properties ==========
HCC:N1 NRC/State Lic Num:NONE Melt/Freeze Pt:M.P/F.P Text:2552F,1400C Decomp Temp:Decomp Text:2552F,1400C Spec Gravity:4.275 Solubility in Water:INSOLUBLE Appearance and Odor:WHIT CRYSTALLINE POWDEER, ODORLESS
======== Stability and Reactivity Data ==========
Stability Indicator/Materials to Avoid:Y ES STRONG ACIDS WILL CAUSE DECOMPOSITION Stability Condition to Avoid:KEEP AWAY FROM FOOD STUFFS. AVOID FORMATION OF DUST. Hazardous Decomposition Products:BARIUM SALTS AND CO2 Conditions to Avoid Polymerization:WILL NOT OCCUR ==================================
Waste Disposal Methods:REACT WITH AQUEOUS SOLUTION OF SODIUM OR MAGNESIUM SULFATE TO PRODUCE NON HAZARDOUS INSOLUBLE NON-TOXIC BATIUM SULFATE. DISPOSE OF ALL WASTES I/A/W FEDERAL, STATE & LO CAL REGULATIONS.
Disclaimer (provided with this information by the compiling agencies): This information is formulated for use by elements of the Department of Defense. The United States of America in no manner whatsoever, expressly or implied, warrants this information to be accurate and disclaims all liability for its use. Any person utilizing this

disclaims all liability for its use. Any person utilizing this document should seek competent professional advice to verify and assume responsibility for the suitability of this information to the

