View NSN Online: https://aerobasegroup.com/nsn/9150-00-250-0933

Product ID:VV-P-236A MSDS Date:03/01/1994 FSC:9150 NIIN:00-250-0933 **MSDS Number: BTQXZ** === Responsible Party === Company Name: QPL CORP (WAS OMNITECH INTERNATIONAL) Address:800 NORTH ACADIA RD **City:THIBODAUX** State:LA ZIP:70301 Country:US Info Phone Num:504-449-8440FAX 504-446-7348 **Emergency Ph** one Num:504-449-0660 CAGE: JO788 === Contractor Identification === Company Name: QPL CORP (WAS OMNITECH INTERNATIONAL) Address:800 NORTH ACADIA RD **City:THIBODAUX** State:LA ZIP:70301 Country:US Phone:504-449-8440/504-394-8440 CAGE: JO788 Company Name: QPL INC, FORMERLY OMNITECH INTERNATIONAL, INC. Address:800 N. ACADIA ROAD Box:City:THIBODAUX State:LA ZIP:70301 Country:US Phone:504-394-8440 CAGE:0AD61

Ingred Name:PETROLATUM CAS:800

9-03-8 RTECS #:SE6780000 Other REC Limits:NONE RECOMMENDED

LD50 LC50 Mixture:NONE SPECIFIED BY MANUFACTURER. Routes of Entry: Inhalation:NO Skin:NO Ingestion:NO Reports of Carcinogenicity:NTP:NO IARC:NO OSHA:NO Health Hazards Acute and Chronic:NONE Explanation of Carcinogenicity:THERE ARE NO INGREDIENTS ABOVE 0.1% WHICH ARE IDENTIFIED AS CARCINOGENS BY NTP,IARC OR OSHA. Effects of Overexposure:NONE Medical Cond Aggrav ated by Exposure:NONE SPECIFIED BY MANUFACTURER.

First Aid:EYE:FLUSH IMMED W/COLD WATER.CALL PHYSICIAN.SKIN:FOR MOLTEN PETROLEUM, FLUSH IMMED W/COLD WATER.CALL PHYSICIAN.FOR SOLIDIFIED PETROLATUM REMOVE EXCESS W/PAPER TOWELS,WASH W/SOAP/WATER.INHAL:NO DATA AV AILABLE.INGEST:CALL PHYSICIAN.

Flash Point Method:COC Flash Point:>400F,>204C Autoigni tion Temp:Autoignition Temp Text:NP Lower Limits:NA Upper Limits:NA Extinguishing Media:DRY CHEMICAL, CO2, FOAM, WATERFOG OR SAND/EARTH. Fire Fighting Procedures:WATER SPRAY IS UNSUITABLE EXTINGUISHING AGENT.FIREFIGHTERS SHOULD USE SELF-CONTAINED BREATHING APPARATUS TO PROTECT AGAINST SMOKE INHALATION. Unusual Fire/Explosion Hazard:NONE.

Spill Release Procedures: SHUT OFF LEAK & DIKE UP LG SPILLS. AFTER COOLING & SOL IDIFICATION SCRAP &/OR SHOVEL UP MATERIAL.FINALLY CLEAN AREA W/OIL ABSORBENT MATERIAL. Neutralizing Agent:NONE SPECIFIED BY MANUFACTURER.

Handling and Storage Precautions:STORE AWAY FROM FLAME,HEAT(200FMAX), & STRONG OXIDIZING AGENTS.AVOID SKIN/EYE CONTACT. Other Precautions:NONE

Respiratory Protection:NO DATA AVAILABLE. Protective Gloves:WEAR IMPERV IOUS GLOVES. Eye Protection:WEAR FACESHIELD OVER SAFETY GLASSES. Other Protective Equipment:WEAR OVERALLS. Work Hygienic Practices:READ ALL LABELS CAREFULLY BEFORE USING. Supplemental Safety and Health NONE

HCC:V6 Boiling Pt:B.P. Text:N/DATA AVAI Melt/Freeze Pt:M.P/F.P Text:110F,43C Decomp Temp:Decomp Text:NP Vapor Pres:N/DATA AVA Vapor Density:NP Spec Gravity:N/DATA AVAI pH:NP Viscosity:NP Evaporation Rate & amp; Reference:N/ DATA AVAI Solubility in Water:NIL Appearance and Odor:SEMI-SOLID, OIL LIKE, OPAQUE, YELLOW OR BROWN COLOR. Percent Volatiles by Volume:NP Corrosion Rate:NP

Stability Indicator/Materials to Avoid:YES NONE Stability Condition to Avoid:NONE SPECIFIED BY MANUFACTURER. Hazardous Decomposition Products:NONE

Waste Disposal Methods: DISPOSE OF IAW LOCAL, STATE AN

## D FEDERAL REGULATIONS.

Disclaimer (provided with this information by the compiling agencies): This information is formulated for use by elements of the Department of Defense. The United States of America in no manner whatsoever, expressly or implied, warrants this information to be accurate and disclaims all liability for its use. Any person utilizing this document should seek competent professional advice to verify and assume responsibility for the suitability of this information to their

particular situation.