

KOLOR KUT PRODUCTS CO -- KOLOR KUT GASOLINE GAUGING PASTE -- 6850-00-270-5526
===== Product Identification =====

Product ID:KOLOR KUT GASOLINE GAUGING PASTE

MSDS Date:02/03/1999

FSC:6850

NIIN:00-270-5526

MSDS Number: BTQYM

=== Responsible Party ===

Company Name:KOLOR KUT PRODUCTS CO

Address:7915 E ELM

Box:5415

City:HOUSTON

State:TX

ZIP:77262

Country:US

Info Phone Num:713-926-4780 / FAX 713-928-90

25

Emergency Phone Num:713-926-4780

Preparer's Name:D M FRAUENBERGER

CAGE:11730

=== Contractor Identification ===

Company Name:CHEMICAL MANAGEMENT SYSTEMS LLC DBA CHEMICAL MANAGEMENT
SYST

Address:11029 NATURAL BRIDGE

Box:City:BRIDGETON

State:MO

ZIP:63044

Country:US

Phone:314-731-7278

CAGE:1LFJ4

Company Name:KOLOR KUT PRODUCTS CO

Address:7915 E ELM

Box:5415

City:HOUSTON

State:TX

ZIP:77262

Country:US

Phone:713-926-4780

Contract Num:SP0450-98-M-CP57

CAGE:11730

Company Name:KOLOR KUT PRODUCTS CO

Address:7915 E ELM
Box:5415
City:HOUSTON
State:TX
ZIP:77262
Country:US
Phone:713-926-4780
Contract Num:SP0450-99-M-NF71
CAGE:11730

=====
Composition/Information on Ingredients
=====

Ingred Name:NON HAZARDOUS INGREDIENT
Fraction by Wt: ALL
Other REC Limits:NONE RECOMMENDED

=====
Hazards Identification
=====

Reports of Carcinogenicity:NTP:NO IARC:NO OSHA:NO
Health Hazards Acute and Chronic:NONE KNOWN AT NORMAL TEMPERATURE.
MILD IRRITATION.
Explanation of Carcinogenicity:NOT CARCINOGENIC.
Effects of Overexposure:IRRITATION AND BAD ODOR.
Medical Cond Aggravated by Exposure:NOT DETERMINED.

=====
First Aid Measures
=====

First Aid:IF INGESTED, INDUCE VOMITING IMMEDIATELY BY GIVING 2 GLASSES
OF WATER AND STICKING FINGER DOWN THROAT. CONTROL CONTACT AND
MAINTAIN AT A MINIMUM.

=====
Fire Fighting Measures
=====

Flash Point:NONE
Extinguishing Media:
NONE
Fire Fighting Procedures:NONE
Unusual Fire/Explosion Hazard:NONE

=====
Accidental Release Measures
=====

Spill Release Procedures:UNLIKELY, CONTAIN SPILL AND WIPE UP. NOT A
HAZARDOUS WASTE.

=====
Handling and Storage
=====

Handling and Storage Precautions:DO NOT EXPOSE TO HIGH TEMPERATURES OR
WATER CONTAMINATION, DO NOT FREEZE (FOR PRESERVATION OF PRODUCT
ONLY).
Other Precautions:NONE KNOWN.

=====
Expos

ure Controls/Personal Protection =====

Respiratory Protection:NONE REQUIRED.
Protective Gloves:IF DESIRED, NOT NECESSARY.
Eye Protection:PROTECTIVE EYE GLASSES.
Other Protective Equipment:NONE REQUIRED.
Work Hygienic Practices:BE CLEAN, AFTER APPLYING, CLEAN HANDS WITH SOAP AND WATER.
Supplemental Safety and Health

===== Physical/Chemical Properties =====

HCC:N1
Boiling Pt:=100.C, 212.F
Melt/Freeze Pt:=48.9C, 120.F
M.P/F.P Text:APPROX
Spec Gravity:APPR
OX. 1(H2O=1)
Evaporation Rate & Reference:NONE
Solubility in Water:YES
Appearance and Odor:LIGHT PINK SEMISOLID.

===== Stability and Reactivity Data =====

Stability Indicator/Materials to Avoid:YES
OXIDIZING AGENTS AND ACIDS.
Stability Condition to Avoid:NONE KNOWN.
Hazardous Decomposition Products:NONE KNOWN.

===== Disposal Considerations =====

Waste Disposal Methods:DISPOSE OF AS PER LOCAL, STATE AND FEDERAL LAWS FOR NON HAZARDOUS WASTE.

===== Regulatory Information =====

State Regulatory Information:THIS FOLLOWING PRODUCT IS LISTED BY THE STATE OF MASSACHUSETTS AND STATE OF PENNSYLVANIA: AMMONIUM HYDROXIDE.

===== Other Information =====

Disclaimer (provided with this information by the compiling agencies):
This information is formulated for use by elements of the Department of Defense. The United States of America in no manner

whatsoever,
expressly or implied, warrants this information to be accurate and
disclaims all liability for its use. Any person utilizing this
document should seek competent professional advice to verify and
assume responsibility for the suitability of this information to their
particular situation.