

AEROSPACE LUBRICANTS INC. -- AEROSPACE LUBRICANT, INCORPORATED -- 9150-00-267-7188

=====
Product Identification
=====

Product ID:AEROSPACE LUBRICANT, INCORPORATED

MSDS Date:06/26/1991

FSC:9150

NIIN:00-267-7188

MSDS Number: BTRNW

=== Responsible Party ===

Company Name:AEROSPACE LUBRICANTS INC.

Address:1505 DELASHMUT AVE.

City:COLUMBUS

State:OH

ZIP:43212

Country:US

Info Phone Num:614-291-3045

Emerg

ency Phone Num:614-291-3045

CAGE:1M049

=== Contractor Identification ===

Company Name:AEROSPACE LUBRICANTS INC.

Address:1505 DELASHMUT AVE.

Box:City:COLUMBUS

State:OH

ZIP:43212

Country:US

Phone:614-291-3045

CAGE:1M049

Company Name:INLAND PACKAGING INC

Address:209 PETERSON DR

Box:644

City:ELIZABETHTOWN

State:KY

ZIP:42701-9804

Country:US

Phone:502-737-6757

CAGE:66172

=====
Composition/Information on Ingredients
=====

Ingred Name:NON HAZARDOUS INGREDIENT

Fraction by Wt: 100%

Oth

er REC Limits:NONE RECOMMENDED

=====
Hazards Identification
=====

Routes of Entry: Inhalation:NO Skin:NO Ingestion:NO
Reports of Carcinogenicity:NTP:NO IARC:NO OSHA:NO
Health Hazards Acute and Chronic:ACUTE: NONE. CHRONIC: NONE.
Explanation of Carcinogenicity:NOT CARCINOGENIC.
Effects of Overexposure:PROLONGED EXPOSURE CAUSES NO KNOWN ADVERSE EFFECTS.
Medical Cond Aggravated by Exposure:NO KNOWN MEDICAL CONDITIONS THAT MIGHT BE AGGRAVATED BY EXPOSURE.
RE.

=====
First Aid Measures
=====

First Aid:INHALATION-NO PROBLEM. EYES-FLUSH WITH WATER. SKIN-WIPE OFF AND WASH WITH WATER. INGESTION-NO PROBLEM.

=====
Fire Fighting Measures
=====

Autoignition Temp:Autoignition Temp Text:>600F
Extinguishing Media:CARBON DIOXIDE, DRY CHEMICAL, FOAM, WATER SPRAY.
Fire Fighting Procedures:SELF-CONTAINED BREATHING APPARATUS AND PROTECTIVE CLOTHING SHOULD BE WORN IN FIGHTING FIRES INVOLVING FLUORINE CHEMICALS.
Unusual Fire/Explosion Hazard:TOXIC FLUORINE GASES.

=====
Accidental Release Measures
=====

Spill Release Procedures:USE ABSORBENT MATERIAL TO COLLECT AND CONTAIN FOR SALVAGE OR DISPOSAL.

=====
Handling and Storage
=====

Handling and Storage Precautions:USE REASONABLE CARE.
Other Precautions:TOXIC VAPORS MAY EVOLVE ABOVE 550F; PROVIDE ADEQUATE VENTILATION IF USED ABOVE THIS TEMPERATURE.

=====
===== Exposure Controls/Personal Protection =====

Respiratory Protection:NOT REQUIRED.

Ventilation:MECHANICAL: RECOMMENDED.

Protective Gloves:PLASTIC DISPOSABLE.

Eye Protection:SAFETY GLASSES RECOMMENDED.

Other Protective Equipment:PLASTIC APRON, FABRIC LABORATORY COAT
RECOMMENDED.

Work Hygienic Practices:DO NOT CONTAMINATE SMOKING MATERIALS; WASH
HANDS AFTER EXPOSURE.

Supplemental Safety and Health

NONE

=====
===== Physical/Chemical Properties =====

====

HCC:V6

Melt/Freeze Pt:M.P/F.P Text:>550F,>288C

Vapor Pres: