

POLY RESEARCH CORPORATION -- FERRIC CHLORIDE, ANHYDROUS -- 6810-00-682-6677

=====  
Product Identification  
=====

Product ID:FERRIC CHLORIDE, ANHYDROUS

MSDS Date:10/11/1993

FSC:6810

NIIN:00-682-6677

MSDS Number: BTRPH

=== Responsible Party ===

Company Name:POLY RESEARCH CORPORATION

Address:125 CORPORATE DRIVE

City:HOLTSVILLE

State:NY

ZIP:11742

Country:US

Info Phone Num:516-242-1020

Emergency Phone N

um:800-424-9300

CAGE:64713

=== Contractor Identification ===

Company Name:POLY RESEARCH CORPORATION

Address:125 CORPORATE DRIVE

Box:City:HOLTSVILLE

State:NY

ZIP:11742-2007

Country:US

Phone:516-758-0460

CAGE:64713

=====  
Composition/Information on Ingredients  
=====

Ingred Name:FERRIC CHLORIDE (SARA III)

CAS:7705-08-0

RTECS #:LJ9100000

Fraction by Wt: 99%

Other REC Limits:NONE RECOMMENDED

OSHA PEL:1 MG (FE)/M3

ACGIH TLV:1 MG (FE)/M3; 9394

EPA Rpt Qty:1000 LBS

DOT Rpt Qty:1000 L

=====  
===== Hazards Identification =====

LD50 LC50 Mixture:NONE SPECIFIED BY MANUFACTURER.  
Routes of Entry: Inhalation:YES Skin:YES Ingestion:YES  
Reports of Carcinogenicity:NTP:NO IARC:NO OSHA:NO  
Health Hazards Acute and Chronic:EYE CONTACT: MAY CAUSE IRRITATION AND  
MAY BE CORROSIVE AND RESULT IN PERMANENT VISUAL LOSS. SKIN CONTACT:  
A MODERATE SKIN IRRITANT. CONTACT CAN CAUSE IRRITATION OR CORROSIVE  
CHEMICAL BURNS TO HUMAN TISSUE. INHALATION: IRRITANT.  
INGESTION:  
MAY CAUSE SEVERE LIVER AND/OR KIDNEY DAMAGE.  
Explanation of Carcinogenicity:NONE  
Effects of Overexposure:SEE HEALTH HAZARDS.  
Medical Cond Aggravated by Exposure:PERSONS WITH A HISTORY OF EYE, SKIN  
AND RESPIRATORY DISORDERS MAY BE AT INCREASED RISK FROM EXPOSURE.

=====  
===== First Aid Measures =====

First Aid:EYE: IMMEDIATELY FLUSH WITH PLENTY OF WATER FOR 15-20  
MINUTES. GET MEDICAL ATTENTION. SKIN: REMOVE CONTAMINATED CLOTHING.  
WASH WITH SOAP AND WATER. INHALATION: REMOVE TO FRESH AIR. GIVE  
OXYGEN IF BREATHING IS DIFFICULT. GIVE ARTIFICIAL RESPIRATION IF  
VICTIM IS NOT BREATHING. INGESTION:DO NOT INDUCE VOMITING. DRINK  
COPIOUS AMOUNTS OF WATER. GET IMMEDIATE MEDICAL ATTENTION.

=====  
===== Fire Fighting Measures =====

Flash Point:NONE  
Extinguishing Media:USE CARBON DIOXIDE, OR DRY CHEMICAL.  
Fire Fighting Procedures:WEAR FIRE FIGHTING PROTECTIVE EQUIPMENT AND A  
FULL FACED SELF CONTAINED BREATHING APPARATUS. COOL EXTERIOR OF  
STORAGE TANKS.  
Unusual Fire/Explosion Hazard:MAY RELEASE CHLORINE GAS OR HYDROGEN  
CHLORIDE GAS AT HIGH TEMPERATURES AS MATERIAL DECOMPOSES. CAUTION:  
THIS MATERIAL HEATS ON CONTACT WITH WATER.

=====  
===== Accidental Release Measures =====

Spill Release Procedures:WEAR PROTECTIVE EQUIPMENT AND VENTILATE AREA  
AS REQUIRED. SWEEP OR SCOOP UP AND REMOVE. FLUSH AREA WITH WATER.  
Neutralizing Agent:NONE SPECIFIED

Y MANUFACTURER.

=====  
Handling and Storage  
=====

Handling and Storage Precautions:STORE AWAY FROM HEAT, STRONG ALKALIS AND ALKALI METALS. KEEP CONTAINERS CLOSED AND DRY. PROTECT CONTAINER FROM PHYSICAL DAMAGE.

Other Precautions:AVOID CONTACT WITH WATER AND MINIMIZE CONTACT WITH MOISTURE.EMPTIED CONTAINER MAY RETAIN VAPOR AND PRODUCT RESIDUE.

=====  
Exposure Controls/Personal Protection  
=====

Respiratory Protection:USE NIOSH/MSHA APPROVED, FULL FACE RESPIRATOR WITH DUST FILTER. CONSULT RESPIRATOR MANUFACTURER TO DETERMINE APPROPRIATE EQUIPMENT.

Ventilation:MECHANICAL (GENERAL) VENTILATION IS USUALLY ADEQUATE.

Protective Gloves:IMPERVIOUS RUBBER GLOVES

Eye Protection:SAFETY GLASSES WITH SIDE SHIELDS

Other Protective Equipment:SAFETY SHOWER AND EYE BATH.

Work Hygienic Practices:WASH THOROUGHLY AFTER HANDLING AND BEFORE EATING OR DRINKING. LAUNDER CONTAMINATED CLOTHING BEFORE REUSE.

Supplemental Safety and Heal

th

NONE

=====  
Physical/Chemical Properties  
=====

HCC:C1

Boiling Pt:B.P. Text:581F,305C

Vapor Pres:NEGLIGIBLE

Spec Gravity:2.8 -2.9

Solubility in Water:APPRECIABLE

Appearance and Odor:GREENISH BLACK GRANULAR SOLID

=====  
Stability and Reactivity Data  
=====

Stability Indicator/Materials to Avoid:YES  
NONE SPECIFIED BY MANUFACTURER.

Stability Condition to Avoid:AVOID HIGH TEMPERATURES.

Hazardous Decomposition Products:CAN RELEASE CHLORINE GAS

AT ELEVATED

TEMPERATURES ABOVE 553F. CAN RELEASE HYDROGEN CHLORIDE GAS ON CONTACT WITH WATER.

===== Disposal Considerations =====

Waste Disposal Methods:DISPOSE OF SPILLED, NEUTRALIZED, OR WASTE PRODUCT CONTAMINATED SOIL AND OTHER CONTAMINATED MATERIALS IN ACCORDANCE WITH ALL APPLICABLE FEDERAL, STATE AND LOCAL REGULATIONS.

Disclaimer (provided with this information by the compiling agencies):

This information is formulated for use by elements of the Department

of Defense. The United States of America in no manner whatsoever, expressly or implied, warrants this information to be accurate and disclaims all liability for its use. Any person utilizing this document should seek competent professional advice to verify and assume responsibility for the suitability of this information to their particular situation.