

ROYAL LUBRICANTS COMPANY INC. -- ROYCO 13E -- 9150-00-141-6770

=====  
Product Identification  
=====

Product ID:ROYCO 13E

MSDS Date:08/03/1993

FSC:9150

NIIN:00-141-6770

MSDS Number: BTRTG

=== Responsible Party ===

Company Name:ROYAL LUBRICANTS COMPANY INC.

Address:72 EAGLE ROCK AVE

Box:518

City:EAST HANOVER

State:NJ

ZIP:07936

Country:US

Info Phone Num:201-887-3100

Emergency Phone Num:201-887-7411

CA

GE:07950

=== Contractor Identification ===

Company Name:ROYAL LUBRICANTS COMPANY INC.

Address:215 MERRY LN

Box:518

City:EAST HANOVER

State:NJ

ZIP:07936

Country:US

Phone:973-887-7411/7410

CAGE:07950

=====  
Composition/Information on Ingredients  
=====

Ingred Name:SILICONE

CAS:63148-52-7

Fraction by Wt: 50-60% %

Other REC Limits:NONE RECOMMENDED

Ingred Name:TEFLON (TETRAFLUORO ETHYLENE POLYMER)

CAS:116-14-3

RTECS #:KX4025000

Fraction by Wt: 40-45% %

Other REC Limits:NONE RECOMME

NDED  
OSHA PEL:15 MG/M3 TDUST  
ACGIH TLV:10 MG/M3 TDUST

Ingred Name:ADDITIVES  
Fraction by Wt: < 3%  
Other REC Limits:NONE RECOMMENDED

=====  
Fire Fighting Measures  
=====

Flash Point:>200F,>93C  
Lower Limits:NOT GIVEN  
Upper Limits:NOT GIVEN  
Extinguishing Media:WATER FOG, DRY CHEMICAL, FOAM, CARBON DIOXIDE. DO NOT USE A DIRECT STREAM OF WATER.  
Fire Fighting Procedures:FIRE FIGHTERS SHOULD USE NIOSH APPROVED SCBA & FULL PROTECTIVE EQUIPMENT WHEN FIGHTING CHEMICAL FIRE. USE WATER SPRAY TO COOL NEARBY CONTAINERS EXPOSED TO FIRE.  
Unusual Fire/Explosion Hazard:PRODUCT WILL FLOAT AND CAN BE REIGNITED ON SURFACE OF WATER. MATERIAL WILL NOT BURN UNLESS PREHEATED.

=====  
Exposure Controls/Personal Protection  
=====

Supplemental Safety and Health

=====  
Physical/Chemical Properties  
=====

HCC:V6  
Boiling Pt:B.P. Text:NOT GIVEN  
Melt/Freeze Pt:M.P/F.P Text:NOT GIVEN  
Vapor Pres:NOT GIVEN  
Vapor Density:NOT GIV  
EN  
Spec Gravity:< 1  
Evaporation Rate & Reference:NOT GIVEN  
Solubility in Water:NEGLIGIBLE  
Appearance and Odor:TAN GREASE

=====  
Stability and Reactivity Data  
=====

Stability Indicator/Materials to Avoid:YES  
STRONG OXIDIZING AGENTS  
Stability Condition to Avoid:AVOID HEAT, FLAME

Disclaimer (provided with this information by the compiling agencies):  
This information is formulated for use by elements of the Department of Defense. The United States of America in no

manner whatsoever,  
expressly or implied, warrants this information to be accurate and  
disclaims all liability for its use. Any person utilizing this  
document should seek competent professional advice to verify and  
assume responsibility for the suitability of this information to their  
particular situation.