

J.T.BAKER CHEMICAL CO. -- POTASSIUM CHROMATE -- 6810-00-241-8422
===== Product Identification =====

Product ID:POTASSIUM CHROMATE

MSDS Date:03/09/1992

FSC:6810

NIIN:00-241-8422

MSDS Number: BTSDY

=== Responsible Party ===

Company Name:J.T.BAKER CHEMICAL CO.

Address:222 RED SCHOOL LANE

City:PHILLIPSBURG

State:NJ

ZIP:08865-2219

Country:US

Info Phone Num:201-859-2151

Emergency Phone Num:201-859-2151

CAGE:DO870

=== Contractor Identification ===

Company Name:J.T.BAKER CHEMICAL CO.

Address:222 RED SCHOOL LANE

City:PHILLIPSBURG

State:NJ

ZIP:08865-2219

Country:US

Phone:201-859-2151

CAGE:DO870

Company Name:MALLINCKRODT BAKER, INC.

Address:222 RED SCHOOL LANE

Box:City:PHILLIPSBURG

State:NJ

ZIP:08865

Country:US

Phone:800-582-2537

CAGE:70829

===== Composition/Information on Ingredients =====

Ingred Name:POTASSIUM CHROMATE (SARA III)

CAS:7789-00-6

RTECS #:GB2940000

Fraction by W

t: 100% %
Other REC Limits:NONE RECOMMENDED
OSHA PEL:C 0.1 MG (CRO3)/M3
ACGIH TLV:0.5 MG(CR)/M3; 9394
EPA Rpt Qty:10 LBS
DOT Rpt Qty:10 LBS

=====
===== Hazards Identification =====

LD50 LC50 Mixture:TLV = 0.05 MG/M3
Routes of Entry: Inhalation:YES Skin:YES Ingestion:YES
Reports of Carcinogenicity:NTP:YES IARC:YES OSHA:NO
Health Hazards Acute and Chronic:EXCESSIVE INHALATION IS IRRITATING AND
MAY CAUSE RESPIRATORY SYSTEM DAMAGE. SKIN ABSORPTION IS HARMFUL
AND
MAY BE FATAL. INGESTION IS HARMFUL AND MAY BE FATAL. MAY CAUSE
GASTROINTESTINAL PAIN. CHRONIC EXPOSURE MAY LEAD TO KIDNEY DAMAGE
AND/OR LIVER DAMAGE.
Explanation of Carcinogenicity:THIS SUBSTANCE IS LISTED AS A NTP HUMAN
CARCINOGEN AND AN IARC HUMAN CARCINOGEN (GROUP I).
Effects of Overexposure:RESPIRATORY TRACT IRRITATION, GASTROINTESTINAL
PAIN. LIVER DAMAGE, KIDNEY DAMAGE.
Medical Cond Aggravated by Exposure:PRE-EXISTING SKIN AND/OR
RESPIRATORY DISORDERS MAY BE AGG
RAVATED BY EXPOSURE TO THIS
PRODUCT.

=====
===== First Aid Measures =====

First Aid:EYES: FLUSH WITH WATER FOR 15 MINUTES WHILE HOLDING EYELIDS
OPEN. GET MEDICAL ATTENTION. SKIN: REMOVE CONTAMINATED CLOTHING.
WASH WITH SOAP AND WATER. IF IRRITATION PERSISTS, GET MEDICAL
ATTENTION. IN HALATION: REMOVE TO FRESH AIR. RESTORE BREATHING. GET
MEDICAL ATTENTION. INGESTION: INDUCE VOMITING. GET MEDICAL
ATTENTION.

=====
===== Fire Figh
ting Measures =====

Flash Point:NONFLAMMABLE
Lower Limits:NOT GIVEN
Upper Limits:NOT GIVEN
Extinguishing Media:WATER SPRAY
Fire Fighting Procedures:FIRE FIGHTERS SHOULD USE NIOSH APPROVED SCBA &
FULL PROTECTIVE EQUIPMENT WHEN FIGHTING CHEMICAL FIRE. USE WATER
SPRAY TO COOL NEARBY CONTAINERS EXPOSED TO FIRE.
Unusual Fire/Explosion Hazard:MODERATE OXIDIZER. CONTACT WITH OTHER
MATERIAL MAY CAUSE FIRE.

=====
===== Accidental Release Measures =====

Spill Release Procedures:WEAR SELF-CONTAINED BREATHING APPARATUS AND FULL PROTECTIVE CLOTHING. KEEP COMBUSTIBLES (WOOD, PAPER, OIL, ETC) AWAY FROM SPILLED MATERIAL. WITH CLEAN SHOVEL, CAREFULLY PLACE MATERIAL INTO CLEAN, DRY CONTAINER AND COVER.

Neutralizing Agent:NONE SPECIFIED BY MANUFACTURER.

=====
===== Handling and Storage =====

Handling and Storage Precautions:STORE IN A COOL, DRY PLACE WITH ADEQUATE VENTILATION. KEEP AWAY FROM OPEN FLAMES AND HIGH TEMPERATURES. KEEP CONTAINER TIGHTLY CLOSED.

Other Precautions:AVOID SKIN CONTACT. LAUNDRY CONTAMINATED CLOTHING BEFORE REUSE. PROPERLY DISPOSE OF CONTAMINATED LEATHER ARTICLES, INCLUDING SHOES, THAT CANNOT BE DECONTAMINATED. STORE IN SECURE POISON AREA.

=====
===== Exposure Controls/Personal Protection =====

Respiratory Protection:A RESPIRATOR WITH DUST/MIST FILTER IS RECOMMENDED. IF AIRBORNE CONCENTRATIONS EXCEEDS TLV, A SELF-CONTAINED BREATHING APPARATUS IS ADVISED.

Ventilation:LOCAL EXHAUST AND MECHANICAL (GENERAL) VENTILATION TO MAINTAIN EXPOSURE LEVELS.

Protective Gloves:RUBBER

Eye Protection:SAFETY GLASSES OR GOGGLES

Other Protective Equipment:PROTECTIVE CLOTHING AS REQUIRED TO AVOID SKIN CONTACT. AN EMERGENCY EYE WASH STATION AND SHOWER SHOULD BE AVAILABLE.

Work Hygienic Practices:WASH WITH SOAP AND WATER AFTER HANDLING PRODUCT AND BEFORE EATING DRINKING OR SMOKING.

Supplemental Safety and Health

NONE SPECIFIED BY M

ANUFACTURER.

=====
===== Physical/Chemical Properties =====

HCC:V1

Boiling Pt:B.P. Text:NOT GIVEN

Melt/Freeze Pt:M.P/F.P Text:1787F,975C

Vapor Pres:NOT GIVEN

Vapor Density:6.7

Spec Gravity:2.73

Evaporation Rate & Reference:NOT GIVEN

Solubility in Water:APPRECIABLE

Appearance and Odor:ODORLESS SOLID

Percent Volatiles by Volume:NIL

=====
===== Stability and Reactivity Data =====

Stability Indicator/Materials to Avoid:YES

STRONG OXIDIZING AGENTS, CO

MBUSTIBLE MATERIALS, ORGANIC MATERIALS

Stability Condition to Avoid:HEAT, OPEN FLAME

Hazardous Decomposition Products:CHROMIUM OXIDE FUMES

===== Disposal Considerations =====

Waste Disposal Methods:PREVENT WASTE FROM CONTAMINATING SURROUNDING ENVIRONMENT. DISCARD ANY PRODUCT, RESIDUE, DISPOSAL CONTAINER OR LINER IN ACCORDANCE WITH ALL FEDERAL, STATE AND LOCAL REGULATIONS.

Disclaimer (provided with this information by the compiling agencies):

This info

mation is formulated for use by elements of the Department of Defense. The United States of America in no manner whatsoever, expressly or implied, warrants this information to be accurate and disclaims all liability for its use. Any person utilizing this document should seek competent professional advice to verify and assume responsibility for the suitability of this information to their particular situation.