

CLIFTON ADHESIVE INC -- ADHESIVE, RUBBER BASE, GENERAL PURPOSE -- 8040-00-664-4318

=====  
Product Identification  
=====

Product ID:ADHESIVE, RUBBER BASE, GENERAL PURPOSE

MSDS Date:03/13/1990

FSC:8040

NIIN:00-664-4318

MSDS Number: BTSGG

=== Responsible Party ===

Company Name:CLIFTON ADHESIVE INC

Address:BURGESS PL

Box:282

City:WAYNE

State:NJ

ZIP:07474-0282

Country:US

Info Phone Num:201-694-0845

Emer

gency Phone Num:201-694-0845

CAGE:79833

=== Contractor Identification ===

Company Name:CLIFTON ADHESIVE INC

Address:BURGESS PL

Box:City:WAYNE

State:NJ

ZIP:07470

Country:US

Phone:201-694-0845; 973-694-0845

CAGE:79833

=====  
Composition/Information on Ingredients  
=====

Ingred Name:TOLUENE (SARA III)

CAS:108-88-3

RTECS #:XS5250000

Fraction by Wt: 16% %

Other REC Limits:NONE RECOMMENDED

OSHA PEL:200 PPM; Z-2

ACGIH TLV:S, 50 PPM; 9394

EPA Rpt Qty:1000 LBS

DOT Rpt Qty:1000 LBS

Ing

red Name:HEXANE (N-HEXANE)  
CAS:110-54-3  
RTECS #:MN9275000  
Fraction by Wt: 25% %  
Other REC Limits:NONE RECOMMENDED  
OSHA PEL:500 PPM  
ACGIH TLV:50 PPM; 9394  
EPA Rpt Qty:1 LB  
DOT Rpt Qty:1 LB

Ingred Name:METHYL ETHYL KETONE (2-BUTANONE) (MEK) (SARA III)  
CAS:78-93-3  
RTECS #:EL6475000  
Fraction by Wt: 13% %  
Other REC Limits:NONE RECOMMENDED  
OSHA PEL:200 PPM  
ACGIH TLV:200 PPM/300STEL;9394  
EPA Rpt Qty:5000 LBS  
DOT Rpt Qty:5000 LBS

Ingred Name:ACETONE (SARA III)  
CAS:67-64-1  
RTECS #:AL3150000  
Fraction  
by Wt: 18% %  
Other REC Limits:NONE RECOMMENDED  
OSHA PEL:1000 PPM  
ACGIH TLV:750PPM/1000STEL;9294  
EPA Rpt Qty:5000 LBS  
DOT Rpt Qty:5000 LBS

Ingred Name:CHLOROPRENE RUBBER  
CAS:9010-98-4  
Fraction by Wt: BALANCE  
Other REC Limits:NONE RECOMMENDED

=====  
===== Hazards Identification =====

LD50 LC50 Mixture:NOT GIVEN FOR PRODUCT AS A WHOLE  
Routes of Entry: Inhalation:YES Skin:YES Ingestion:YES  
Reports of Carcinogenicity:NTP:NO IARC:NO OSHA:NO  
Health Hazards Acute and C

chronic:MAY CAUSE NERVE DAMAGE. MAY CAUSE NAUSEA AND/OR NARCOSIS. MAY CAUSE LIVER ABNORMALITIES, KIDNEY, LUNG AND SPLEEN DAMAGE. MAY CAUSE CENTRAL NERVOUS SYSTEM EFFECTS. MAY DAMAGE PERIPHERAL NERVE TISSUE.

Explanation of Carcinogenicity:THIS COMPOUND CONTAINS NO INGREDIENTS AT CONCENTRATIONS OF 0.1% OR GREATER THAT ARE CARCINOGENS OR SUSPECT CARCINOGENS.

Effects of Overexposure:IRRITATION TO EYES AND MUCOUS MEMBRANES. DRY AND CRACKED SKIN. LIQUID INGESTION MAY RESULT IN VOMITING. CAN CAUSE SEVERE EYE BURNS. TINGLING AND WEAKNESS OF ARMS AND LEGS MAY OCCUR.

Medical Cond Aggravated by Exposure:PRE-EXISTING RESPIRATORY DISORDERS MAY BE AGGRAVATED BY EXPOSURE TO THIS PRODUCT.

=====  
===== First Aid Measures =====

First Aid:EYES: FLUSH WITH WATER FOR 15 MINUTES WHILE HOLDING EYELIDS OPEN. GET MEDICAL ATTENTION. SKIN: REMOVE CONTAMINATED CLOTHING. WASH WITH SOAP AND WATER. IF IRRITATION PERSISTS, GET MEDICAL ATTENTION. IN HALATION: REMOVE TO FRESH AIR. RESTORE BREATHING. GET MEDICAL ATTENTION. INGESTION: DO NOT INDUCE VOMITING. GET MEDICAL ATTENTION.

=====  
===== Fire Fighting Measures =====

Flash Point Method:TCC  
Flash Point: