

SPRAYLAT CORP -- PLASTIC COATING COMPOUND, STRIPPABLE -- 8030-00-721-9380

=====
Product Identification
=====

Product ID:PLASTIC COATING COMPOUND, STRIPPABLE

MSDS Date:04/09/1992

FSC:8030

NIIN:00-721-9380

MSDS Number: BTSGK

=== Responsible Party ===

Company Name:SPRAYLAT CORP

Address:716 S COLUMBUS AVE

City:MOUNT VERNON

State:NY

ZIP:10550-4717

Country:US

Info Phone Num:914-699-3030

Emergency Phone

Num:914-699-3030

Preparer's Name:MICHEAL A SPATH

CAGE:87354

=== Contractor Identification ===

Company Name:SPRAYLAT CORPORATION

Address:716 SOUTH COLUMBUS AVENUE

Box:City:MT. VERNON

State:NY

ZIP:10550

Country:US

Phone:914-699-3030;310-559-2335

CAGE:87354

=====
Composition/Information on Ingredients
=====

Ingred Name:CARBON BLACK

CAS:1333-86-4

RTECS #:FF5800000

Fraction by Wt: 1% %

Other REC Limits:NONE RECOMMENDED

OSHA PEL:3.5 MG/M3

ACGIH TLV:3.5 MG/M3; 9394

Ingred Name:ZIN

C COMPOUNDS EG BASIC ZINC CHROMATE PIGMENT WITH .07%
CHROMATE

Fraction by Wt: .09%

Other REC Limits:NONE RECOMMENDED

Ingred Name:NON HAZARDOUS INGREDIENTS

Fraction by Wt: BALANCE

Other REC Limits:NONE RECOMMENDED

===== Hazards Identification =====

LD50 LC50 Mixture:NOT GIVEN FOR PRODUCT AS A WHOLE

Routes of Entry: Inhalation:YES Skin:YES Ingestion:NO

Reports of Carcinogenicity:NTP:YES IARC:YES OSHA:NO

Health Hazards Acute and Chronic:MAY CAUSE LUNG
INJURY. MAY CAUSE

IRRITATION TO EYES, NOSE, THROAT, UPPER RESPIRATORY TRACT, MUCOUS
MEMBRANES AND SKIN. MAY CAUSE ALLERGIC RESPIRATORY REACTION.
HARMFUL IF SWALLOWED. MAY CAUSE SKIN IRRITATION, DRYING, CRACKING
OR DERMATITIS ON PROLONGED EXPOSURE TO SKIN.

Explanation of Carcinogenicity:CONTAINS CHROMATE WHICH IS A SUSPECT OR
POTENTIAL CARCINOGEN LISTED BY IARC AND NTP.

Effects of Overexposure:LUNG INJURY, EYE IRRITATION, NOSE/THROAT
IRRITATION, UPPER RESPIRATORY TRACT IR

RITATION, MUCOUS MEMBRANE

IRRITATION, SKIN IRRITATION, DERMATITIS, GASTROINTESTINAL
IRRITATION.

Medical Cond Aggravated by Exposure:PRE-EXISTING SKIN AND/OR

RESPIRATORY DISORDERS MAY BE AGGRAVATED BY EXPOSURE TO THIS
PRODUCT.

===== First Aid Measures =====

First Aid:EYES: FLUSH WITH WATER FOR 15 MINUTES WHILE HOLDING EYELIDS
OPEN. GET MEDICAL ATTENTION. SKIN: REMOVE CONTAMINATED CLOTHING.
WASH WITH SOAP AND WATER. IF IRRITATION PERS

ISTS, GET MEDICAL

ATTENTION. IN HALATION: REMOVE TO FRESH AIR. RESTORE BREATHING. GET
MEDICAL ATTENTION. INGESTION: RINSE MOUTH IMMEDIATELY. GIVE EXPOSED
INDIVIDUAL 6-8 OUNCES OF LIQUID. DO NOT INDUCE VOMITING. GET
MEDICAL ATTENTION

===== Fire Fighting Measures =====

Flash Point:NONFLAMMABLE

Lower Limits:NOT GIVEN

Upper Limits:NOT GIVEN

Extinguishing Media:WATER FOG, DRY CHEMICAL, CARBON DIOXIDE, FOAM

Fire Fighting Procedures:FIRE FIGHTERS SHOU

LD USE NIOSH APPROVED SCBA &

FULL PROTECTIVE EQUIPMENT WHEN FIGHTING CHEMICAL FIRE. USE WATER SPRAY TO COOL NEARBY CONTAINERS EXPOSED TO FIRE.

Unusual Fire/Explosion Hazard:FIGHT FIRE FROM SAFE DISTANCE OR A PROTECTED LOCATION.

===== Accidental Release Measures =====

Spill Release Procedures:ELIMINATE SOURCES OF IGNITION. EVACUATE AREA. WEAR PROPER PERSONAL PROTECTIVE EQUIPMENT. CONTAIN SPILL. STOP LEAK IF CAN DO SO WITHOUT RISK. ABSORB LIQUID WITH SUITABLE ABSORBENT MATERIAL. COLLECT FOR DISPOSAL.
Neutralizing Agent:NONE SPECIFIED BY MANUFACTURER.

===== Handling and Storage =====

Handling and Storage Precautions:STORE IN A COOL, DRY PLACE WITH ADEQUATE VENTILATION. KEEP AWAY FROM OPEN FLAMES AND HIGH TEMPERATURES.
Other Precautions:AVOID BREATHING VAPORS OR MIST. AVOID SKIN CONTACT. LAUNDRY CONTAMINATED CLOTHING BEFORE REUSE.

===== Exposure Controls/Personal Protection =====

Respiratory Protection:IF VENTILATION DOES NOT MAINTAIN INHALATION EXPOSURES BELOW PEL (TLV), USE NIOSH/MSHA APPROVED RESPIRATOR AS PER CURRENT 29 CFR 1910.134, INSTRUCTIONS/WARNINGS AND NIOSH RESPIRATOR SELECTION.

Ventilation:LOCAL EXHAUST AND MECHANICAL (GENERAL) VENTILATION TO MAINTAIN EXPOSURE LEVELS.

Protective Gloves:NATURAL RUBBER, NEOPRENE, BUNA N, NITRIL

Eye Protection:SAFETY GLASSES OR GOGGLES

Other Protective Equipment:PROTECTIVE CLOTHING AS REQUIRED TO AVOID

SKIN CONTACT. AN EMERGENCY EYE WASH STATION AND SHOWER SHOULD BE AVAILABLE.

Work Hygienic Practices:WASH WITH SOAP AND WATER AFTER HANDLING PRODUCT AND BEFORE EATING DRINKING OR SMOKING.

Supplemental Safety and Health
NONE SPECIFIED BY MANUFACTURER.

===== Physical/Chemical Properties =====

HCC:N1

Boiling Pt:B.P. Text:212F,100C

Melt/Freeze Pt:M.P/F.P Text:32.0F,0.0C

Vapor Pres:17.5

Vapor Density:1.55

Spec Gravity:1.02

pH:7-8.5

Evaporation Rate & Re

ference:< 1 (BUTYL ACETATE = 1)
Solubility in Water:COMPLETE
Appearance and Odor:BLACK FLUID

===== Stability and Reactivity Data =====

Stability Indicator/Materials to Avoid:YES
STRONG OXIDIZING AGENTS
Stability Condition to Avoid:HEAT, OPEN FLAME, HOT SURFACES, ALL
SOURCES OF HEAT AND IGNITION
Hazardous Decomposition Products:CARBON MONOXIDE, CARBON DIOXIDE

===== Disposal Considerations =====

Waste Disposal Methods:PREVENT WASTE
FROM CONTAMINATING SURROUNDING
ENVIRONMENT. DISCARD ANY PRODUCT, RESIDUE, DISPOSAL CONTAINER OR
LINER IN ACCORDANCE WITH ALL FEDERAL, STATE AND LOCAL REGULATIONS.

Disclaimer (provided with this information by the compiling agencies):
This information is formulated for use by elements of the Department
of Defense. The United States of America in no manner whatsoever,
expressly or implied, warrants this information to be accurate and
disclaims all liability for its use. Any person
utilizing this
document should seek competent professional advice to verify and
assume responsibility for the suitability of this information to their
particular situation.