

CRAWFORD LABS, INC -- H2-017 -- 8010-01-285-1329

===== Product Identification =====

Product ID:H2-017
MSDS Date:05/01/1993
FSC:8010
NIIN:01-285-1329
MSDS Number: BTKSL
=== Responsible Party ===
Company Name:CRAWFORD LABS, INC
Address:4165 S EMERALD AVE
City:CHICAGO
State:IL
ZIP:60609
Country:US
Info Phone Num:312-376-7132
Emergency Phone Num:312-376-7132 800-424-9300(CHEMTREC)
Preparer's Name:DAV
ID SCHMETTERER
CAGE:5V430
=== Contractor Identification ===
Company Name:CRAWFORD LABORATORIES, INC
Address:4165 SOUTH EMERALD AVENUE
Box:City:CHICAGO
State:IL
ZIP:60609
Country:US
Phone:312-376-7132
CAGE:5V430

===== Composition/Information on Ingredients =====

Ingred Name:ZINC MOLYBDATE
CAS:22914-58-5
Fraction by Wt: 5.9%
Other REC Limits:NONE RECOMMENDED
OSHA PEL:10MG/M3
ACGIH TLV:10MG/M3

Ingred Name:ZINC OXIDE
CAS:1314-13-2
RTECS #:ZH4810000
Fraction by Wt: 15%
Other REC

Limits:NONE RECOMMENDED
OSHA PEL:15 MG/M3 TDUST
ACGIH TLV:10 MG/M3 TDUST; 9394

Ingred Name:VM&P NAPHTHA (LIGROINE)
CAS:8032-32-4
RTECS #:OI6180000
Fraction by Wt: 20%
Other REC Limits:NONE RECOMMENDED
OSHA PEL:300 PPM
ACGIH TLV:300 PPM; 9394

Ingred Name:NAPHTHA, LIGHT AROMATIC
CAS:64742-95-6
Fraction by Wt: 11%
Other REC Limits:NONE RECOMMENDED
OSHA PEL:100 PPM (NAPHTHA)
ACGIH TLV:400 PPM (NAPHTHA)

Ingred Name:VOLATILE ORGANIC COMPOUNDS
RTECS #:9999999VO
Fraction by Wt: 1
Spec Gravity:1.56
Viscosity:90 KU
Evaporation Rate & Reference:0.11 (N-BUTYL ACETATE=1)
Solubility in Water:SLIGHT
Appearance and Odor:LIQUID;YELLOW;SOLVENT ODOR
Percent Volatiles by Volume:60.5

===== Stability and Reactivity Data =====

Stability Indicator/Materials to Avoid:YES
STRONG OXIDIZING AGENTS AND ALKALIES.
Stability Condition to Avoid:HIGH HEAT,SOURCES OF IGNITION.
Hazardous Decomposition Products:CARBON DIOXIDE,CARBON MONOXIDE

===== Disposal Considerations =====

Waste Disposal Methods:DISPOSE OF IN ACCORDANCE WITH FEDERAL,STATE AND LOCAL REGULATIONS.EPA DISPOSAL CODE D001(IGNITABLE).

Disclaimer (provided with this information by the compiling agencies):
This information is formulated for use by elements of the Department of Defense. The United States of America in no manner whatsoever, expressly or implied, warrants this information to be accurate and disclaims all liability for its use. Any person utilizing this docum

ent should seek competent professional advice to verify and assume responsibility for the suitability of this information to their particular situation.