

INTERNATIONAL PAINT CO INC -- TPD-24441/1C GREEN PRIMER F150 COMP B -- 8010-01-302-3608

=====
Product Identification
=====

Product ID:TPD-24441/1C GREEN PRIMER F150 COMP B

MSDS Date:01/28/1993

FSC:8010

NIIN:01-302-3608

Kit Part:Y

MSDS Number: BTSTD

=== Responsible Party ===

Company Name:INTERNATIONAL PAINT CO INC

Address:2270 MORRIS AVE

Box:386

City:UNION

State:NJ

ZIP:07083-5704

Country:US

Info P

hone Num:201-686-1300

Emergency Phone Num:201-686-1300

CAGE:26351

=== Contractor Identification ===

Company Name:INTERNATIONAL PAINT INC

Address:6001 ANTOINE DR

Box:City:HOUSTON

State:TX

ZIP:77091

Country:US

Phone:800-589-1267/800-854-6813

CAGE:26351

=====
Composition/Information on Ingredients
=====

Ingred Name:NAPHTHA, LIGHT AROMATIC

CAS:64742-95-6

Fraction by Wt: 25-30%

Other REC Limits:NONE RECOMMENDED

OSHA PEL:100 PPM

ACGIH TLV:100 PPM 9091

Ingred Name:EPOXY RESIN

CAS:2

5068-38-6
RTECS #:KC2100000
Fraction by Wt: 45-50%
Other REC Limits:NONE RECOMMENDED

Ingred Name:POLYAMIDE RESIN
Fraction by Wt: 1-5%
Other REC Limits:NONE RECOMMENDED

=====
Hazards Identification
=====

Routes of Entry: Inhalation:YES Skin:YES Ingestion:NO
Reports of Carcinogenicity:NTP:NO IARC:NO OSHA:NO
Health Hazards Acute and Chronic:EYES-SEVERE IRRITANT. CORROSIVE.
CAUSES IRREVERSIBLE EYE DAMAGE. SKIN-IRRITATING. MAY RESULT IN
DERMATITIS. MAY CAUSE SENSITIZATION OR OTHER ALLERGIC RESPONSES.
Y CAUSE SENSITIZATION OR OTHER ALLERGIC RESPONSES.
INHALATION-IRRITATION OF RESPIRATORY TRACT.
INGESTION-GASTROINTESTINAL IRRITATION.
Explanation of Carcinogenicity:NONE OF THE INGREDIENTS ARE LISTED AS
CARCINOGENIC OR POTENTIAL CARCINOGENS BY NTP, IARC OR OSHA.
Effects of Overexposure:EYES-MAY CAUSE VISION IMPAIRMENT EVEN
BLINDNESS. INHALATION-HEADACHE AND DIZZINESS AND UNCONSCIOUSNESS.
INGESTION-NAUSEA, VOMITING AND DIARRHEA.
Medical Cond Aggravated by Exposure:SKIN AND RESPIRATORY CONDITIONS.

=====
First Aid Measures
=====

First Aid:EYES-FLUSH IMMEDIATELY WITH COPIOUS QUANTITIES OF WATER FOR
15 MIN. GET MEDICAL ATTENTION IMMEDIATELY. SKIN-REMOVE CONTAMINATED
CLOTHING, WASH SKIN WITH PLENTY OF SOAP AND WATER. LAUNDRY
CONTAMINATED CLOTHES BEFORE REUSE. INHALATION-REMOVE TO FRESH AIR.
GIVE ARTIFICIAL RESPIRATION IF NEEDED. GET MEDICAL ATTENTION.
INGESTION-CALL A PHYSICIAN IMMEDIATELY TO DETERMINE WHETHER OR NOT TO
INDUCE VOMITING.

=====
Fire Fighting Measures
=====

Flash Point Method:SCC
Flash Point:115F,46C
Extinguishing Media:FOAM, CARBON DIOXIDE, DRY CHEMICAL.
Fire Fighting Procedures:SMOTHER FLAMES WITH ONE OF THE ABOVE
EXTINGUISHING MEDIA. WATER MAY BE USED TO COOL UNOPENED CONTAINERS,
BUT MUST NOT BE USED AS AN EXTINGUISHING MEDIA.
Unusual Fire/Explosion Hazard:CONTAINS FLAMMABLE SOLVENTS. DO NOT USE
IN AREAS WHERE SPARK OR OPEN FLAME ARE PRESENT

SENT.

===== Accidental Release Measures =====

Spill Release Procedures:REMOVE ALL SOURCES OF IGNITION. AVOID INHALATION OF VAPORS. VENTILATE AREA. CLEAN UP WITH ABSORBENT MATERIAL.

===== Handling and Storage =====

Handling and Storage Precautions:STORE IN BUILDING DESIGNED AND PROTECTED FOR STORAGE OF LIQUIDS WITH NFPA CLASS II. AVOID BREATHING DUST OR CHIPS FROM SANDING OR BLASTING SURFACES.

Other Precautions:CHRONIC OVEREXPOSURE TO, AND MISUSE OF, SOLVENT HAS BEEN LINKED TO PERMANENT BRAIN AND NERVOUS SYSTEM DAMAGE.

===== Exposure Controls/Personal Protection =====

Respiratory Protection:IN OUTDOOR OR OPEN AREA WITH UNRESTRICTED VENTILATION, USE A NIOSH APPROVED FILTER RESPIRATOR TO REMOVE SOLID AIR-BORNE PARTICLES OF OVERSPRAY DURING SPRAY APPLICATION. IN RESTRICTED VENTILATION AREAS , USE A NIOSH APPROVED RESPIRATOR.

Ventilation:PROVIDE SUFFICIENT VENTILATION IN VOLUME AND PATTERN TO

KEEP TLV AND LEL OF HAZARDOUS INGREDIENTS BELOW LIMITS.

Protective Gloves:WEAR CHEMICAL RESISTANT GLOVES.

Eye Protection:SAFETY GLASSES, CHEMICAL GOGGLES, SHIELD

Other Protective Equipment:WEAR APPROPRIATE IMPERVIOUS PROTECTIVE CLOTHING TO PREVENT SKIN CONTACT.

Work Hygienic Practices:REMOVE AND WASH SOILED CLOTHING BEFORE REUSE, WASH HANDS BEFORE EATING OR SMOKING.

Supplemental Safety and Health

THIS ITEM IS PART "B" OF A TWO PART KIT THAT CONTAINS 5 GAL EACH OF

COMPONENT A AND B.

===== Physical/Chemical Properties =====

HCC:F3

Boiling Pt:B.P. Text:344F,173C

Vapor Density:>AIR

Percent Volatiles by Volume:28

===== Stability and Reactivity Data =====

Stability Indicator/Materials to Avoid:YES
STRONG OXIDIZING AGENTS.

Stability Condition to Avoid:STORE AWAY FROM DIRECT HEAT, FLAME OR SPARKS.

Hazardous Decomposition Products:CARBON MONOXIDE, CARBON DIOXIDE, VARIOUS HYDROCARBON FRAGMENTS,

NITROGEN COMPOUNDS.

===== Disposal Considerations =====

Waste Disposal Methods:DISPOSE IN ACCORDANCE WITH LOCAL, STATE AND FEDERAL REGULATIONS. DO NOT INCINERATE UNOPENED CONTAINERS.

Disclaimer (provided with this information by the compiling agencies):
This information is formulated for use by elements of the Department of Defense. The United States of America in no manner whatsoever, expressly or implied, warrants this information to be accurate and disclaims all liability for its use. Any person utilizing this document should seek competent professional advice to verify and assume responsibility for the suitability of this information to their particular situation.