

AMERICAN CODING & MARKING INK CO. -- 0024 RED -- 7510-00-057-9305

===== Product Identification =====

Product ID:0024 RED

MSDS Date:03/12/1991

FSC:7510

NIIN:00-057-9305

MSDS Number: BTSVC

=== Responsible Party ===

Company Name:AMERICAN CODING & MARKING INK CO.

Address:1220 NORTH AVENUE

City:PLAINFIELD

State:NJ

ZIP:07062-1796

Country:US

Info Phone Num:908-756-0373/769-1386(NIGHT/WEEKEND

Emergency P

hone Num:908-756-0373/769-1386(NIGHT/WEEKEND

Preparer's Name:RICHARD A SWEET

CAGE:0HB89

=== Contractor Identification ===

Company Name:AMERICAN CODING AND MARKING INK CO

Address:1220 NORTH AVENUE

Box:City:PLAINFIELD

State:NJ

ZIP:07062

Country:US

Phone:908-756-0373; 908-769-1386

CAGE:0HB89

===== Composition/Information on Ingredients =====

Ingred Name:NON-HAZARDOUS INGREDIENTS

Fraction by Wt: 100%

Other REC Limits:NONE RECOMMENDED

OSHA PEL:NOT RELEVANT

ACGIH TLV:NOT RELEVANT

=====  
===== Hazards Identification =====

LD50 LC50 Mixture:LD50 (ORAL, RAT) IS >500 - 5000 MG/KG.  
Routes of Entry: Inhalation:NO Skin:NO Ingestion:NO  
Reports of Carcinogenicity:NTP:NO IARC:NO OSHA:NO  
Health Hazards Acute and Chronic:TARGET ORGANS:EYE, KIDNEY, LIVER, GI  
TRACT. ACUTE- EYE:MODERATELY IRRITATING.  
SKIN/INHALATION:ESSENTIALLY NONIRRITATING & NONTOXIC.  
INGESTION:SLIGHTLY IRRITATING TO GI TRACT. CAN CAUSE HEADACHE,  
DIARRHEA, DROWSINESS,  
BREATHING DIFFICULTIES, NAUSEA, VOMITING.  
CHRONIC- UNKNOWN.  
Explanation of Carcinogenicity:NONE  
Effects of Overexposure:EYES AND GASTROINTESTINAL TRACTS IRRITATION,  
NAUSEA, VOMITING, DIARRHEA, DROWSINESS, BREATHING DIFFICULTIES,  
HEADACHE, REDNESS OF EYES AND BLURRED VISION  
Medical Cond Aggravated by Exposure:PERSONS WITH PRE-EXISTING DISORDERS  
MAY BE SUSCEPTIBLE TO THE EFFECTS OF THIS PRODUCT.

=====  
===== First Aid Measures =====

First Aid:GET MEDICAL ATTENTION IF SYMPTOMS PERSIST. SKIN:REMOVE  
CONTAMINATED CLOTHING. WASH SKIN WITH SOAP & WATER. EYE:REMOVE  
CONTACT LENSES. FLUSH EYES WITH WATER FOR 15 MINUTES. HOLD EYELIDS  
OPEN. INHALED:REMOVE TO FRESH AIR. ORAL:IF CONSCIOUS,INDUCE  
VOMITING AS DIRECTED BY MEDICAL PERSONNEL. CALL A PHYSICIAN/POISON  
CONTROL CENTER.

=====  
===== Fire Fighting Measures =====

Flash Point:>240F,>116C  
Lower Limits:1.2  
Extinguishing Media:USE WATER FOG, MULTIPURPOSE FOAM, DRY CHEMICAL,  
CARBON DIOXIDE. COOL FIRE-EXPOSED CONTAINERS WITH WATER SPRAY.  
Fire Fighting Procedures:WEAR PROTECTIVE CLOTHING AND NIOSH-APPROVED  
SELF-CONTAINED BREATHING APPARATUS.  
Unusual Fire/Explosion Hazard:CLOSED CONTAINERS MAY EXPLODE.

=====  
===== Accidental Release Measures =====

Spill Release Procedures:WEAR PROTECTIVE EQUIPMENT. ELIMINATE SOURCES  
OF IGNITION. VENTILATE AREA. CONTAIN SPILL. PICK UP SPILL WITH  
NON-FLAMMABLE ABSORBENT SUBSTANCE

H AS SAND, VERMICULITE. PLACE IN  
CONTAINER FOR DISPOSAL. PREVENT LIQUID FROM ENTERING SEWERS,  
WATERWAYS OR LOW AREA  
Neutralizing Agent:NOT RELEVANT

=====  
Handling and Storage  
=====

Handling and Storage Precautions:KEEP CONTAINERS CLOSED AWAY FROM HEAT,  
SOURCES OF IGNITION & INCOMPATIBLES. GROUND CONTAINERS PROPERLY. DO  
NOT STORE IN CONTAINERS OF AL, CU OR ZINC.

Other Precautions:"EMPTY" CONTAINERS RETAIN RESIDUE AND CAN BE  
DANGEROUS. DO NOT

PRESSURIZE, CUT, WELD, BRAZE, SOLDER, DRILL OR  
EXPOSE SUCH CONTAINERS TO HEAT, FLAME, SPARKS. THEY MAY EXPLODE AND  
CAUSE INJURY/DEATH. AVOID EYE CONTACT.

=====  
Exposure Controls/Personal Protection  
=====

Respiratory Protection:WEAR NIOSH-APPROVED SELF-CONTAINED BREATHING  
APPARATUS AS NECESSARY.

Ventilation:MECHANICAL (GENERAL AND/OR LOCAL EXHAUST, EXPLOSION-PROOF)  
VENTILATION

Protective Gloves:RUBBER OR LATEX AS REQUIRED

Eye Protection:SAFETY GOGGLES. DON'T

WEAR CONTACT LENSE

Other Protective Equipment:EYE WASH STATION, SAFETY SHOWER, PROTECTIVE  
CLOTHING

Work Hygienic Practices:OBSERVE GOOD INDUSTRIAL HYGIENE PRACTICES AND  
RECOMMENDED PROCEDURES.

Supplemental Safety and Health

=====  
Physical/Chemical Properties  
=====

HCC:T6

NRC/State Lic Num:NOT RELEVANT

Boiling Pt:B.P. Text:>240F,>116C

Melt/Freeze Pt:M.P/F.P Text: