

AMERICAN CODING & MARKING INK CO. -- 0024 BLUE -- 7510-00-161-4236

=====  
Product Identification  
=====

Product ID:0024 BLUE  
MSDS Date:03/12/1991  
FSC:7510  
NIIN:00-161-4236  
MSDS Number: BTSVN  
=== Responsible Party ===  
Company Name:AMERICAN CODING & MARKING INK CO.  
Address:1220 NORTH AVENUE  
City:PLAINFIELD  
State:NJ  
ZIP:07062-1796  
Country:US  
Info Phone Num:908-756-0373/769-1386(NIGHT/WEEKEND  
Emergency

Phone Num:908-756-0373/769-1386(NIGHT/WEEKEND

Preparer's Name:RICHARD A SWEET

CAGE:0HB89

==== Contractor Identification ===

Company Name:AMERICAN CODING AND MARKING INK CO

Address:1220 NORTH AVENUE

Box:City:PLAINFIELD

State:NJ

ZIP:07062

Country:US

Phone:908-756-0373; 908-769-1386

CAGE:0HB89

=====  
Composition/Information on Ingredients  
=====

Ingred Name:NON-HAZARDOUS INGREDIENTS

Fraction by Wt: 100%

Other REC Limits:NONE RECOMMENDED

OSHA PEL:NOT RELEVANT

ACGIH TLV:NOT RELEVANT

=====  
Hazards Identification  
=====

LD50 LC50 Mixture:LD50 (ORAL, RAT) IS >500 - 5000 MG/KG.

Routes of Entry: Inhalation:NO Skin:NO Ingestion:NO

Reports of Carcinogenicity:NTP:NO IARC:NO OSHA:NO

Health Hazards Acute and Chronic:TARGET ORGANS:EYE, KIDNEY, LIVER, GI  
TRACT. ACUTE- EYE:MODERATELY IRRITATING.

SKIN/INHALATION:ESSENTIALLY NONIRRITATING & NONTOXIC.

INGESTION:SLIGHTLY IRRITATING TO GI TRACT. CAN CAUSE HEADACHE,  
DIARR HEA, DROWSINESS

, BREATHING DIFFICULTIES, NAUSEA, VOMITING.

CHRONIC- UNKNOWN.

Explanation of Carcinogenicity:NONE

Effects of Overexposure:EYES AND GASTROINTESTINAL TRACTS IRRITATION,  
NAUSEA, VOMITING, DIARRHEA, DROWSINESS, BREATHING DIFFICULTIES,  
HEADACHE, REDNESS OF EYES AND BLURRED VISION

Medical Cond Aggravated by Exposure:PERSONS WITH PRE-EXISTING DISORDERS  
MAY BE SUSCEPTIBLE TO THE EFFECTS OF THIS PRODUCT.

=====  
===== First Aid Measures =====

First Aid:GET

MEDICAL ATTENTION IF SYMPTOMS PERSIST. SKIN:REMOVE  
CONTAMINATED CLOTHING. WASH SKIN WITH SOAP & WATER. EYE:REMOVE  
CONTACT LENSES. FLUSH EYES WITH WATER FOR 15 MINUTES. HOLD EYELIDS  
OPEN. INHALED:REMOVE TO FRESH AIR. ORAL:IF CONSCIOUS,INDUCE  
VOMITING AS DIRECTED BY MEDICAL PERSONNEL. CALL A PHYSICIAN/POISON  
CONTROL CENTER.

=====  
===== Fire Fighting Measures =====

Flash Point:>240F,>116C

Lower Limits:1.2

Extinguishing Media:USE WATER FOG, MULTIPU

RPOISE FOAM, DRY CHEMICAL,

CARBON DIOXIDE. COOL FIRE-EXPOSED CONTAINERS WITH WATER SPRAY.

Fire Fighting Procedures:WEAR PROTECTIVE CLOTHING AND NIOSH-APPROVED  
SELF-CONTAINED BREATHING APPARATUS.

Unusual Fire/Explosion Hazard:CLOSED CONTAINERS MAY EXPLODE.

=====  
===== Accidental Release Measures =====

Spill Release Procedures:WEAR PROTECTIVE EQUIPMENT. ELIMINATE SOURCES  
OF IGNITION. VENTILATE AREA. CONTAIN SPILL. PICK UP SPILL WITH  
NON-FLAMMABLE ABSORBENT S

UCH AS SAND, VERMICULITE. PLACE IN

CONTAINER FOR DISPOSAL. PREVENT LIQUID FROM ENTERING SEWERS,  
WATERWAYS OR LOW AREA

Neutralizing Agent:NOT RELEVANT

=====  
===== Handling and Storage =====

Handling and Storage Precautions:KEEP CONTAINERS CLOSED AWAY FROM HEAT,  
SOURCES OF IGNITION & INCOMPATIBLES. GROUND CONTAINERS PROPERLY. DO  
NOT STORE IN CONTAINERS OF AL, CU OR ZINC.

Other Precautions:"EMPTY" CONTAINERS RETAIN RESIDUE AND CAN BE  
DANGEROUS. DO

NOT PRESSURIZE, CUT, WELD, BRAZE, SOLDER, DRILL OR  
EXPOSE SUCH CONTAINERS TO HEAT, FLAME, SPARKS. THEY MAY EXPLODE AND  
CAUSE INJURY/DEATH. AV OI D EYE CONTACT.

===== Exposure Controls/Personal Protection =====

Respiratory Protection:WEAR NIOSH-APPROVED SELF-CONTAINED BREATHING  
APPARATUS AS NECESSARY.  
Ventilation:MECHANICAL (GENERAL AND/OR LOCAL EXHAUST, EXPLOSION-PROOF)  
VENTILATION  
Protective Gloves:RUBBER OR LATEX AS REQUIRED  
Eye Protection:SAFETY GOGGLES. DO  
N'T WEAR CONTACT LENSE  
Other Protective Equipment:EYE WASH STATION, SAFETY SHOWER, PROTECTIVE  
CLOTHING  
Work Hygienic Practices:OBSERVE GOOD INDUSTRIAL HYGIENE PRACTICES AND  
RECOMMENDED PROCEDURES.  
Supplemental Safety and Health

===== Physical/Chemical Properties =====

HCC:T6  
NRC/State Lic Num:NOT RELEVANT  
Boiling Pt:B.P. Text:>240F,>116C  
Melt/Freeze Pt:M.P/F.P Text: