View NSN Online: https://aerobasegroup.com/nsn/6850-01-352-1604

Product ID:CLASS V, DRY INK, CLASS V TONER (SEE SUPPLEMENTAL FOR PART#) MSDS Date:12/18/1991 FSC:6850 NIIN:01-352-1604 **MSDS Number: BTTDG** === Responsible Party === Company Name: XEROX CORPORATION Address:100 CLINTON AVE SOUTH City:ROCHESTER State:NY ZIP:14644-187 7 Country:US Info Phone Num:800-828-6571 Emergency Phone Num:716-422-2177 CAGE:26921 === Contractor Identification === Company Name: XEROX CORPORATION Address:100 CLINTON AVE SOUTH Box:City:ROCHESTER State:NY ZIP:14644-1877 Country:US Phone:800-828-6571/716-422-2177 CAGE:26921

Ingred Name:STYRENE/ACRYLATE POLYMER (PER MSDS CAS# 25213-39-2). Fraction by Wt: >90% Other REC Limits:NONE RECOMMENDED

Ingred Name:CARBON BLACK CAS:13

33-86-4 RTECS #:FF5800000 Fraction by Wt: 5-10% Other REC Limits:NONE RECOMMENDED OSHA PEL:3.5 MG/M3 ACGIH TLV:3.5 MG/M3; 9394

Ingred Name:QUATERNARY AMMONIUM SALT, CAS# PER MSDS 123-03-5. Fraction by Wt: 10G/KG Routes of Entry: Inhalation:YES Skin:NO Ingestion:NO Reports of Carcinogenicity:NTP:NO IARC:NO OSHA:NO Health Hazards Acute and Chronic:MINIMAL RESPIRATORY TRACT IRRITATION MAY OCCUR AS WITH EXPOSURE TO LARGE AMOUNTS OF ANY NON-TOXIC DUST. Explanation of Carcinogenicity:PER MSD S NONE PRESENT. Effects of Overexposure:MINIMAL RESPIRATORY TRACT IRRITATION MAY OCCUR AS WITH EXPOSURE TO LARGE AMOUNTS OF ANY NON-TOXIC DUST. Medical Cond Aggravated by Exposure:NONE WHEN USED AS DESCRIBED BY PRODUCT LITERATURE.

First Aid:EYE:FLUSH WITH WATER. SKIN:WASH WITH SOAP & WATER. INHAL:REMOVE FROM EXPOSURE. INGEST:DILUTE STOMACH CONTENTS WITH SEVERAL GLASSES OF WATER.

Extinguishing Media:WATER, DRY CHEMICAL, CARBON DIOXIDE OR FOAM.
Fire Fighting Procedures:AVOID INHALATIN OF SMOKE. WEAR PROTECTIVE CLOTHING AND SELF-CONTAINED BREATHING APPARATUS.
Unusual Fire/Explosion Hazard:TONER IS COMBUSTIBLE POWDER. LIKE MOST ORGANIC MATERIALS IN POWDER FORM, WHEN DISPERSED IN AIR, IT CAN FORM EXPLOSIVE MIXTURES.

Spill Release Procedures:SWEEPUP/VACUU M.CAREFULLY TRANSFER INTO SEALABLE WASTE CONTAINER.SWEEP SLOWLY TO MINIMIZE GENERATION OF DUST.VACUUM MOTOR MUST BE RATED AS DUST TIGHT.CONDUCTIVE HOSE

BONDED TO MACHINE SHOULD BE USE TO REDUCE STATIC BUILDUP.REMOVE RESIDUE W/SOAP&WATER.

Neutralizing Agent:NONE SPECIFIED BY MANUFACTURER.

Handling and Storage Precautions:NONE. Other Precautions:AVOID PROLONGED INHALATION OF EXCESSIVE DUST.

====== Exposu

re Controls/Personal Protection =========

Respiratory Protection:NONE REQUIRED WHEN USED AS INTENDED IN XEROX EQUIPMENT. RESPIRATORS MAY BE REQUIRED FOR USE OTHER THAN NORMAL CUSTOMER-OPERATING PROCEDURE (SUCH AS IN BULK TONER PROCESSING FACILITIES).

Ventilation:NONE REQUIRED WHEN USED AS INTENDED IN XEROX EQUIPMENT. Protective Gloves:NONE REQUIRED WHEN USED AS INTENDED. Eye Protection:NONE REQUIRED WHEN USED AS INTENDED. Other Protective Equipment:FOR USE OTHER THAN NORMAL CUS TOMER-OPERATING

PROCEDURES GOGGLES MAY BE REQUIRED.FOR MORE INFO CONTACT XEROX. Work Hygienic Practices:WASH HANDS AFTER HANDLING. GARMENTS MAY BE

WASHED OR DRY CLEANED AFTER REMOVAL OF LOOSE TONER.

Supplemental Safety and Health

PART #:CL536R455; CL566R455; CL5P6R455. SOFTENING RANGE:85C TO 100C.

HCC:N1

Spec Gravity:APPROX 1 Solubility in Water:NEGLIGIBLE Appearance and Odor:BLACK POWDER/FAINT ODOR.

Stability Indicator/Materials to Avoid:YES NONE KNOWN.

Stability Condition to Avoid:NONE SPECIFIED BY MANUFACTURER. HOWEVER AVOID GENERATING DUST. AVOID STATIC BUILDUP WHEN USING PRODUCT. Hazardous Decomposition Products:PRODUCTS OF COMBUSTION MAY BE TOXIC. AVOID BREATHING SMOKE.

Waste Disposal Methods:NOT HAZ WASTE IAW FED REG 40 CFR 261. HOWEVER, STATE & LOCAL

RQMTS MAY BE MORE RESTRICTIVE. THEREFORE CONSULTATION W/APPROPRIATE STATE & LOCAL WASTE DISPOSAL AUTHORITIES IS ADVISED. INCINERATE ONLY IN A CLOSED CONTAINER.

Disclaimer (provided with this information by the compiling agencies): This information is formulated for use by elements of the Department of Defense. The United States of America in no manner whatsoever, expressly or implied, warrants this information to be accurate and disclaims all liability for its use. Any person uti

lizing this document should seek competent professional advice to verify and assume responsibility for the suitability of this information to their particular situation.