View NSN Online: https://aerobasegroup.com/nsn/6830-00-290-4291

Product ID:ARGON, OR LAR (IN CRYOGENIC LIQUID STATE) MSDS Date:03/01/1990 FSC:6830 NIIN:00-290-4291 **MSDS Number: BTTGN** === Responsible Party === Company Name: AIR PRODUCTS AND CHEMICALS INC. Address:7201 HAMILTON BLVD City:ALLENTOWN State:PA ZIP:18195-1501 Country:US Info Phone Num:215-481-6311 OR 215-481-7711 Emergency Phone Num:800-523-9374 (800-322-9092 IN PA) CAGE:00742 === Contractor Identification === Company Name: AIR PRODUCTS AND CHEMICALS INC Address:7201 HAMILTON BLVD Box:City:ALLENTOWN State:PA ZIP:18195-1501 Country:US Phone:800-345-3148/ 800-752-1597 CAGE:00742

Ingred Name:ARGON CAS:7440-37-1 Fraction by Wt: >99.9% Other REC Limits:NONE

======= Hazards Identifi

Routes of Entry: Inhalation:YES Skin:NO Ingestion:NO Reports of Carcinogenicity:NTP:NO IARC:NO OSHA:NO Health Hazards Acute and Chronic:ARGON IS NONTOXIC, BUT MAY PRODUCE SUFFOCATION BY DILUTING OXYGEN IN AIR BELOW LEVELS NECESSARY TO SUPPORT LIFE. OXYGEN LEVELS SHOULD NOT FALL BELOW 19.5%. EXTENSIVE TISSUE DAMAGE OR BURNS CAN RESULT FROM EXPOSURE TO LIQUID ARGON OR COLD ARGON VAPORS.

Explanation of Carcinogenicity:NOT APPLICABLE. Effects of O

| verexposure:LOSS OF BALANCE, DIZZINESS, NAUSEA, VOMITING, UNCONSCIOUSNESS AND DEATH. NOTE! ARGON ASPHYXIATION MAY OCCUR WITHOUT WARNING. |
|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| Medical Cond Aggravated by Exposure:NONE KNOWN. |
| ====================================== |
| First Aid:INHALATION:REMOVE TO FRESH AIR. GIVE OXYGEN OR ARTIFICIAL RESPIRATION IF NEEDED. GET PROMPT QUALIFIED MEDICAL HELP. |
| ====================================== |
| Flash Point:NON-FLAMMABLE Extinguis hing Media:NONFLAMMABLE, INERT GAS. USE APPROPRIATE MEDIA FOR SURROUNDING FIRE. |
| Fire Fighting Procedures:EVACUATE PERSONNEL.USE WATER SPRAY TO COOL FIRE EXPOSED CYLINDERS.HMIS SUGGESTS ALWAYS USING A SELF-CONTAINED BREATHING APPARATUS WHEN FIGHTING A CHEMICAL FIRE. Unusual Fire/Explosion Hazard:CONTAINER MAY RUPTURE FROM HEAT. |
| ====================================== |
| Spill Release Procedures:EVACUATE ALL PERSONNEL FROM AFFECTED AREA. USE APPROPRIATE P ROTECTIVE EQUIP.IF LEAK IS IN CONTAINER VALVE, CONTACT YOUR CLOSEST SUPPLIER OR CALL 800-424-9300(CHEMTREC). Neutralizing Agent:NONE. |
| ====================================== |
| Handling and Storage Precautions:STORE IN COOL, DRY, WELL VENTILATED AREA. KEEP CYLINDERS UPRIGHT & SECURED. SEGREGATE FULL/EMPTY CYL. KEEP CYLINDERS AWAY FROM HEAT SOURCES. Other Precautions:COMPRESSED GAS CYLINDERS SHOULD NOT BE REFILLED EXCEPT BY QUALIFIED PRODUCERS OF COMPRES SED GASES. USE A CHECK VALVE OR TRAP IN THE DISCHARGE LINE TO PREVENT HAZARDOUS BACK FLOW INTO THE CYLINDER. |
| ====================================== |
| Respiratory Protection:USE SELF-CONTAINED BREATHING APPARATUS IN OXYGEN-DEFICIENT ATMOSPHERE. CAUTION! RESPIRATORS WILL NOT FUNCTION, USE MAY RESULT IN ASPHYXIATION. Ventilation:MEHCANICAL Protective Gloves:LEATHER WORK GLOVES Eye Protection:SAFETY GOGGLES OR GLASSES Other Protective Equipment:SAFETY SHO |

ES Work Hygienic Practices:USE IN A WELL VENTILATED AREA. Supplemental Safety and Health

HCC:G3 Boiling Pt:B.P. Text:-302F/-185C Vapor Density:0.104 @68F Spec Gravity:1.38 Evaporation Rate & amp; Reference:GAS Solubility in Water:SLIGHT Appearance and Odor:BOTH GAS AND LIQUID ARE COLORLESS AND ODORLESS. Percent Volatiles by Volume:100

Stability Indicator/Mat erials to Avoid:YES NONE Stability Condition to Avoid:NONE Hazardous Decomposition Products:NONE

Waste Disposal Methods:DO NOT ATTEMPT TO DISPOSE OF WASTE OR UNUSED QUANTITIES. RETURN IN THE SHIPPING CONTAINER PROPERLY LABELED, WITH VALVE OUTLET PLUGS OR CAPS SECURED AND VALVE PROTECTION CAP IN PLACE TO YOUR SUPPLIER. CALL SUPPLIER FOR EMERGENCY DISPOSAL ASSISTANCE.

Disclaimer (provided with this information

by the compiling agencies):

This information is formulated for use by elements of the Department of Defense. The United States of America in no manner whatsoever, expressly or implied, warrants this information to be accurate and disclaims all liability for its use. Any person utilizing this document should seek competent professional advice to verify and assume responsibility for the suitability of this information to their particular situation.