View NSN Online: https://aerobasegroup.com/nsn/8030-00-297-6677

GOAL CHEMICAL SEALANTS CORP -- GC-1300 ACCELERATOR -- 8030-00-297-6677

============= Product Identification ===============

Product ID:GC-1300 ACCELERATOR

MSDS Date:07/18/1986

FSC:8030

NIIN:00-297-6677

Kit Part:Y

MSDS Number: BTTGX === Responsible Party ===

Company Name: GOAL CHEMICAL SEALANTS CORP

Address:3137 E 26TH ST City:LOS ANGELES

State:CA

ZIP:90023-4206

Country:US

Info Phone Num:213-269-0461

Emergency Phone Num:213-269-0461

CAGE:04011

=== Contractor Identification ===

Company Name: GOAL CHEMICAL SEALANTS CORP

Address:3137 E 26TH ST Box:City:LOS ANGELES

State:CA

ZIP:90023-4206 Country:US

Phone:213-269-0461

CAGE:04011

======= Composition/Information on Ingredients ========

Ingred Name:LEAD (SARA III)

CAS:7439-92-1

RTECS #:OF7525000

Other REC Limits: NONE RECOMMENDED

OSHA PEL:SEE 1910.1025

ACGIH TLV:0.15 MG/M3, DUST; 9394

EPA Rpt Qty:1 LB DOT Rpt Qty:1 LB

====== Hazards I

dentification ===========
Routes of Entry: Inhalation:NO Skin:NO Ingestion:YES Reports of Carcinogenicity:NTP:NO IARC:NO OSHA:NO Health Hazards Acute and Chronic:NOT DIRECTLY HAZARDOUS UNLESS CONVERTED TO DUST. CAN LEAD TO BRITTLENESS OF RED BLOOD CELLS, CNS ABNORMALITIES. Explanation of Carcinogenicity:NOT CARCINPGENIC. Effects of Overexposure:CRAMPING IN LOWER ABDOMEN, MUSCULAR WEAKNESS
ANALYSIS OF BIOLOGICAL SPECIMENS ARE NECESSARY TO VERIFY EXCESSIVE ABSORPTIO N OF LEAD.
Medical Cond Aggravated by Exposure:ANEMIA.
======================================
First Aid:EYES-FLUSH WITH WATER AT LEAST 15 MINUTES. GET MEDICAL ATTENTION. SKIN-WIPE OFF THEN WASH WITH SOAP AND WATER. INGESTION-CONSULT PHYSICIAN.
======================================
Flash Point Method:COC Flash Point:345F,174C Extinguishing Media:FOAM, DRY CHEMICAL.
Fire Fighting Procedures:FIRE FIGHTERS SHOULD WEAR SELF-CONT AINED BREATHING APPARATUS AND FULL PROTECTIVE CLOTHING. Unusual Fire/Explosion Hazard:NONE.
======================================
Spill Release Procedures:SCRAPE UP AND RETURN TO CONTAINER. LABEL: CONTAIMINATED CURING AGENT. REACT WITH BASE TO CONVERT TO LEAD SULFIDE IN SOLID COMPOUND.
======================================

Handling and Storage Precautions:STORE IN COOL DRY AREAS FOR OXIDIZING MATERIALS.

Other Precaut

ions:DO NOT SMOKE, EAT OR DRINK IN AREA.
====== Exposure Controls/Personal Protection ========
Respiratory Protection:USE MSHA/NIOSH RESPIRATOR FOR DUST PROTECTION. Ventilation:LOCAL EXHAUST: HOOD. MECHANICAL(GENERAL): FAN. Protective Gloves:NEOPRENE OR NITRILE. Eye Protection:SAFETY GLASSES, SPLASH GUARDS. Other Protective Equipment:IMPERVIOUS CLOTHING, COVERED SHOES. Work Hygienic Practices:TRAIN EMPLOYEES ON HANDLING PROCEDURES BEFORE THEY WORK WITH THIS PRODUCT. Supplemen tal Safety and Health
THIS IS A MULTIPLE PRT KIT.
========= Physical/Chemical Properties ===========
HCC:N1 Boiling Pt:B.P. Text:340F,171C Melt/Freeze Pt:M.P/F.P Text:LIQUID @ RT

Vapor Pres: