

CRC CHEMICALS U.S.A./CRC INDUSTRIES, INC. -- 03030, EXTREME DUTY SILICONE AEROSOL --
6850-01-265-3115

=====
===== Product Identification =====

Product ID:03030, EXTREME DUTY SILICONE AEROSOL

MSDS Date:11/12/1992

FSC:6850

NIIN:01-265-3115

MSDS Number: BTTKZ

=== Responsible Party ===

Company Name:CRC CHEMICALS U.S.A./CRC INDUSTRIES, INC.

Address:885 LOUIS DRIVE

City:WARMINSTER

State:PA

ZIP:18974-2820

C

Country:US

Info Phone Num:215-674-4300

Emergency Phone Num:215-674-4300

Preparer's Name:JON BROWN

CAGE:10136

=== Contractor Identification ===

Company Name:CRC INDUSTRIES, INC.

Address:885 LOUIS DRIVE

Box:City:WARMINSTER

State:PA

ZIP:18974-2820

Country:US

Phone:215-674-4300/800-424-9300

CAGE:10136

Company Name:GENERAL TOOL & SUPPLY CO.

Address:5614 7TH AVENUE SOUTH

Box:80904

City:SEATTLE

State:WA

ZIP:98108-3317

Country:US

Phone:206-762-1500

CAGE:3Z323

Company Name:NETEX INDUSTRIES(FORMER NORTHEAS

T TEXAS IND)

Address:1700 NORTH EDWARDS STREET

Box:City: MOUNT PLEASANT

State:TX

ZIP:75455

Country:US

Phone:903-577-0388

CAGE:0WAG0

Company Name:PIONEER VALVE AND FITTING CO INC

Address:93 SEIGAL ST

Box:City: BROOKLYN

State:NY

ZIP:11206-3204

Country:US

Phone:718-387-4724

CAGE:66200

Company Name:SAN DIEGO MARINE HARDWARE INC

Address:1660 LOGAN AVENUE

Box:City: SAN DIEGO

State:CA

ZIP:92113

Country:US

Phone:619-231-8334

CAGE:7F580

=====
===== Composition/Information on Ingredients =====

Ingred Name:SILICONE FLUID (PER MSDS CAS# 58957-05-1).

Fraction by Wt: 2-5%

Other REC Limits:NONE RECOMMENDED

Ingred Name:ISOHEXANE

CAS:107-83-5

RTECS #:SA2995000

Fraction by Wt: 55-65%

Other REC Limits:NONE RECOMMENDED

Ingred Name:HEXANE (N-HEXANE)

CAS:110-54-3

RTECS #:MN9275000

Fraction by Wt: 5-10%

Other REC Limits:NONE RECOMMENDED

OSHA PEL:500 PPM

ACGIH TLV:50 PPM; 9394

EPA Rpt Qty:1 LB

DOT Rpt Qty:1 LB

Ingred Name:PROPANE

CAS:74-98-6

RTECS #:TX2275000

Fraction by Wt: 10-20%

Other REC Lim

its:NONE RECOMMENDED
OSHA PEL:1000 PPM
ACGIH TLV:ASPHYXIAN; 9394

Ingred Name:ISOBUTANE
CAS:75-28-5
RTECS #:TZ4300000
Fraction by Wt: 10-20%
Other REC Limits:NONE RECOMMENDED
OSHA PEL:1000 PPM
ACGIH TLV:1000 PPM

===== Hazards Identification =====

Routes of Entry: Inhalation:YES Skin:YES Ingestion:NO
Reports of Carcinogenicity:NTP:NO IARC:NO OSHA:NO
Health Hazards Acute and Chronic:ACUTE:EYE:BURNING & IRRIT. SKIN:MILD
IRRIT. INHAL:IRRIT OF RESP TRACT.
CHRONIC:REPEATED OVEREXPOSRES MAY
CAUSE HARM TO NERVOUS SYSTEM.
Explanation of Carcinogenicity:PER MSDS NO CHEM LISTED AS CARCINOGEN OR
POTENTIAL CARCINOGE IN NTP/IARC/OSHA LISTINGS.
Effects of Overexposure:DIZZINESS, HEADACHES, CENTRAL NERVOUS SYSTEM
DEPRESSION.
Medical Cond Aggravated by Exposure:PRE-EXISTING LUNG DISORDERS.

===== First Aid Measures =====

First Aid:IF SYMPTOMS PERSIST CALL DOCTOR. INHAL: REMOVE TO FRESH AIR.
APPLY ARTI R
ESP IF NECESSARY. EYE:FLUSH W/LG AMTS OF WATER FOR
15MINS. SKIN:WASH W/SOAP & WATER. REMOVE CONTAMINATED CLOTHING.
INGEST:DO NO T INDUCE VOMITING. CALL PHYSICIAN.

===== Fire Fighting Measures =====

Flash Point Method:TCC
Flash Point: