

IPS CORPORATION -- WELD-ON NO.2 COMPONENT "B"

=====
MSDS Safety Information
=====

FSC: 8040
NIIN: 00-266-0815
MSDS Date: 06/01/1991
MSDS Num: BTTRV
Product ID: WELD-ON NO.2 COMPONENT "B"
MFN: 04
Kit Part: Y
Responsible Party
Cage: IPSC0
Name: IPS CORPORATION
Address: 17109 S. MAIN ST.
Box: 379
City:
GARDENA CA 90248
Info Phone Number: 213-321-6515
Emergency Phone Number: 213-484-5151/800-424-9300
Preparer's Name: UNKNOWN
Proprietary Ind: Y
Review Ind: Y
Published: Y

=====
Contractor Summary
=====

Cage: IPSC0
Name: IPS CORPORATION
Address: 17109 S. MAIN ST.
City: GARDENA CA 90248
Phone: 714-864-2310

=====
Item Description Information
=====

Item Manager: GSA
Item Name: ADHESIVE
Unit of Issue: KT
UI Container Qty: 1

=====
Ingredients
=====

Name: *** PROPRIETARY ***

=====
Health Hazards Data
=====

LD50 LC50 Mixture: NONE SPECIFIED BY MANUFACTURER.
Route Of

Entry Inds - Inhalation: YES
Skin: YES
Ingestion: NO
Carcinogenicity Inds - NTP: NO
IARC: NO
OSHA: NO

Effects of Exposure: EYE CONTACT: MAY CAUSE IRRITATION AND/OR DAMAGE. SKIN CONTACT: PROLONGED CONTACT MAY CAUSE IRRITATION AND REDNESS. INHALATION: MAY CAUSE IRRITATION OF NOSE, THROAT AND LUNGS. INGESTION: MAY CAUSE TOXIC EFFECTS. CHRONIC EFFECTS: NONE CURRENTLY KNOWN.

Signs And Symptoms Of Overexposure: INHALATION: MAY CAUSE IRRITATION OF THE NOSE, THROAT AND LUNGS. PROLONGED SKIN CONTACT MAY CAUSE SKIN IRRITATION AND REDNESS. EYE CONTACT: MAY CAUSE EYE IRRITATION AND/OR DAMAGE. INGESTION: MAY CAUSE TOXIC EFFECTS.

Medical Cond Aggravated By Exposure: NONE CURRENTLY KNOWN.

First Aid: EYE CONTACT: IMMEDIATELY FLUSH EYES WITH PLENTY OF WATER FOR 15 MINUTES. GET MEDICAL ATTENTION. SKIN CONTACT: REMOVE CONTAMINATED CLOTHING. WASH AFFECTED SKIN THOROUGHLY WITH SOAP AND WATER. GET MEDICAL ATTENTION. INHALATION: MOVE PATIENT TO FRESH AIR. CALL A PHYSICIAN IF NECESSARY. INGESTION: IF SWALLOWED, DO NOT INDUCE VOMITING. CONTACT PHYSICIAN OR POISON CENTER IMMEDIATELY.

=====
Handling and Disposal
=====

Spill Release Procedures: WET MATERIAL WITH WATER, SWEEP AND SCOOP UP USING NON-SPARKING TOOLS AND DISPOSE OF IMMEDIATELY.

Neutralizing Agent: NONE SPECIFIED BY MANUFACTURER.

Waste Disposal Methods: OBSERVE ALL FEDERAL, STATE AND LOCAL LAWS CONCERNING HEALTH AND ENVIRONMENT. CONSULT FEDERAL, STATE AND LOCAL AUTHORITIES FOR PROPER DISPOSAL PROCEDURES.

Handling And Storage Precautions: KEEP AWAY FROM HEAT, SPARKS, OPEN FLAMES AND OTHER SOURCES OF IGNITION. CLOSE CONTAINER AFTER EACH USE. AVOID CONTACT WITH EYES, SKIN OR CLOTHING.

Other Precautions: ALL HANDLING EQUIPMENT SHOULD BE ELECTRICALLY GROUNDED. GROUND CONTAINERS WHEN POURING. TRAIN EMPLOYEES ON SPECIAL HANDLING PROCEDURES BEFORE THEY WORK WITH THIS PRODUCT.

=====
Fire and Explosion Hazard Information
=====

Flash Point Text: NONE

Extinguishing Media: WATER, DRY CHEMICAL, FOAM OR CARBON DIOXIDE EXTINGUISHERS. AVOID DISTRIBUTE BURNING MATERIAL OVER LARGE AREA WITH WATER.

Fire Fighting Procedures: LARGE FIRE:EVACUATE AREA & APPLY WATER FROM A SAFE DISTANCE TO COOL DOWN SURROUNDING AREA.IF FIRE OCCURS NEAR THE PEROXIDE,SPRAY CONTAINERS TO AVOID OVERHEATING

Unusual Fire/E

xplosion Hazard: IGNITED BY HEAT & FLAME.ALSO CONTAMINATION WITH STRONG OXIDIZER/REDUCING AGENTS,INCLUDING ACCEL FOR POLYMERIZATIONS REACTIONS.ORGANIC PEROXIDES BURN VIGOROUSLY.

=====
Control Measures
=====

Respiratory Protection: IF AIRBORNE CONCENTRATIONS EXCEED LIMITS, USE A NIOSH-APPROVED ORGANIC VAPOR CARTRIDGE RESPIRATOR WITH FULL FACE-PIECE IS RECOMMENDED.

Ventilation: ADEQUATE

VENTILATION OR LOCAL EXHAUST IS RECOMMENDED TO MAINTAIN CONCENTRATIONS BELOW RECOMMENDED EXPOSURE LIMITS.

Protective Gloves: NEOPRENE,POLYVINYL,NITRILE RUBBER

Eye Protection: SPLASHPROOF CHEMICAL GOGGLES.

Other Protective Equipment: IMPERVIOUS APRON AND A SOURCE OF RUNNING WATER TO FLUSH OR WASH THE EYES AND SKIN IN CASE OF CONTACT.

Work Hygienic Practices: WASH HANDS AFTER EACH USE OF THIS PRODUCT

Supplemental Safety and Health: KEY 1: N1. THIS ITEM IS PART B OF A TWO PART KIT.SEE THIS N

SN AND PN IND C FOR ADDITIONAL INFORMATION FOR PART A OF THIS KIT.

=====
Physical/Chemical Properties
=====

HCC: N1

Solubility in Water: INSOLUBLE

Appearance and Odor: WHITE GRANULES, SLIGHT ODOR

=====
Reactivity Data
=====

Stability Indicator: NO

Stability Condition To Avoid: THERMAL DECOMPOSITION, CONTAMINATION. IGNITION SOURCES. TEMPERATURES ABOVE 130F.

Materials To Avoid: STRONG ACIDS, STRONG BASES, STRONG ALKALIES, REDUCING AGENTS, ACCELERATORS. OXIDIZING MATERIALS CAN CAUSE A REACTION.

Hazardous Decomposition Products: BENZOYL PEROXIDE CAN PRODUCE FLAMMABLE AND TOXIC VAPORS AND BIPHENYL.

Hazardous Polymerization Indicator: NO

Conditions To Avoid Polymerization: IGNITION SOURCES. TEMPERATURES ABOVE 130F.

=====
Toxicological I

nformation

=====
=====
Ecological Information

=====
=====
MSDS Transport Information

=====
=====
Regulatory Information

=====
=====
Other Information

=====
=====
Transportation Information

Responsible Party Cage: IPSC0

Trans ID NO: 63951

Product ID: WELD-ON NO.2 COMPONENT "B"

MSDS Prepared Date: 06/01/1991

Review Date: 08/24/1994

MFN: 4

Multiple KIT Number: 0

Kit Part IND: Y

Review IND: Y

Unit Of Issue: KT

Container QTY: 1

Additional

Data: PER CONVERSATION WITH MFG., THIS ITEM CONTAINING 50% BENZOYL
PEROXIDE (SOLID); IS UN 3106 AND IS TYP E D.

=====
=====
Detail DOT Information

DOT PSN Code: KZF

Symbols: G

DOT Proper Shipping Name: ORGANIC PEROXIDE TYPE D, SOLID

Hazard Class: 5.2

UN ID Num: UN3106

DOT Packaging Group: II

Label: ORGANIC PEROXIDE

Packaging Exception: 152

Non Bulk Pack: 225

Bulk Pack: NONE

Max Qty Pass: 5 KG

M

ax Qty Cargo: 10 KG
Vessel Stow Req: D
Water/Ship/Other Req: 12,40

=====
Detail IMO Information
=====

IMO PSN Code: LAQ
IMO Proper Shipping Name: ORGANIC PEROXIDE TYPE D, SOLID
IMDG Page Number: 5226
UN Number: 3106
UN Hazard Class: 5.2
IMO Packaging Group: II
Subsidiary Risk Label: *
EMS Number: 5.2-01
MED First Aid Guide NUM: 735

=====
Detail IA
TA Information
=====

IATA PSN Code: SNK
IATA UN ID Num: 3106
IATA Proper Shipping Name: ORGANIC PEROXIDE TYPE D, SOLID * +
IATA UN Class: 5.2
IATA Label: ORGANIC PEROXIDE
UN Packing Group: II
Packing Note Passenger: 510
Max Quant Pass: 5KG
Max Quant Cargo: 10KG
Packaging Note Cargo: 513
Exceptions: A20

=====
Detail AFI Information
=====

AFI PSN Code: SNK
AFI Symbols: *
AFI Proper Shipping Name: ORGANIC PEROXIDE TYPE D, SOLID
AFI PSN Modifier: (SPECIFIC TECHNICAL NAME REQUIRED, SEE PARAGRAPH A9.4)
AFI Hazard Class: 5.2
AFI UN ID NUM: UN3106
AFI Packing Group: II
Special Provisions: P5
Back Pack Reference: TABLE A9.1

=====
HAZCOM Label
=====

Product ID: WELD-ON NO.2 COMPONENT "B"
Cage: IPSC0
Company Name: IPS CORPORATION
Street: 17109 S. M

AIN ST.
City: GARDENA CA
Zipcode: 90248
Health Emergency Phone: 213-484-5151/800-424-9300
Label Required IND: Y
Date Of Label Review: 08/24/1994
Status Code: C
MFG Label NO: NONE
Label Date: 08/24/1994
Origination Code: F
Eye Protection IND: YES
Skin Protection IND: YES
Signal Word: CAUTION
Respiratory Protection IND: YES
Health Hazard: Slight
Contact Hazard: Slight
Fire Hazard: Slight
Reactivity Hazard: None

Hazard And Precautions: EYE CONTACT: MAY CAUSE IRRITATION AND/OR DAMAGE. SKIN CONTACT

: PROLONGED CONTACT MAY CAUSE IRRITATION AND REDNESS. INHALATION: MAY CAUSE IRRITATION OF NOSE, THROAT AND LUNGS. INGESTION: MAY CAUSE TOXIC EFFECTS. CHRONIC EFFECTS: NONE CURRENTLY KNOWN. KEEP AWAY FROM HEAT, SPARKS, OPEN FLAMES AND OTHER SOURCES OF IGNITION. CLOSE CONTAINER AFTER EACH USE. AVOID CONTACT WITH EYES, SKIN OR CLOTHING. TARGET ORGANS: SKIN, EYES, RESPIRATORY SYSTEM.

=====

Disclaimer (provided with this information by the compiling agencies): This

information is formulated for use by elements of the Department of Defense. The United States of America in no manner whatsoever expressly or implied warrants, states, or intends said information to have any application, use or viability by or to any person or persons outside the Department of Defense nor any person or persons contracting with any instrumentality of the United States of America and disclaims all liability for such use. Any person utilizing

following this instruction who is not a military or civilian employee of the United States of America should seek competent professional advice to verify and assume responsibility for the suitability of this information to their particular situation regardless of similarity to a corresponding Department of Defense or other government situation.