

HUL AMERICA INC -- ANDEROL 402 SYNTHETIC GENL PURPOSE OIL -- 9150-00-753-4667

=====  
Product Identification  
=====

Product ID:ANDEROL 402 SYNTHETIC GENL PURPOSE OIL

MSDS Date:04/22/1993

FSC:9150

NIIN:00-753-4667

MSDS Number: BTVZP

=== Responsible Party ===

Company Name:HUL AMERICA INC

Address:TURNER PLACE

Box:365

City:PISCATAWAY

State:NJ

ZIP:08854-0365

Country:US

Info Phone Num:201-763-7173

Emergen

cy Phone Num:201-763-7173

Preparer's Name:P.A. PARKER

CAGE:0DHB8

=== Contractor Identification ===

Company Name:AMERICAN INK AND OIL CORP

Address:33 ENDICOTT STREET

Box:City:NORWOOD

State:MA

ZIP:02062-3006

Country:US

Phone:781-762-0026 / FAX: 781-762-1617

CAGE:82956

Company Name:HUL AMERICA INC

Address:TURNER PLACE

Box:365

City:PISCATAWAY

State:NJ

ZIP:08854-0365

Country:US

Phone:201-763-7173

CAGE:0DHB8

Company Name:HULS AMERICA INC

Address:TURNER PLACE

Box:365

City:PISCATAWAY

State:NJ

ZIP:08855

Country:US  
Phone:201-763-7173  
CAGE:63182

=====  
Composition/Information on Ingredients  
=====

Ingred Name:NO HAZARDOUS MATLS.  
RTECS #:9999999ZZ  
Other REC Limits:NONE RECOMMENDED

=====  
Hazards Identification  
=====

Routes of Entry: Inhalation:YES Skin:YES Ingestion:NO  
Reports of Carcinogenicity:NTP:NO IARC:NO OSHA:NO  
Health Hazards Acute and Chronic:LOW ORAL & DERMAL TOXICITY. MISTS OR  
FUMES FROM EXCESSIVE HEATING MAY CAUSE IRRITATION,  
NAUSEA,  
VOMITING.

Explanation of Carcinogenicity:NONE  
Effects of Overexposure:LOW ORAL & DERMAL TOXICITY. IRRITATION, NAUSEA,  
VOMITING.  
Medical Cond Aggravated by Exposure:NONE SPECIFIED BY MANUFACTURER.

=====  
First Aid Measures  
=====

First Aid:CONTACT:WASH SKIN W/SOAP/WATER.FLUSH EYES W/WATER FOR 15MINS.  
CALL PHYSICIAN IF IRRIT DEVELOPS. INHAL:REMOVE TO FRESH AIR. GIVE  
CPR OR OXYGEN IF NECESSARY. INGEST:INDUCE VOMITING IF VICTIM IS  
CO  
NSCIOUS. CALL PHYSICIAN. NEVER GIVE ANYTHING BY MOUTH TO AN  
UNCONSCIOUS PERSON.

=====  
Fire Fighting Measures  
=====

Flash Point Method:COC  
Flash Point:>450F,>232C  
Extinguishing Media:WATER SPRAY, DRY CHEMICAL, FOAM OR CARBON DIOXIDE.  
Fire Fighting Procedures:BURNING WILL PRODUCE TOX FUMES INCLUDING CO &  
CO2.WEAR SELF-CONTAINED BREATH APPARATUS & FULL TURN-OUT GEAR TO  
FIGHT FIRE.AVOID SPREADING LIQ/FIRE BY WATER FLOO  
Unusual Fire/Explosion Hazard:EX

POSURE TO HEAT BUILDS UP PRESSURE IN  
CLOSED CONTAINERS. COOL W/WATER SPRAY.

===== Accidental Release Measures =====

Spill Release Procedures:COVER W/AN INERT, ABSORBENT MATL & REMOVE TO  
DISPOSAL CONTAINER. OBEY ALL RELEVANT LOCAL, STATE AND FEDERAL  
REGULATIONS & LAWS.

Neutralizing Agent:NONE SPECIFIED BY MANUFACTURER.

===== Handling and Storage =====

Handling and Storage Precautions:WARNING--AVOID CONTACT  
W/EYES/S

KIN/CLOTHING.AVOID BREATH VAP/MIST.KEEP CONTAINER  
CLOSED.USE W/ADEQUATE VENTILATION.

Other Precautions:NONE SPECIFIED BY MANUFACTURER.

===== Exposure Controls/Personal Protection =====

Respiratory Protection:IF OVERHEATED USE APPROPRIATE NIOSH-APPROVED  
RESPIRATAORY PROTECTIVE EQPMT.

Ventilation:VENTILATION LOCAL EXHAUST/MECHANICAL:RECOMMENDED.

Protective Gloves:IMPERMEABLE GLOVES.

Eye Protection:CHEMICAL GOGGLES.

Other Protective Equipment:EYE WASH FOUNTAIN, SAFETY SH  
OWER.

Work Hygienic Practices:WASH CONTAMINATED CLOTHING BEFORE REUSE. WASH  
THOROUGHLY AFTER HANDLING.

Supplemental Safety and Health

===== Physical/Chemical Properties =====

HCC:V6

Boiling Pt:B.P. Text:>660F,>349C

Vapor Pres:AIR

Spec Gravity: