

RALKEM INC -- POLISH, AUTOMIBILE, TYPI LIQ CLASS 2 W/SILICONE -- 7930-00-753-5178

=====
Product Identification
=====

Product ID:POLISH, AUTOMIBILE, TYPI LIQ CLASS 2 W/SILICONE

MSDS Date:01/01/1992

FSC:7930

NIIN:00-753-5178

MSDS Number: BTVZQ

=== Responsible Party ===

Company Name:RALKEM INC

Address:36977 FOX GLEN

City:FARMINGTON HILLS

State:MI

ZIP:48331

Country:US

Info Phone Num:313-661-0260

Emer

gency Phone Num:313-661-0260

CAGE:0DE78

=== Contractor Identification ===

Company Name:RALKEM INC

Address:36977 FOX GLEN

Box:City:FARMINGTON HILLS

State:MI

ZIP:48331

Country:US

Phone:313-661-0260

CAGE:0DE78

=====
Composition/Information on Ingredients
=====

Ingred Name:POLYDIMETHYLSILOXANE

CAS:63148-62-9

RTECS #:JT6484500

Fraction by Wt: 3-5%

Other REC Limits:NONE RECOMMENDED

Ingred Name:POLYETHYLENE

CAS:9002-88-4

RTECS #:TQ3325000

Fraction by Wt: 3-5%

Other REC Limits:NONE

RECOMMENDED

Ingred Name:HYDRODESULFURIZED KEROSENE
CAS:64742-81-0
Fraction by Wt: 6-12%
Other REC Limits:NONE RECOMMENDED
OSHA PEL:100 PPM
ACGIH TLV:100 PPM

Ingred Name:HYDROXYLPROPYLEMETHYLCELLULOSE
CAS:9004-65-3
Fraction by Wt: 0.3-3%
Other REC Limits:NONE RECOMMENDED

Ingred Name:N-BUTYL ACETATE (SARA III)
CAS:123-86-4
RTECS #:AF7350000
Fraction by Wt: 0.2-2%
Other REC Limits:NONE RECOMMENDED
OSHA PEL:150 PPM
ACGIH TLV:150 PPM/200STEL;9394
EPA Rpt Qty:5000 LBS
DOT Rpt Qty:5000 LBS

Ingred N
ame:CALCINED ALUMINUM SILICATE
CAS:1327-36-2
Fraction by Wt: 5-10%
Other REC Limits:NONE RECOMMENDED

Ingred Name:WATER
CAS:7732-18-5
RTECS #:ZC0110000
Fraction by Wt: BALANCE
Other REC Limits:NONE RECOMMENDED

Ingred Name:ETHHOXYLATED FATTY AMINE (PER MSDS CAS#:61790-82-7)
Fraction by Wt: 0.5-6%
Other REC Limits:NONE RECOMMENDED

===== Hazards Identification =====

Routes of Entry: Inhalation:NO Skin:YES Ingestion:NO
Reports of Carcinogenicity:NTP:NO IARC:N

O OSHA:NO

Health Hazards Acute and Chronic:MIGHT CAUSE SLIGHT SKIN IRRITATION.

HARMFUL IF SWALLOWED.

Effects of Overexposure:SKIN IRRITATION.

Medical Cond Aggravated by Exposure:NONE SPECIFIED BY MFG.

=====
===== First Aid Measures =====

First Aid:WASH AFFECTED AREAS W/SOAP & WATER. IF SWALLOWED DO NOT
INDUCE VOMITING. CALL A PHYSICIAN.

=====
===== Fire Fighting Measures =====

Flash Point Method:TCC

Flash Point:150F,66C

Extinguishing Media:

WATER FOG, DRY CHEMICAL, CARBON DIOXIDE, FOAM.

Fire Fighting Procedures:NONE.

Unusual Fire/Explosion Hazard:NONE.

=====
===== Accidental Release Measures =====

Spill Release Procedures:SOAK UP WITH RAGS.

Neutralizing Agent:NOT APPLICABLE.

=====
===== Handling and Storage =====

Handling and Storage Precautions:STORE AT ROOM TEMPERATURES. DO NOT
FREEZE.

Other Precautions:SHAKE BEFORE USE.

=====
===== Exposure Controls/Personal Protection =====

Respiratory Protection:NOT REQUIRED.

Ventilation:NOT REQUIRED.

Protective Gloves:NOT REQUIRED.

Eye Protection:NOT REQUIRED.

Other Protective Equipment:NOT REQUIRED. THESE SPECIAL PRECAUTIONS
SOLELY RELATE TO EFFECTIVE USE OF THE PRODUCT.

Work Hygienic Practices:WASH HANDS AFTER HANDLING.

Supplemental Safety and Health

=====
===== Physical/Chemical Properties =====

HCC:V4

Boiling Pt:B.P. Text: