

DELTA PLASTICS CO -- ER11-955 A -- 8030-00-904-5760

===== Product Identification =====

Product ID:ER11-955 A  
MSDS Date:04/21/1994  
FSC:8030  
NIIN:00-904-5760  
Kit Part:Y  
MSDS Number: BTWBH  
=== Responsible Party ===  
Company Name:DELTA PLASTICS CO  
Address:280 SOUTH MAIN STREET  
Box:489  
City:PIXLEY  
State:CA  
ZIP:93256  
Country:US  
Info Phone Num:209-757-2010  
Emergency Phone Num:209-757-2010  
Preparer's Name  
:ERIC SKIFF  
CAGE:DO191

=== Contractor Identification ===

Company Name:DELTA DPC, INC  
Address:983 E. LEVIN AVE.  
Box:City:TULARE  
State:CA  
ZIP:93274  
Country:US  
Phone:209-686-1644  
CAGE:0ND20  
Company Name:DELTA PLASTICS CO.  
Address:280 MAIN ST. PO BOX 489  
Box:489  
City:PIXLEY  
State:CA  
ZIP:93256  
Phone:209-757-2010  
CAGE:DO191  
Company Name:TECHCON SYSTEMS INC  
Address:1059 E BEDMAR ST  
Box:City:CARSON  
State:CA  
ZIP:90746-3601  
Country:US  
CAGE:22975

===== Composition/Information on Ingredients =====

=====

Ingred Name: DIGLYCIDYL ETHER OF BISPHENOL-A EPOXY RESIN  
CAS: 25068-38-6  
RTECS #: SL6475000  
Fraction by Wt: 50%  
Other REC Limits: NONE RECOMMENDED

Ingred Name: VOC: NIL LBS/GAL; NIL GRAMS/LITER  
RTECS #: 9999999VO  
Other REC Limits: NONE RECOMMENDED

===== Hazards Identification =====

Routes of Entry: Inhalation: YES Skin: YES Ingestion: YES  
Health Hazards Acute and Chronic: REPEATED CONTACT WITH SKIN MAY CAUSE A SEVERE CUMULATIVE DERMATITIS.  
Effects of O  
verexposure: PART A OF THIS MATERIAL IS A MODERATE SENSITIZER.  
Medical Cond Aggravated by Exposure: SKIN CONTACT MAY AGGRAVATED AN EXISTING DERMATITIS.

===== First Aid Measures =====

First Aid: EYE: FLUSH W/H2O 15MIN. GET IMMEDIATE MED AID. SKIN: WASH W/SOAP & H2O. REMOVE CONTAM CLOTH UNDER SFTY SHOWER. FLOOD AREA W/H2O. GET IMMEDIATE MED AID. WASH CLOTH BEFORE REUSE. DISCARD CONTAM LEATHER. DONT APPLY GREASE/ OINTMNT. INGEST: DONT INDUCE VOMIT. NOTHING BY MOUTH TO UNCONSCIOUS. GIVE 3-4 GLASS H2O/MILK IF CONSCIOUS, GET IMMEDIATE MED AID. INHAL: MOVE TO FRESH AIR. IF BREATH STOPS, GIVE ARTIF RESP. GIVE OXYGEN. GET MED AID.

===== Fire Fighting Measures =====

Flash Point Method: CC  
Flash Point: 490F, 254C  
Extinguishing Media: WATER SPRAY, DRY CHEMICAL, FOAM, CARBON DIOXIDE  
Fire Fighting Procedures: USE H2O TO COOL FIRE EXPOSED CNTNR. IF LEAK/SPILL NOT IGNITED, USE H2O SPRAY TO DISPERSE VAPOR & PROVIDE PROTECTN (PERSON

STOPPING LEAK).USE SCBA & PROTECT CLOTHES  
Unusual Fire/Explosion Hazard:WATER OR FOAM MAY CAUSE FROTHING.

===== Accidental Release Measures =====

Spill Release Procedures:PROTECTIVE EQUIPMENT, ESPECIALLY EYE PROTECTION. REMOVE ALL SOURCES OF IGNITION. SPILL SHOULD BE CONTAINED. SMALL SPILLS CAN BE FLUSHED W/LRG AMT OF WATER. LARGE: COLLECTED FOR DISPOSAL.

===== Handling and Storage =====

Handling and Storage Precautio

ns:DANGER. CAUSES BURNS TO SKIN & EYES.

HARMFUL IF ABSORBED THROUGH SKIN. MAY CAUSE ALLERGIC SKIN REACTIONS. DO NOT BREATHE VAPOR OR MIST.

Other Precautions:AVOID CONTACT W/EYES, SKIN & CLOTHES KEEP CNTNR CLOSED/PROTECT FROM DAMAGE. USE W/VENT. STORE AWAY FROM OXIDIZING MAT'L. VENT INSIDE STORAGE. DON'T ADD NITRITED OR OTHER NITROSATING AGENT. NITROSAMINE , WHICH MAY CAUSE CANCER, MAY BE FORMED.

===== Exposure Controls/Personal Protection =====

Respiratory

Protection:USE SELF-CONTAINED BREATHING APPARATUS IN HIGH VAPOR CONCENTRATIONS.

Ventilation:GENERAL ROOM VENTILATION IS EXPECTED TO BE SATISFACTORY WHERE PRODUCT IS STORED & HANDLED IN CLOSED EQUIPMENT.

Protective Gloves:CUFFED BUTYL RUBBER GLOVES

Eye Protection:CHEM SAFETY GOGGLES IF DANGER OF CONTACT

Other Protective Equipment:EYE BATH, SAFETY SHOWER, CHEMICAL APRON.

Work Hygienic Practices:WASH THOROUGHLY AFTER HANDLING.

Supplemental Safety and Health

===== Physical/Chemical Properties =====

Boiling Pt:B.P. Text:392F,200C

Vapor Pres:1

Vapor Density:NIL

Spec Gravity:1.44 (WATER=1)

Viscosity:MIXD 10000CPS

Evaporation Rate & Reference:NIL

Solubility in Water:NIL

Appearance and Odor:AMBER LIQUID NO DISCERNABLE ODOR

Percent Volatiles by Volume:NIL

===== Stability and Reactivity Data =====

Stability Indicator/Materials to Avoid:YES

OXIDIZING AGENTS, CLEANING SOLUTIONS CONTAINING ACIDS, STRONG ACIDS OR BASES IN BULK

Hazardous Decomposition Products: CARBON MONOXIDE AND/OR CARBON DIOXIDE,  
OXIDES OF NITROGEN

===== Disposal Considerations =====

Waste Disposal Methods: INCINERATION OF MATERIAL PREFERRED. ALTERNATELY,  
COMBINE MATERIALS (PART A & B) IN PROPER RATIO, ALLOW TO CURE  
(HARDEN) & DISPOSE OF IN LANDFILL. UNREACTED MATERIALS MAY BE  
DISPOSED IN A LANDFILL IF IN ACCORDANCE W/ALL FEDERAL, STATE,  
LOCAL REGS.

Disclaimer (provided with this information by the compiling agencies):

This information is formulated for use by elements of the Department of Defense. The United States of America in no manner whatsoever, expressly or implied, warrants this information to be accurate and disclaims all liability for its use. Any person utilizing this document should seek competent professional advice to verify and assume responsibility for the suitability of this information to their particular situation.