View NSN Online: https://aerobasegroup.com/nsn/8030-01-041-1597

Product ID:P7002-11105 RED PLASTISOL MSDS Date:05/20/1994 FSC:8030 NIIN:01-041-1597 Kit Part:Y MSDS Number: BTWCM === Responsible Party === Company Name: QCM COMPANY Address:930 SOUTH CENTRAL AVENUE City:KENT State:WA ZIP:98032 Country:US Info Phone Num:206-859-0933 Emergency Phone Num:206-859-0933/800-424-9300 CHEMTREC Preparer's Name: ROY WHEELDON CAGE:8L872 === Contractor Identification === Company Name: Q C M CO Address:930 CENTRAL AVE S Box:City:KENT State:WA ZIP:98032-6105 Country:US Phone:253-859-0933, FAX 253-859-0935 CAGE:8L872

Ingred Name:VINYL CHLORIDE MONOMER (SARA III) CAS:75-01-4 RTECS #:KU9625000 Fraction by Wt: 350F,>177C Extinguishing Media:DRY CHEMICAL, REGULAR FOAM, OR WATER FOG. Fire Fighting Procedures:WE AR SELF-CONTAINED BREATHING APPARATUS IF IGNITED. Unusual Fire/Explosion Hazard: TOXIC GASES CAN FORM - CARBON DIOXIDE, CARBON MONOXIDE, AND VARIOUS HYDROCARBONS. Spill Release Procedures: SMALL SPILLS: ABSORB ON VERMICULITE OR FLOOR DRY. LARGE SPILLS: PUMP TO SALVAGE TANK. Handling and Storage Precautions: CONTAINERS MAY BE HAZARDOUS WHEN EMPTI ED DUE TO VAPOR BUILD-UP. STORE BETWEEN 50 F AND 90 F, AWAY FROM HEAT OR FLAME. Other Precautions: ALL HAZARD PRECAUTIONS IN THE DATA SHEET MUST BE **OBSERVED. THIS PRODUCT CONTAINS A SECTION 313 CHEMICAL SUBJECT TO** THE REPORTING REQUIREMENTS OF TITLE III OR SARA AND 40 CFR PART 372. Respiratory Protection: RECOMMENDED IF LOCAL EXHAUST. NIOSH APPROVED. Ventilation:LOCAL EXHAUST: RECOMMENDED FOR HEAT PROCESSING. MEC HANICAL (GENERAL) RECOMMENDED. Protective Gloves: POLYETHEYLENE TYPE Eye Protection: SAFETY GLASSES Other Protective Equipment: OTHER PROTECTIVE EQUIPMENT AND PRECAUTIONS: WASH WITH SOAP AND WATER IF CONTACT WITH SKIN. Work Hygienic Practices: GOOD INDUSTRIAL HYGIENE. WASH CONTAMINATED CLOTHING BEFORE REUSE. Supplemental Safety and Health

Spec Gravity:1:1 (WATER=1) Solubility in Water:NEGLIGIBLE Appearance and Odor:RE

D COLORED LIQUID - VISCOUS

Stability Indicator/Materials to Avoid:YES STRONG OXIDIZING AGENTS Stability Condition to Avoid:HIGH TEMPERATURES Hazardous Decomposition Products:CARBON MONOXIDE, CARBON DIOXIDE, VARIOUS HYDROCARBONS, HYDROGEN CHLORIDE.

Waste Disposal Methods:INCINERATE ACCORDING TO LOCAL AND FEDERAL STANDARDS. LIQUID FORM IS HAZARDOUS. SO LID IS NOT. LIQUID HAZARD WASTE CODES: D005, D006.

Disclaimer (provided with this information by the compiling agencies): This information is formulated for use by elements of the Department of Defense. The United States of America in no manner whatsoever, expressly or implied, warrants this information to be accurate and disclaims all liability for its use. Any person utilizing this document should seek competent professional advice to verify and assume responsibility for the suit ability of this information to their particular situation.