View NSN Online: https://aerobasegroup.com/nsn/8030-00-201-0996 JET-LUBE INC -- TT-S-1732 SEALING COMPOUND, LEAD FREE, GENERAL PURPOSE 8030-00-201-0996 ============= Product Identification ======================== Product ID:TT-S-1732 SEALING COMPOUND, LEAD FREE, GENERAL PURPOSE MSDS Date:02/23/1994 FSC:8030 NIIN:00-201-0996 MSDS Number: BTWPF === Responsible Party === Company Name: JET-LUBE INC Address:4849 HOMESTEAD RD Box:21258 City:HOUSTON State:TX ZIP:77026 Country:US Info Phone Num :713-674-7617 Emergency Phone Num:713-674-7617 Preparer's Name: D.A. OLDIGES CAGE:07431 === Contractor Identification === Company Name: JET-LUBE INC Address:4849 HOMESTEAD RD Box:21258 City:HOUSTON State:TX ZIP:77026 Country:US Phone:713-674-7617 CAGE:07431 ======= Composition/Information on Ingredients ======== Ingred Name: NON-HAZARDOUS INGREDIENTS; MFR HAS CLAIMED INGREDIENTS TO BE

A TRADE SECRET.

Fraction by Wt: 100%

Other REC Limits: NONE RECOMMENDED

======= Haz

ards Identification ===========
Routes of Entry: Inhalation:NO Skin:YES Ingestion:NO Reports of Carcinogenicity:NTP:NO IARC:NO OSHA:NO Health Hazards Acute and Chronic:MFR HAS HELD COMPOSITION AS A TRADE SECRET.EYES:NOT REPORTED.SKIN:MAY CAUSE IRRITATION.INGEST:NOT REPORTED.INHAL:NOT REPORTED. Explanation of Carcinogenicity:THERE ARE NO INGREDIENTS ABOVE 0.1% WHICH ARE IDENTIFIED AS CARCINOGENS BY NTP,IARC OR OSHA. Effects of Overexposure:SKIN:REDNESS. Medical Cond Ag gravated by Exposure:PERSON WITH HYPERSENSITIVITY TO PETROLEUM PRODUCTS MAY EXPERIENCE SKIN PROBLEMS.
======================================
First Aid:SKIN:REMOVE CONTAMINATED CLOTHING;WIPE OR WASH WITH A WATERLESS CLEANER;FOLLOW WITH REGULAR HAND WASHING.EYES:FLUSH WITH WATER FOR 15 MINUTES.INHAL:REMOVE TO FRESH AIR.GIVE OXYGEN OR ARTIFICIAL RESPIR ATION IF NEEDED.INGEST:DO NOT INDUCE VOMITING.GET PROMPT QUALIFIED MEDICAL ATTENTION.
======= ==============================
Flash Point Method:COC Flash Point:>235F,>113C Autoignition Temp:Autoignition Temp Text:>500F Extinguishing Media:WATER FOG,DRY CHEMICAL,CARBON DIOXIDE OR VAPORIZING LIQUID-TYPE EXTINGUISHING AGENTS. Fire Fighting Procedures:USE A SELF-CONTAINED BREATHING APPARATUS AND FULL PROTECTIVE EQUIPMENT.COOL FIRE EXPOSED CONTAINERS WITH WATER FOG. Unusual Fire/Explosion Hazard:VAPORS ARE HEAVIER THAN AIR,CAN TRAVEL DISTANCES ALO NG THE GROUND,AND FLASHBACK AT THE SOURCE.
======================================
Spill Release Procedures:SCOOP UP,THEN WIPE UP EXCESS WITH NON-COMBUSTIBLE INERT ADSORBANT(EG.CLAY);PLACE COLLECTED MATERIEL IN AN APPROPRIATE CONTAINER FOR DISPOSAL;CLEAN SPILL AREA TO REMOVE SLIPPERINESS. Neutralizing Agent:NONE

========== Handling and Storage ===========

Handling and Storage Precautions:STORE IN A COOL, DRY, WELL-VENTILATED

Ρ

LACE.KEEP CONTAINER CLOSED WHEN NOT IN USE.

Other Precautions:USE NORMAL HANDLING PROCEDURES FOR PETROLEUM PRODUCTS.

====== Exposure Controls/Personal Protection ========

Respiratory Protection: NOT NEEDED IN NORMAL SERVICE.

Ventilation: NOT NEEDED IN NORMAL SERVICE.

Protective Gloves: PROTECTIVE GLOVES IF SENSITIVE.

Eye Protection: NOT NEEDED IN NORMAL SERVICE.

Other Protective Equipment: NOT REPORTED.

Work Hygienic Practices:USE REASONABLE CARE IN HANDLING THIS PRODUCT.WASH

HANDS AFTER USE AND BEFORE EATING.

Supplemental Safety and Health

MFR HAS CLAIMED THAT THE INGREDIENTS ARE A TRADE SECRET

======== Physical/Chemical Properties ==========

HCC:N1

Boiling Pt:B.P. Text:>372F,>189C

Vapor Pres:1.1 Spec Gravity:1.38

pH: 7

Viscosity:PASTE

Evaporation Rate & Dry Reference: