View NSN Online: https://aerobasegroup.com/nsn/8030-00-065-0957

Product ID: ALODINE 1201 MSDS Date:11/05/1992 FSC:8030 NIIN:00-065-0957 MSDS Number: BTZTV === Responsible Party === **Company Name: HENKEL CORPORATION** Address:32100 STEPHENSON HWY City:MADISON HEIGHTS State:MI ZIP:48071 Country:US Info Phone Num:313-583-9300 Emergency Phone Num:517-263-9430/ 800-424-9300 CHEMTR EC Preparer's Name:S WHITNEY CAGE:DO342 === Contractor Identification === Company Name: HENKEL CORP Address:32100 STEPHENSON HIGHWAY Box:City:MADISON HEIGHTS State:MI ZIP:48071 Country:US Phone:215-628-1000 CAGE:71410 Company Name: HENKEL CORPORATION-EMERY GROUP Address:4900 ESTE AVENUE City:CINCINNATI State:OH ZIP:45232 Country:US Phone:513-482-2297 CAGE:DO342 Company Name: RALRUBE INC. Address:36977 FOX GLEN Box:City:FARMINGTON HILLS State:MI ZIP:48331 Country:US Phone:248-661-0260, FAX 248-661-3

941 CAGE:6X798

Ingred Name:CHROMIC ACID (SARA III) CAS:7738-94-5 RTECS #:GB2450000 Fraction by Wt: 1% Other REC Limits:NONE RECOMMENDED OSHA PEL:0.1 MG/M3 ACGIH TLV:0.05 MG/M3 EPA Rpt Qty:10 LBS DOT Rpt Qty:10 LBS

Ingred Name:POTASSIUM FERRICYANIDE CAS:13746-66-2 RTECS #:LJ8225000 Fraction by Wt: 0.1-1% Other REC Limits:NONE RECOMMENDED

Ingred Name:HYDROFLUORIC ACID (SARA III) (EXTREMELY HAZARDOUS SUBSTANCE) CAS:7664-3 9-3 RTECS #:MW7875000 Fraction by Wt: 0.1-1% Other REC Limits:NONE RECOMMENDED OSHA PEL:C 3 PPM (AS F) ACGIH TLV:C3PPM(AS F);STEL6PPM EPA Rpt Qty:100 LBS DOT Rpt Qty:100 LBS

Health Hazards Acute and Chronic:EYE: SEVERE IRRITATION. SKIN: IRRITATION. AABSORPTION: CHROMIC ACID MAY BE ABSORBED THROUGH SKIN, EXPECIALLY IF SKIN DMAGED. FATAL KIDNEY DAMAGE REPORTED. INHALATION: IRRITATE, MAY BURN MUCOUS MEMBRAN ES IF PRO LONGED.

Explanation of Carcinogenicity:EXPECTED THAT CHROMIC ACID MAY INCREASE INCIDENCE OF LUNG CANCER (ANIMAL LABORATORY STUDIES).

Effects of Overexposure:CHRONIC: PROLONGED OR REPEATED CONTACT MAY CAUSE CHROME SORES. LONG-TERM EXPOSURE CAN CAUSE LIVER DAMAGE, KIDNEY DAMAGE AND DERMATITIS. PROLONGED OR REPEATED INHALATION OF MIST MAY CAUSE ULCERATION AN D PERFORATION OF THE NASAL SEPTUM. Medical Cond Aggravated by Exposure:PRE-EXISTING SKIN DISORDERS First Aid:EYE: IMMED FLUSH IN RUNNING WATER 15 MINUTES HOLDING EYELIDS APART. GET MED AID. SKIN: IMMED FLUSH W/WATER 15 MINUTES WHILE REMOVING CONTAM CLOTHING. SOAK AREA FOR 1 HR IN ICED SOLUTION (0.13%) OF ZEP HRIN CHLORIDE (30CC OF 17% CONCENTRATE PER GAL ICED DISTILLED WATER). GET MED AID. INHAL: REMOVE TO FRESH AIR. IF BREATHING DIFFICULT, GIVE OXYGEN. GET MED AID. INGEST: DON'T INDUCE VOMIT. GET MED AID

Extinguishing Media:AS REQUIRED TO EXTINGUISH SURROUNDING FIRE. Fire Fighting Procedures:WEAR POSITIVE PRESSURE SELF-CONTAINED BREATHING APPARATUS AND FULL PROTECTIVE CLOTHING. Unusual Fire/Explosion Hazard:PRESENTS NO HAZARD IN LIQUID FORM, HOWEVER CHEMICAL CONTAINS STRONG OXIDIZERS WHICH MAY SUPPLY OXYGEN WHEN DRY.

Spill Release Procedures:WEAR PROTECTIVE CLOTHIN

G. ABSORB OR OTHERWISE

COLLECT SPILL AND STORE IN POLYETHYLENE OR POLYETHENE-LINED STEEL CONTAINER.

Handling and Storage Precautions:DO NOT GET IN EYES, ON SKIN OR ON CLOTHING. CLOTHING OR OTHER COMBUSTIBLE MATERIAL WET WITH THIS MATERIAL AND ALLOWED TO DRY MAY BE BECOME FLAMMABLE.
Other Precautions:WASH THOROUGHLY AFTER HANDLING. FOR INDUSTRIAL USE ONLY.

======= Exposure Controls/Personal Protectio

n =========

Respiratory Protection:NOT NORMALLY REQUIRED. IF SIGNIFICANT VAPORS OR MIST ARE GENERATED, USE A NIOSH APPROVED RESPIRATOR
Ventilation:USE WITH ADEQUATE VENTILATION. PROVIDE GENERAL AND LOCAL EXHAUST VENTILATION.
Protective Gloves:CHEMICAL RESISTANT GLOVES
Eye Protection:CHEMICAL GOGGLES OR FACE SHIELD.
Other Protective Equipment:EYE WASH AND EMERGENCY SHOWER SHOULD BE IN CLOSE PROXIMITY. APPROPRIATE PROTECTIVE CLOTHING SUCH AS APRONS, BOOTS, ETC.
Work Hygienic Practices:WASH THOROUGHLY AFTER HANDLING. Supplemental Safety and Health

HCC:C1 Boiling Pt:B.P. Text:212F,100C Spec Gravity:ABOUT 1 pH: