Product ID:THIOKOL MC-275 BASE MSDS Date:01/29/1993 FSC:8030 NIIN:00-560-8759 Kit Part:Y MSDS Number: BVBBX === Responsible Party === Company Name:MORTON Address:7341 ANACONDA AVENUE **City:GARDEN GROVE** State:CA ZIP:92641 Country:US Info Phone Num:714-373-2837 X11 Emergency Phone Num:800-424-9300 CAGE:KO006 === Con tractor Identification === Company Name:MORTON Address:7341 ANACONDA AVE. **City:GARDEN GROVE** State:CA ZIP:92641 Country:US Phone:714-373-2837 CAGE:KO006 Company Name: MORTON INTL INC SPECIALTY CHEMICALS GROUP Address:333 W WACKER DR City:CHICAGO State:IL ZIP:60606-1218 Country:US Phone:312-807-2000 CAGE:32063

Ingred Name:LIMESTONE/CALCIUM CARBONATE (OSHA PEL: 15 MG/M3 TOTAL PARTICULATE) CAS:471-34-1 RTECS #:FF9335000 Fract ion by Wt: 30-60% Other REC Limits:NONE RECOMMENDED OSHA PEL:5 MG/M3 RESP FRACT ACGIH TLV:10 MG/M3 TOTAL PART

Ingred Name:TITANIUM DIOXIDE (OSHA PEL: 10 MG/M3 TOTAL PARTICULATE) CAS:13463-67-7 RTECS #:XR2275000 Fraction by Wt: 1-5% Other REC Limits:NONE RECOMMENDED OSHA PEL:5 MG/M3 RESP FRACT ACGIH TLV:10 MG/M3 TOTAL PART

Ingred Name:QUARTZ (CRYSTALLINE SILICA) CAS:14808-60-7 RTECS #:VV7330000 Fraction by Wt: 0.34% Other REC Limits:NONE RECOMMENDED OSHA PEL:0.1 MG/M3 RESP FRACT ACGIH TLV:0.1 M G/M3 RESP FRACT

Ingred Name:FORMALDEHYDE (SARA III) (OSHA: 0.5 MG/M3 ACTION LEVEL) (ORAL,RAT; LD50: 800 MG/KG; INHAL,RAT; LC50 590 MG/M3) CAS:50-00-0 RTECS #:LP8925000 Fraction by Wt: 200F,>93C Extinguishing Media:USE AGENTS APPROVED FOR CLASS A HAZARD (E.G. HALOGENATED AGENTS, FOAM, STEAM) OR WATER FOG. Fire Fighting Procedures:FIREFIGHTERS & OTHERS WHO MAY BE EXPOSED TO THE PRODUCTS OF COMBUSTION SHOULD BE EQUIPPED WITH NIOSH APPROVED POSITIVE PRESSURE SCBA & FULL PROTECTIVE CLOTHING.

Unusual Fire/Explosion Hazard:NONE KNOWN.

Spill Release Procedures: SHOVEL OR VACUUM SPILLED PRODUCT AND PLACE IN CLOSED CONTAINERS FOR FURTHER HANDLING AND DISPOSAL. DO NOT FLUSH TO SEWER, STREAM, OR OTHER BODIES OF WATER.

Handling and Storage Precautions:STORE IN COOL, DRY, WELL VENTILATED AREA. NO SPECIAL PRECAUTIONS ARE NEEDED. FOLL OW GOOD MANUFACTURING

AND HANDLING PRACTICES.

Other Precautions: THIS CONTAINER CAN BE HAZARDOUS WHEN EMPTY, BECAUSE IT CAN RETAIN PRODUCT RESIDUES. THEREFORE, DO NOT REUSE CONTAINER FOR FOOD, CLOTHING, OR PRODUCTS FOR HUMAN OR ANIMAL CONSUMPTION OF WHERE SKIN CONT ACT MAY OCCUR.

======= Exposure Controls/Personal Protection ==========

Respiratory Protection:NIOSH/MSHA EQUIP (ABOVE TLV).DETERMINE TYPE FOR SPECIFIC APPLICATION BY CONSULTING RESPRTR MFR.OBSERVE RESP IRATOR

USE LIMITS.HIGH CONCENTRATIONS MAY NEED USE OF SCBA/SUPPLIED AIR RESPIRATOR. RESP PROT ECT PROGRAMS IN COMPLY W/29 CFR1910.134. Ventilation:GENERAL (DILUTION) MAY BE ACCEPTABLE, HOWEVER, LOCAL

RECOMMENDED WHEN VAPORS, MISTS, OR DUSTS CAN BE RELEASED.

Protective Gloves: IMPERVIOUS GLOVES (SEE GLOVE MFR)

Eye Protection: CHEM SPLASH GOGGLE/SFTY GLASSES W/SDSHLD

Other Protective Equipment:WEAR PROTECTIVE CLOTHING.

Work Hygienic Practices:WASH AFTER HANDLING, BEFORE EATING, DRINKIN

G,SMOKING,USING RESTROOM.WASH CONTAM GEAR,LAUNDER

CONTAM CLOTH, DISCARD SHOES.

Supplemental Safety and Health

* NOTE TO PHYSICIAN: TREATMENT SHOULD BE DIRECTED AT PREVENTING ABSORPTION, ADMINISTERING TO THE SYMPTOMS AS THEY OCCUR, AND PROVIDING SUPPORTIVE: THERAPY.

Spec Gravity:1.61

Solubility in Water:INSOLUBLE Appearance and Odor:LIGHT COLORED OFF-WHITE PASTE; SULFIDE ODOR. Percent Volatiles by Volume:97

=====

Stability Indicator/Materials to Avoid:YES

OXIDIZING ATENTS.

Hazardous Decomposition Products:HEATED TO HIGH TEMPERATURE:PHENOLICS, OXIDES OF SULFUR, SMOKE, SOOT, TOXIC FUMES (E.G. CARBON DIOXIDE & CARBON MONOXIDE)

Waste Disposal Methods: IF DISCARDED IN ORIGINAL FORM, MANAGE (STORE/TREAT/DISPOSE/ETC) AT FACILITY IN COMPLY W/FED, STATE, LOCAL REQ'MNT S (SEE GOVERNMNT ENVIRONMNTL AGENCIES FOR MORE INFO). RECYCLE OR REWORK IF FEASIBLE;INC INERATE AT FACILITY;OR TREAT AT TREAMNTFACILITY.

Disclaimer (provided with this information by the compiling agencies): This information is formulated for use by elements of the Department of Defense. The United States of America in no manner whatsoever, expressly or implied, warrants this information to be accurate and disclaims all liability for its use. Any person utilizing this document s

hould seek competent professional advice to verify and assume responsibility for the suitability of this information to their particular situation.