

PETROLEUM PACKERS,INC -- DEXRON-III / MERCON -- 9150-00-657-4959

===== Product Identification =====

Product ID:DEXRON-III / MERCON

MSDS Date:06/30/1994

FSC:9150

NIIN:00-657-4959

MSDS Number: BVFRW

=== Responsible Party ===

Company Name:PETROLEUM PACKERS,INC

Address:1601 MCCLOSKEY BLVD

City:TAMPA

State:FL

ZIP:33605

Country:US

Info Phone Num:813-248-1988

Emergency Phone Num:813-248-1988

Preparer's

Name:NONE

CAGE:7A776

=== Contractor Identification ===

Company Name:AMALIE OIL COMPANY

Address:1601 MCCLOSKEY BLVD, HOOKERS POINT

Box:City:TAMPA

State:FL

ZIP:33605-6710

Country:US

Phone:813-248-1988 / 800-368-1264

CAGE:7A776

===== Composition/Information on Ingredients =====

Ingred Name:PETROLEUM HYDROCARBONS (COMPOSITION OF MIXTURE PROPRIETARY.
COMPLETE DISCLOSURE WILL BE PROVIDED IN MEDICAL EMERGENCIES)

CAS:64741-89-5

RTECS #:PY8041500

Fraction by Wt: >90%

Other REC Lim

its:NONE RECOMMENDED
OSHA PEL:5 MG/M3 OIL MIST
ACGIH TLV:5 MG/M3 OIL MIST9394

Ingred Name:ADDITIVES

Fraction by Wt: 5000 MG/KG.

Routes of Entry: Inhalation:YES Skin:YES Ingestion:NO

Reports of Carcinogenicity:NTP:NO IARC:NO OSHA:NO

Health Hazards Acute and Chronic:ACUTE: LUBRICATING OILS ARE GENERALLY
CONSIDERED A LOW ORDER OF ACUTE TOXICITY TO HUMANS.EXPOSURE TO
VAPORS OR MIST MAY CAUSE PULMONARY
IRRITATION,DIZZINESS,NAUSEA.PROLONGED OR REPEATED CONTACT MAY CA
USE VARIOUS

SKIN DISORDERS SUCH AS DERMATITIS,FOLLICULITIS,OIL
ACNE. CHRONIC: HAS NOT BEEN TESTED FOR CHRONIC EXPOSURES.

Explanation of Carcinogenicity:NONE

Effects of Overexposure:PULMONARY IRRITATION, DIZZINESS, NAUSEA,
DERMATITIS, FOLLICULITIS, OIL ACNE.

Medical Cond Aggravated by Exposure:NONE SPECIFIED BY MANUFACTURER.

=====
===== First Aid Measures =====

First Aid:EYES: FLUSH WITH LARGE AMOUNTS OF WATER. GET MEDICAL
ATTENTION. SKIN: REMOVE CONTAMINATED CLO
THING. WIPE OFF EXCESS.

WASH AREA WITH SOAP AND WATER. IF IRRITATION PERSISTS, GET MEDICAL
ATTENTION. INHAL ATION: MOVE TO FRESH AIR.GIVE OXYGEN IFBREATHING
IS DIFFICULT.GET MEDICAL ATTENTION. INGESTION: DO NOT INDUCE
VOMITING.NO TREATMENT NEEDED UNLESS LARGE AMOUNTS
INGESTED.HOWEVER,GET MEDICAL ATTENTION.

=====
===== Fire Fighting Measures =====

Flash Point Method:COC

Flash Point:356F,180C

Extinguishing Media:WATER FOG, FOAM, DRY CHEMICAL, CARBO
N DIOXIDE. DO

NOT USE DIRECT STREAM OF WATER. PRODUCT FLOATS AND CAN BE
REIGNITED.

Fire Fighting Procedures:DO NOT ENTER CONFINED SPACE WITHOUT PROTECTIVE
EQUIPMENT INCLUDING NIOSH APPROVED SELF-CONTAINED BREATHING
APPARATUS. COOL FIRE-EXPOSED CONTAINERS WITH WATER.

Unusual Fire/Explosion Hazard:NONE SPECIFIED BY MANUFACTURER.

=====
===== Accidental Release Measures =====

Spill Release Procedures:MAY BURN BUT NOT READILY IGNITABLE. CONTAIN
SPILL. REMOV

E LIQUID WITH VACUUM TRUCK OR PUMP TO SALVAGE VESSEL.

SOAK UP RESIDUE WITH AN ASORBENT AND DISPOSE OF PROPERLY. KEEP OUT OF SURFACE WATERS AND SEWERS ENTERING OR LEADING TO SURFACE WATERS.

Neutralizing Agent:NONE SPECIFIED BY MANUFACTURER.

=====
===== Handling and Storage =====

Handling and Storage Precautions:STORE AWAY FROM EXCESSIVE HEAT AND IGNITION SOURCES. KEEP CONTAINER CLOSED. STORE IN A COOL, DRY, WELL VENTILATED AREA.

Other Precaution

s:NONE SPECIFIED BY MANUFACTURER.

=====
===== Exposure Controls/Personal Protection =====

Respiratory Protection:NONE NORMALLY REQUIRED. IF EXPOSURE EXCEEDS EXPOSURE LIMITS USE A NIOSH-APPROVED ATMOSPHERE-SUPPLYING RESPIRATOR OR AN AIR-PURIFYING RESPIRATOR FOR ORGANIC VAPORS AND PARTICULATES.

Ventilation:USE ADEQUATE MECHANICAL VENTILATION AS NEEDED TO MAINTAIN EXPOSURE BELOW ESTABLISHED LIMITS.

Protective Gloves:USE GLOVES AS NEEDED TO MINIMIZE CONTACT

Eye Protecti

on:SAFETY GLASSES OR GOGGLES AS NEEDED.

Other Protective Equipment:WEAR PROTECTIVE CLOTHING AS NEEDED TO MINIMIZE SKIN CONTACT.

Work Hygienic Practices:WASH AFTER HANDLING AND BEFORE EATING, DRINKING, OR SMOKING. LAUNDRER CONTAMINATED CLOTHING BEFORE REUSE.

Supplemental Safety and Health

THIS PRODUCT IS CLASSIFIED AS AN OIL UNDER SECTION 311 OF THE CLEAN WATER ACT. SPILLS ENTERING (A) SURFACE WATERS OR (B) ANY WATERCOURSES OR SEWERS ENTERING/LEADING TO SURFACE WATERS THAT CAUS

E A SHEE N MUST BE REPORTED TO THE NATIONAL RESPONSE CENTER, 800-424-8802.

=====
===== Physical/Chemical Properties =====

HCC:V6

Spec Gravity:0.8665

Solubility in Water:NEGLIGIBLE

Appearance and Odor:LIGHT COLORED OIL. SLIGHT ODOR.

=====
===== Stability and Reactivity Data =====

Stability Indicator/Materials to Avoid:YES
NONE SPECIFIED BY MANUFACTURER.

Stability Condition to Avoid:EXTREME HEAT.

Hazardous Decomposition Products:OXIDES OF CARBON.

===== Disposal Considerations =====

Waste Disposal Methods:DISPOSE OF WASTE IN AN APPROPRIATE DISPOSAL FACILITY IN ACCORDANCE WITH LOCAL, STATE AND FEDERAL REGULATIONS.

Disclaimer (provided with this information by the compiling agencies):
This information is formulated for use by elements of the Department of Defense. The United States of America in no manner whatsoever, expressly or implied, warrants this information to be accurate and disclaims all liability for its use. Any person utilizing this document should seek competent professional advice to verify and assume responsibility for the suitability of this information to their particular situation.