

GRAYMILLS CORP. -- SUPER AGITENE -- 6850-00-264-9038

=====  
Product Identification  
=====

Product ID: SUPER AGITENE

MSDS Date: 04/21/1986

FSC: 6850

NIIN: 00-264-9038

MSDS Number: BVGJN

=== Responsible Party ===

Company Name: GRAYMILLS CORP.

Address: 3705 N. LINCOLN AVE.

City: CHICAGO

State: IL

ZIP: 60613

Country: US

Info Phone Num: 312-477-4100

Emergency Phone Num: 800-424-9300

Preparer's Name: RICHARD USOBEE

C

AGE: LO015

=== Contractor Identification ===

Company Name: GRAYMILLS CORP

Address: 3705 N LINCOLN AVE

Box: City: CHICAGO

State: IL

ZIP: 60613-3594

Country: US

Phone: 847-256-9975/FAX 847-256-9976

CAGE: 26023

Company Name: GRAYMILLS CORP.

Address: 3705 N. LINCOLN AVE.

Box: City: CHICAGO

State: IL

ZIP: 60613

Country: US

Phone: 312-477-4100

CAGE: LO015

=====  
Composition/Information on Ingredients  
=====

Ingred Name: ALIPHATIC PETROLEUM DISTILLATE [HYDROTREATED LIGHT  
PETROLEUM DISTILLATE]

CAS: 647

42-47-8  
Other REC Limits:100 PPM

Ingred Name:DIPROPYLENE GLYCOL METHYL ETHER  
CAS:34590-94-8  
RTECS #:JM1575000  
Other REC Limits:NONE RECOMMENDED  
OSHA PEL:S,100PPM  
ACGIH TLV:S,100PPM/150STEL; 94

=====  
===== Hazards Identification =====

LD50 LC50 Mixture:ORAL LD50 (RAT) IS >4000 MG/KG  
Routes of Entry: Inhalation:YES Skin:YES Ingestion:YES  
Reports of Carcinogenicity:NTP:NO IARC:NO OSHA:NO  
Health Hazards Acute and Chronic:ACUTE: SKIN OR EYE IRRITATION,  
DIZZYNES  
S, HEADACHE. CHRONIC: NONE SPECIFIED BY MANUFACTURER.  
Explanation of Carcinogenicity:NO INGREDIENTS OF A CONCENTRATION OF  
0.1% OR GREATER IS LISTED AS A CARCINOGEN OR SUSPECTED CARCINOGEN.  
Effects of Overexposure:SKIN-RED & CHAPPED SKIN. EYES-REDNESS, TEARING,  
DISCOMFORT. INHALED-DIZZINESS, HEADACHE.  
Medical Cond Aggravated by Exposure:SKIN ALLERGIES; RESPIRATORY  
ALLERGIES.

=====  
===== First Aid Measures =====

First Aid:SKIN-FLUSH WITH WATER. USE LAN  
OLIN CREAM. SEE DOCTOR IF  
SYMPTOMS PERSIST. EYES-FLUSH WITH LOTS OF WATER FOR 15 MINUTES.  
CALL DOCTOR. INHALED-REMOVE TO FRESH AIR. CALL DOCTOR. INGESTED-DO  
NOT INDUCE VO MITING! CALL DOCTOR.

=====  
===== Fire Fighting Measures =====

Flash Point Method:TCC  
Flash Point:100F,38C  
Lower Limits:0.6  
Upper Limits:7.0  
Extinguishing Media:CARON DIOXIDE, FOAM, WATER FOG & DRY CHEMICALS.  
Fire Fighting Procedures:FIREFIGHTERS SHOULD WEAR POSITIVE-PRESSURE  
SELF-CO

CONTAINED BREATHING APPARATUS.COOL FIRE EXPOSED CONTAINERS WITH WATER.AVOID BREATHING DECOMPOSITION PRODUCTS.  
Unusual Fire/Explosion Hazard:COMBUSTIBLE LIQUID. DRUMS COULD FRACTURE IF HEATED. AUTOIGNITION TEMPERATURE APPROXIMATELY 450F (232C).

===== Accidental Release Measures =====

Spill Release Procedures:USE ABSORBENT MATERIAL, SHOVEL INTO WASTE CONTAINER. DISPOSE OF PROPERLY.  
Neutralizing Agent:NONE SPECIFIED BY MANUFACTURER.

===== Handling and Storage =====

Handling and Storage Precautions:STORE IN COOL AREA AWAY FROM HEAT OR OPEN FLAMES.  
Other Precautions:NOT BIODEGRADABLE.

===== Exposure Controls/Personal Protection =====

Respiratory Protection:NONE NORMALLY REQUIRED.  
Ventilation:GENERAL ROOM VENTILATION.  
Protective Gloves:RUBBER OR BUNA  
Eye Protection:CHEMICAL SPLASH GOGGLES  
Other Protective Equipment:FOR CONSTANT USE, RUBBER GLOVES AND SOLVENT RESISTANT APRON ARE RECOMMENDED.

Work Hygienic Practices:USE LANOLIN CREAM IF GLOVES NOT WORN. DLA-HMIS: WASH HANDS AFTER USE AND BEFORE EATING, DRINKING, OR SMOKING.  
Supplemental Safety and Health  
DLA-HMIS: LAUNDRY CONTAMINATED CLOTHES BEFORE REUSE.

===== Physical/Chemical Properties =====

HCC:F4  
Boiling Pt:B.P. Text:>318F,>159C  
Melt/Freeze Pt:M.P/F.P Text:NONE  
Vapor Pres:10.0 MM HG  
Vapor Density:4.8  
Spec Gravity:0.78  
Evaporation Rate & Reference: