

INDUSTRIAL FLOOR FINISHES -- WAX, GENERAL PURPOSE, SOLVENT TYPE -- 7930-00-298-1947

=====
Product Identification
=====

Product ID:WAX, GENERAL PURPOSE, SOLVENT TYPE

MSDS Date:06/13/1994

FSC:7930

NIIN:00-298-1947

MSDS Number: BVGLF

=== Responsible Party ===

Company Name:INDUSTRIAL FLOOR FINISHES

Address:605 SPRINGS ROAD

City:BEDFORD

State:MA

ZIP:01730

Country:US

Info Phone Num:508-667-5161

Emergen

cy Phone Num:800-255-3924

Preparer's Name:T PITROFFY

CAGE:INDUS

=== Contractor Identification ===

Company Name:INDUSTRIAL FLOOR FINISHES

Address:605 SPRINGS RD

City:BEDFORD

State:MA

ZIP:01730

Country:US

Phone:1-617-667-5161

CAGE:INDUS

=====
Composition/Information on Ingredients
=====

Ingred Name:STODDARD SOLVENT

CAS:8052-41-3

RTECS #:WJ8925000

Fraction by Wt: 79%

Other REC Limits:NONE RECOMMENDED

OSHA PEL:500 PPM

ACGIH TLV:100 PPM

=====
Hazards Identificat
=====

ion =====

Routes of Entry: Inhalation:YES Skin:YES Ingestion:YES
Reports of Carcinogenicity:NTP:NO IARC:NO OSHA:NO
Health Hazards Acute and Chronic:EYE IRRITATION, DRYING OF SKIN,
DIZZINESS, NAUSEA. VAPORS MAY BE NARCOTIC. CHRONIC: RESPIRATORY
TRACT IRRITATION, COULD DAMAGE LIVER AND KIDNEY.
Effects of Overexposure:IRRITATION AND REDNESS OF SKIN, DIZZY FEELING,
PALE AND NAUSEOUS.
Medical Cond Aggravated by Exposure:KIDNEY, LIVER AND LUNG PROBLEMS

=====

===== First Aid Measures =====

First Aid:EYE & SKIN CONTACT: FLUSH WITH PLENTY OF WATER. INHALATION:
REMOVE TO FRESH AIR, BEGIN ARTIFICIAL RESPIRATION IF NEEDED.
INGESTION: DO NOT INDUCE VOMITING, GET IMMEDIATE MEDICAL ATTENTION.

===== Fire Fighting Measures =====

Flash Point Method:TCC
Flash Point:103F,39C
Autoignition Temp:Autoignition Temp Text:510 F
Lower Limits:0.7
Upper Limits:6.0
Extinguishing Media:CO2, FOAM, DRY CHEMI
CAL
Fire Fighting Procedures:COOL CONTAINERS WITH WATER, USE SELF-CONTAINED
BREATHING APPARATUS, BURNING PRODUCT IS TOXIC.
Unusual Fire/Explosion Hazard:CLOSED CONTAINERS MAY BURST WHEN EXPOSED
TO EXTREME HEAT. ISOLATE FROM HEAT, SPARKS, OPEN FLAME.

===== Accidental Release Measures =====

Spill Release Procedures:COLLECT MATERIAL INTO METAL CONTAINER. AVOID
SPARKS, FLAME, HOT SURFACES. WIPE OFF RESIDUE WITH RAG.

===== Handling and Stora

ge =====

Handling and Storage Precautions:COMBUSTIBLE. KEEP AWAY FROM HEAT,
SPARKS, AND OPEN FLAME. USE ADEQUATE VENTILATIONS. AVOID PROLONGED
OR REPEATED CONTACT. KEEP CONTAINERS CLOSED.
Other Precautions:STORE IN SECURE AREA. DISPOSE OF EMPTY CONTAINERS
SAFELY KEEP OUT OF REACH OF CHILDREN.

===== Exposure Controls/Personal Protection =====

Respiratory Protection:USE SELF-CONTAINED BREATHING APPARATUS FOR
CONCENTRATION ABOVE THRESHOLD LIMIT

VALVE.

Ventilation:LOCAL EXHAUST: RECOMMENDED. MECHANICAL: ASSURE FRESH AIR CIRCULATION.

Protective Gloves:RECOMMENDED: RUBBER

Eye Protection:RECOMMENDED: GOGGLES

Other Protective Equipment:EYE BATH AND SHOWER.

Work Hygienic Practices:DO NOT EAT/DRINK OR SMOKE NEXT TO MATERIAL.
WASH HANDS/FACE AFTER WORK.

Supplemental Safety and Health

===== Physical/Chemical Properties =====

Boiling Pt:B.P. Text:320F,160C

Melt/Freeze Pt:M.P/F.P Text:130F,54C

Vapor Pres:2.0

Vapor Density:4.7

Spec Gravity:0.8 (WATER=1)

Evaporation Rate & Reference:0.21 (BU AC=1)

Solubility in Water:NEGLIGIBLE

Appearance and Odor:WAXY PASTE, SOLVENT ODOR

Percent Volatiles by Volume:72-80

===== Stability and Reactivity Data =====

Stability Indicator/Materials to Avoid:YES

STRONG OXIDIZING AGENTS

Stability Condition to Avoid:HEAT, SPARKS, OPEN FLAME

Hazardous Decomposition Products:THERMAL DECOMPOSITION MAY YIELD CARBON MONOXIDE.

=====

== Disposal Considerations =====

Waste Disposal Methods:RECYCLE, INCINERATE, OF USE HAZARDOUS WASTE MANAGEMENT FACILITY FOR DISPOSAL ACCORDING TO STATE AND FEDERAL REGULATIONS. EPA WASTE NO D001 (IGNITABLE WASTE).

Disclaimer (provided with this information by the compiling agencies):
This information is formulated for use by elements of the Department of Defense. The United States of America in no manner whatsoever, expressly or implied, warrants this information

to be accurate and disclaims all liability for its use. Any person utilizing this document should seek competent professional advice to verify and assume responsibility for the suitability of this information to their particular situation.