

VARIAN ASSOCIATE INC;CROSSED FIELD & RECEIVER PROT -- VDU-1120 -- 5985-01-316-8100

=====
Product Identification
=====

Product ID:VDU-1120

MSDS Date:08/26/1994

FSC:5985

NIIN:01-316-8100

MSDS Number: BVHLX

=== Responsible Party ===

Company Name:VARIAN ASSOCIATE INC;CROSSED FIELD & RECEIVER PROT

Address:150 SOHIER RD

City:BEVERLY

State:MA

ZIP:01915-1018

Country:US

Info Phone Num:508-922-6000 EXT.2

85

Emergency Phone Num:508-922-6000 EXT.285

Preparer's Name:FRANK E. TROJAN

CAGE:88236

=== Contractor Identification ===

Company Name:COMMUNICATIONS AND POWER INDUSTRIES INC

Address:150 SOHIER RD

City:BEVERLY

State:MA

ZIP:01915-5595

Country:US

Phone:978-922-6000 EXT.285

CAGE:88236

=====
Composition/Information on Ingredients
=====

Ingred Name:TRITIUM

CAS:10028-17-8

Other REC Limits:NONE RECOMMENDED

=====
Hazards Identification
=====

Route

s of Entry: Inhalation: YES Skin: YES Ingestion: YES
Reports of Carcinogenicity: NTP: NO IARC: NO OSHA: NO
Health Hazards Acute and Chronic: OVEREXPOSURE: SIGNIFICANT EXPOSURE TO
A RADIONUCLIDE MAY CAUSE CANCER.
Explanation of Carcinogenicity: NOT LISTED IN NTP, IARC, OR SOHA.
Effects of Overexposure: TRITIUM IS A BETA EMITTER. IF EXPOSURE IS
SUSPECTED, SEEK MEDICAL ATTENTION, URINE ASSAY FOR TRITIUM IS THE
ONLY MEANS OF MEASURING THE DEGREE OF EXPOSURE.
Medical Cond Aggravated by Exposur
e: HEALING OF DAMAGED TISSUE MAY BE
PROLONGED.

===== First Aid Measures =====

First Aid: SKIN CONTACT: FLUSH WITH WATER FOR 15 MINUTES. EYE CONTACT:
FLUSH WITH WATER FOR 15 MINUTES. INHALATION: REMOVE TO FRESH AIR.
INGESTION: A HIGH ORAL FLUID INTAKE SHOULD BE ADMINISTERED
FOLLOWING TRITIUM EXPOSURE.

===== Accidental Release Measures =====

Spill Release Procedures: NONE SPECIFIED BY MANUFACTURER.

===== Handling and Storage =====

Handling and Storage Precautions: NONE SPECIFIED BY MANUFACTURER.
Other Precautions: NONE SPECIFIED BY MANUFACTURER.

===== Exposure Controls/Personal Protection =====

Respiratory Protection: IF SPILLED, WAER RADIONUCLIDE CARTRIDGE
RESPIRATOR.
Ventilation: PLACE AFFECTED COMPONENT IN LOCAL EXHAUST.
Protective Gloves: DISPOSABLE GLOVES.
Eye Protection: GOGGLES.
Work Hygienic Practices: WASH HANDS.
Supplemental Safety and Health

RADIOACTIVE MATERIAL, EXCEPTED PACKAGES, ARTICLES.

===== Physical/Chemical Properties =====

HCC: A2
NRC/State Lic Num: 20-02237-04
Boiling Pt: B.P. Text: -414F, -248C
Melt/Freeze Pt: M.P/F.P Text: -425F, -254C
Vapor Pres: 18.317
Spec Gravity: 6.0
Solubility in Water: 100%
Appearance and Odor: GAS, NO ODOR.

===== Stability and Reactivity Data =====

Stability Indicator/Materials to Avoid: YES
OXIDIZERS.
Stability Condition to Avoid: TEMPERATURES IN EXCE

SS OF 400C WILL CAUSE

DECOMPOSITION OF TIT2 WITH RELEASE OF TRITIUM GAS.

Hazardous Decomposition Products:UNBOUND TRITIUM.

===== Disposal Considerations =====

Waste Disposal Methods:DISPOSAL MUST BE IN ACCORDANCE WITH LOCAL, STATE
AND FEDERAL REGULATIONS.

Disclaimer (provided with this information by the compiling agencies):

This information is formulated for use by elements of the Department
of Defense. The United States of America in no manner wha

tsoever,

expressly or implied, warrants this information to be accurate and
disclaims all liability for its use. Any person utilizing this
document should seek competent professional advice to verify and
assume responsibility for the suitability of this information to their
particular situation.