

COURTAULDS AEROSPACE INC -- PR-1440 A-2, BASE -- 8030-00-753-5009

=====  
Product Identification  
=====

Product ID:PR-1440 A-2, BASE

MSDS Date:10/21/1993

FSC:8030

NIIN:00-753-5009

MSDS Number: BVNDL

=== Responsible Party ===

Company Name:COURTAULDS AEROSPACE INC

Address:5430 SAN FERNANDO ROAD

Box:1800

City:GLENDALE

State:CA

ZIP:91209

Country:US

Info Phone Num:818-549-7586

Emergency Phone Num:818-549

-7586

Preparer's Name:SEROJE HARTOONIANI

CAGE:83574

=== Contractor Identification ===

Company Name:PRC-DESOTO INTERNATIONAL, INC. A PPG INDUSTRIES COMPANY

Address:5430 SAN FERNANDO RD

Box:1800

City:GLENDALE

State:CA

ZIP:91209

Country:US

Phone:818-240-2060

CAGE:83574

=====  
Composition/Information on Ingredients  
=====

Ingred Name:METHYL ETHYL KETONE (SARA III) (VAPOR PRESSURE 70 MM HG)

CAS:78-93-3

RTECS #:EL6475000

Fraction by Wt: 8.145%

Other REC Limits:NONE RECOMMENDED

OSHA P

EL:200 PPM;STEL 300 PPM  
ACGIH TLV:200 PPM;STEL 300 PPM  
EPA Rpt Qty:5000 LBS  
DOT Rpt Qty:5000 LBS

Ingred Name:PHENOLIC RESIN  
CAS:9039-25-2  
Fraction by Wt: 1.010%  
Other REC Limits:NONE RECOMMENDED

Ingred Name:TITANIUM DIOXIDE (LISTED AS REQ'D BY 29CFR 1910:1200, FULLY  
ENCAPSULATED, NOT HAZARDOUS UNDER NORMAL CIRCUMSTANCES)  
CAS:13463-67-7  
RTECS #:XR2275000  
Fraction by Wt: 2.597%  
Other REC Limits:NONE RECOMMENDED  
OSHA PEL:10 MG/M3  
ACGIH TLV:10 MG/M3

Ingred Name:CALCIUM CARBONATE(LIMESTONE)(LI  
STED AS REQ'D BY  
29CFR1910:1200,FULLY ENCAPSULATED,NOT HAZARDOUS UNDER NORMAL  
CONDITIONS)  
CAS:1317-65-3  
RTECS #:EV9580000  
Fraction by Wt: 27.918%  
Other REC Limits:NONE RECOMMENDED  
OSHA PEL:15.0 MG/M3  
ACGIH TLV:10.0 MG/M3

Ingred Name:TOLUENE (SARA III) (VAPOR PRESSURE 23 MM HG)  
CAS:108-88-3  
RTECS #:XS5250000  
Fraction by Wt: 4.916%  
Other REC Limits:NONE RECOMMENDED  
OSHA PEL:100 PPM;STEL 150 PPM  
ACGIH TLV:50 PPM  
EPA Rpt Qty:1000 LBS  
DOT Rpt Qty:1000 LBS

Ingred Name:SH-TERMINATED POLYSULF

IDE (NON HAZARDOUS INGREDIENT)  
CAS:109159-22-0  
Other REC Limits:NONE RECOMMENDED

Ingred Name:POLYSULFIDE POLYMER (NON HAZARDOUS INGREDIENT)  
CAS:68611-50-7  
Other REC Limits:NONE RECOMMENDED

Ingred Name:VOC PER EPA METHOD 24: 264 G/L (COMBINED PART A & B)  
RTECS #:9999999VO  
Other REC Limits:NONE RECOMMENDED

===== Hazards Identification =====

Routes of Entry: Inhalation:YES Skin:YES Ingestion:YES  
Reports of Carcinogenicity:NTP:NO IARC:NO OSHA:NO  
Health Haz

ards Acute and Chronic:EYE:BURNING, TEARING, REDDENING.  
TRANSIENT CORNEAL CLOUDING. IRRITATION. SKIN:REDNESS, BURNING,  
DRYING & CRACKING SKIN. ALLERGIC RASH IN SENSITIZED. DERMATITIS.  
INHALATION:DIZZINESS, DROWSINESS, FATIG UE, LIVER & KIDNEY DAMAGE.  
COUGHING, CHEST PAIN, THROAT IRRIT, HEADACHE, ANESTHETIC & OTHER  
CENTRL NERV SYSTEM EFFECTS.

Effects of Overexposure:INGESTION: DROWSINESS, DIZZINESS, NAUSEA.  
GASTROINTESTINAL IRRITATION. EFFECTS OF LONG TERM (CHRONIC)  
EX  
POSURE MAY CAUSE DISTURBANCE IN MEMORY, THINKING ABILITY,  
EMOTIONS AND COORDINATION.

===== First Aid Measures =====

First Aid:EYES: FLUSH WITH LUKEWARM WATER FOR 15 MINUTES. IF SYMPTOMS  
PERSIST, CONSULT PHYSICIAN. SKIN: WASH WITH SOAP AND WATER. IF  
SYMPTOMS PERSIST, CONSULT A PHYSICIAN. INHALATION: REMOVE TO FRESH  
AIR. IF SY MPTOMS ARE PRESENT, CONSULT A PHYSICIAN. INGESTION:  
CONSULT A PHYSICIAN. DO NOT INDUCE VOMITING.

===== Fire Fighting Measures =====

Flash Point Method:PMCC  
Flash Point:62.0F,16.7C  
Lower Limits:1.3  
Extinguishing Media:CARBON DIOXIDE, DRY CHEMICAL, FOAM, WATER FOG  
Fire Fighting Procedures:USE AIR SUPPLIED RESPIRATOR. USE WATER TO COOL  
HEAT EXPOSED CONTAINERS.  
Unusual Fire/Explosion Hazard:HIGH TEMPERATURE MAY CAUSE PRESSURE  
BUILDUP IN CLOSED CONTAINERS.

===== Accidental Release Measures =====

Spill Release Procedures:REMOVE ALL IGNITIO



Percent Volatiles by Volume:22.8

===== Stability and Reactivity Data =====

Stability Indicator/Materials to Avoid: YES

STRONG OXIDIZING AGENTS.

Stability Condition to Avoid: NOT KNOWN

Hazardous Decomposition Products: OXIDES OF CARBON, SULFUR DIOXIDE,  
TRACES OF HYDROGEN SULFIDE

===== Disposal Considerations =====

Waste Disposal Methods: EPA NO. D001 AND D-035 HAZARDOUS WASTE. DISPOSE  
OF IN COMPLIANCE WITH FEDERAL AND STATE REGULATIONS.

Disclaimer (provided with this information by the compiling agencies):  
This information is formulated for use by elements of the Department  
of Defense. The United States of America in no manner whatsoever,  
expressly or implied, warrants this information to be accurate and  
disclaims all liability for its use. Any person utilizing this  
document should seek competent professional advice to verify and  
assume responsibility for the suitability of this information to their  
particular situation.