View NSN Online: https://aerobasegroup.com/nsn/8040-01-327-8145

EMERSON AND CUMING INC -- CATALYST 24LV -- 8040-01-327-8145

======== Product Identification ===========

Product ID:CATALYST 24LV

MSDS Date:02/26/1991

FSC:8040

NIIN:01-327-8145

Kit Part:Y

MSDS Number: BVNHT === Responsible Party ===

Company Name: EMERSON AND CUMING INC

Address:77 DRAGON COURT

City:WOBURN

State:MA ZIP:01888 Country:US

Info Phone Num:617-828-3300

Emergency Phone Num:617-935-4850;617-938-8630

CAGE:OB562

=== Contractor Identification ===

Company Name: EMERSON & CUMING, INC., DIV OF W.R.GRACE AND CO.

Address:61 HOLTON STREET

Box:City:WOBURN

State:MA ZIP:01180 Country:US

Phone:800-225-1936

CAGE:0JMR7

Company Name: EMERSON AND CUMING, INC,

Address:77 DRAGON CT.

City:WOBURN

State:MA

ZIP:01888-5000 Country:US

Phone:617-935-4850/617-938-8630

CAGE:OB562

====== Composition/Information on Ingredients ========

Ingred Name: POLYGLYCOL DIAMINE

Fraction by Wt: 100%

OSHA PEL:N/K

ACGIH

Ingred Name:SUPDAT:THE AREA. SHOVEL/PUMP TO DRUM OR SALVAGE TANK.
ABSORB RESIDUAL MATL W/SAND, VERMICULITE, OR OTHER ABSORB (ING 3)

RTECS #:9999999ZZ

OSHA PEL:N/K ACGIH TLV:N/K

Ingred Name:ING 2:MATL. COLLECT WASTE IN SEALED CNTNRS. SCRUB AREA W/SOAPY WATER & RINSE. PVNT RINSES FROM ENTERING DRAINS (ING 4)

RTECS #:9999999ZZ

OSHA PEL:N/K ACGIH TLV:N/K

Ingred Name:ING 3:OR OTHER WATERWAYS. SPILLED MATL & WATER RINSES ARE CLASSIFIED AS CHEM WASTE, & MUST BE DISPOSED OF I

/A/W (ING 5)

RTECS #:9999999ZZ

OSHA PEL:N/K

ACGIH TLV:N/K

Ingred Name: ING 4: CURRENT LOCAL, STATE, AND FEDERAL REGULATIONS.

RTECS #:9999999ZZ

OSHA PEL:N/K ACGIH TLV:N/K

Ingred Name: EYE PROT: FULL LENGTH FACESHIELD.

RTECS #:9999999ZZ

========= Hazards Identification =============

LD50 LC50 Mixture: NONE SPECIFIED BY MANUFACTURER.

Routes of Entry: Inhalation:YES Skin:YES Ingestion:NO

Reports of Carcinogenicity:NTP:NO IARC:NO OSHA:NO

Health Hazards Acute and Chronic

:WARNING! CORROSIVE - MAY CAUSE SKIN &

EYE BURNS. CONT W/EYES MAY RSLT IN PERM DMG OR BLINDNESS.

ACUTE:INHAL:VAP CAN CAUSE IRRIT TO RESP TRACT, CHEST DISCOMFORT, SYMP OF BRONCH. EYES:VERY SEV IRRIT UPO N CONT; CAN CAUSE PERM DMG/BLINDNESS. SKIN:VERY SEV IRRIT UPON DIRECT CONT. MAY CAUSE

BURNS AND/OR (EFFECTS OF OVEREXP)

Explanation of Carcinogenicity: NOT RELEVANT.

Effects of Overexposure:HLTH HAZ:BLISTERING. INGEST:HARMFUL IF SWALLOWED. GET MEDICAL ATTENTION IF SYMPTOMS P

KNOWN. Medical Cond Aggravated by Exposure:NO DATA AVAILABLE FOR THIS PRODUCT MIXTURE.
======================================
First Aid:INHAL:REMOVE VICTIM TO FRESH AIR. GIVE ARTF RESP IF NOT BRTHG. GIVE OXYG IF BRTHG DFCLT. GET IMMED MED ATTN. EYE:IMMED FLUSH W/WATER FOR AT LEAST 15 MINS & CONTINUE FLUSHING UNTIL MED ATTN IS OBTAINED. SKIN:REMOVE CONTAMD CLTHG UNDER SHOWER. WASH AFFECTED AREA THORO W/WATER. OBTAIN MED ATTN IF BURNS RSLT. INGEST:DILUTE W/LG QTYS OF WATER-DO NOT INDUCE VOMIT. GET IMMED MED ATTN.
======================================
Flash Point Method:CC Flash Point:260F,127C Extinguishing Media:CARBON DIOXIDE, DRY CHEMICAL, FOAM, WATER FOG. Fire Fighting Procedures:WEAR NIOSH/MSHA APPROVED SELF CONTAINED BREATHING APPARATUS. Unusual Fire/Explosion Hazard:TOXIC VAPORS MAY BE EVOLVED UPON EXPOSURE TO HEAT OR OPEN FLAME.
========= Accid
ental Release Measures ==========
Spill Release Procedures:NOTE:PROT GLOVES. CLTHG, RESP PROT & CHEM SPLASH GOGG MUST BE WORN DURING ENTIRE CLEAN-UP PROCEDURE. SM SPILLS:WIPE UP, OR ABSORB W/VERMICULITE/OTHER ABSORB MATL. COLLECT WASTE IN SEALED CNTNRS. SCRUB AREA W/SOAPY WATER & RINSE. PVNT RINSES (SUPDAT) Neutralizing Agent:NONE SPECIFIED BY MANUFACTURER.
======================================
Handling and Storage Precautions:STORE IN C OOL,DRY PLACE; KEEP REMOVED FROM ANY HEAT/OPEN FLAME. KEEP CNTNR CLSD WHEN NOT IN USE. EMPTY CNTNRS RETAIN HAZ PROD RESIDUE, BOTH LIQ & VAP. Other Precautions:WARNING:CORR MATL. DO NOT GET ON SKIN, EYES, OR CLTHG. REMOVE CONTAMD CLTHG & WASH BEFORE REUSING. DO NOT INGEST/SWALLOW THIS MATL. DO NOT BREATHE VAP, MIST, OR SPRAY. KEEP AWAY FROM INTENSE HEAT, OPE N FLAMES.
====== Exposure Controls/Personal Protection ========
Respiratory Protection:NIOSH/MSHA APPROP

ERSIST. CHRONIC:NONE

RIATE, PROPERLY FITTED

RESPIRATOR WHEN CONTAMINANT LEVELS EXCEED THE RECOMMENDED EXPOSURE LIMITS.

Ventilation: MECHANICAL EXHAUST.

Protective Gloves: IMPERVIOUS GLOVES.

Eye Protection: ANSI APPRVD CHEM WORKERS GOGG & (ING 6)

Other Protective Equipment:REMOVE CONTAMD CLTHG & WASH BEFORE REUSING.

EMERGENCY EYEWASH & DELUGE SHOWER WHICH MEET ANSI DESIGN STANDARDS

Work Hygienic Practices: NONE SPECIFIED BY MANUFACTURER.

Supplemental Safety and Health

SPILL RELEASE: FROM ENTERING DRAINS

/OTHER WATERWAYS. SPILLED MATL &

WATER RINSES ARE CLASSIFIED AS CHEM WASTE, & MUST BE DISPOSED I/A/W CURRENT LOCAL, STATE, & FED REGS. LG SPILL:DIKE ARE TO CONTAIN SP ILLED MATL & TO PVNT RUNOFF INTO DRAINS, SEWERS, & OTHER WATERWAYS. TURN ON VENT EQUIP TO EVACUATE VAP FROM (ING 2)

======== Physical/Chemical Properties ===========

HCC:C2
Boiling Pt:B.P. Text:>480F,>249C
Vapor Pres: