

D A P INC -- ACRYLIC LATEX CAULK WITH SILICONE (ALL COLORS)

=====
MSDS Safety Information
=====

FSC: 8030
NIIN: 01-075-1156
MSDS Date: 02/28/1991
MSDS Num: BVQBR
Product ID: ACRYLIC LATEX CAULK WITH SILICONE (ALL COLORS)
MFN: 01
Responsible Party
Cage: IO869
Name: D A P INC
Address: 5300 HUBERVILLE ROAD
Box: 277
City: DAYTON OH 45401-0277
Info Phone Number: 513-236-0911/513-253-7154
Emergency Phone Number: 513-236-0911/800-543-3840
Proprietary Ind: Y
Review Ind: Y
Published: Y

=====
Preparer Co. when other than Responsible Party Co.
=====

Cage: IO869
Assigned Ind: Y
Name: D A P INC
Address: UNKNOWN
Box: 277
City: DAYTON OH 45411-0277

=====
Contractor Summary
=====

Cage: IO869
Name: D A P INC
Address: UNKNOWN
Box: 277
City: DAYTON OH 45411-0277
Phone: 800-543-3840
Cage: 90300
Name: DAP INC.
Box: 277
City: DAYTON OH 45401-0277
Phone: 513-253-7154/800-543-3840

=====
Item Description Information
=====

Item Manager: GSA
Item Name: CALKING COMPOUND
Unit of Issue: CA
Quantitative Expression: 00000000010

OZ
UI Container Qty: 0

=====
Ingredients
=====

Name: *** PROPRIETARY ***

=====
Health Hazards Data
=====

LD50 LC50 Mixture: UNKNOWN

Route Of Entry Inds - Inhalation: NO

Skin: YES

Ingestion: NO

Carcinogenicity Inds - NTP: NO

IARC: NO

OSHA: NO

Effects of Exposure: MAY

CAUSE SKIN IRRITATION. CHRONIC:NONE KNOWN.

Explanation Of Carcinogenicity: PER MSDS:THIS PRODUCT IS NOT CONSIDERED A
CARCINOGEN BY THE NTP/IARC/OSHA.

Signs And Symptoms Of Overexposure: SKIN IRRITANT.

Medical Cond Aggravated By Exposure: NONE KNOWN.

First Aid: EYE:FLUSH W/LARGE AMOUNTS OF WATER FOR 15MINS. CONTACT A PHYSICIAN.
SKIN:WASH W/SOAP & WATER. INHAL:REMOVE TO FRESH AIR. CONTACT A PHYSICIAN
IMMED. INGEST:DO NOT INDUCE VOMITING. CONTACT A PHYSICIAN O R REGIONAL POISON
CONTROL
CENTER IMMED.

=====
Handling and Disposal
=====

Spill Release Procedures: USE ABSORBENT MATERIAL OR SCRAPE UP DRIED MATERIAL
AND PLACE INTO CONTAINERS.

Neutralizing Agent: NONE SPECIFIED BY MFG.

Waste Disposal Methods: DISPOSE OF ACCORDING TO LOCAL, STATE AND FEDERAL
STANDARDS. THIS PRODUCT IS NON-HAZARDOUS ACCORDING TO US EPA'S HAZARDOUS
WASTE MANAGEMENT REGULATIONS.

Handling And Storage P

recautions: STORE AWAY FROM CAUSTICS AND OXIDIZERS. KEEP
CONTAINERS TIGHTLY CLOSED WHEN NOT IN USE. KEEP OUT OF REACH OF CHILDREN.

Other Precautions: KEEP CONTAINERS FROM EXCESSIVE HEAT AND FREEZING.

=====
Fire and Explosion Hazard Information
=====

Flash Point Method: SCC

Flash Point Text: NONE

Extinguishing Media: FOAM, WATER, DRY CHEMICALS.

Fire Fighting Procedures: USE WATER SPRAY TO COOL E

XPOSED SURFACES.

Unusual Fire/Explosion Hazard: NONE KNOWN.

=====
Control Measures
=====

Respiratory Protection: NONE REQUIRED. SEE VENTILATION.

Ventilation: NORMAL ROOM VENTILATION.

Protective Gloves: REQUIRED.

Eye Protection: SAFETY GLASSES RECOMMENDED.

Other Protective Equipment: SAFETY STATIONS: NOT REQUIRED.

Work Hygienic Practices: WASH CONTAMINATED CLOTHING BEFORE REUSE.

=====
Physical/Chemical Properties
=====

HCC: N1

Vapor Pres: 17.5 @20C

Vapor Density: <1

Spec Gravity: 1.62

Appearance and Odor: COLORED PASTE WITH A SLIGHT AMMONIA ODOR.

Percent Volatiles by Volume: <25

=====
Reactivity Data
=====

Stability Indicator: YES

Stability Condition To Avoid: EXCESSIVE HEAT.

Material

s To Avoid: STRONG OXIDIZERS AND CAUSTICS.

Hazardous Decomposition Products: NORMAL COMBUSTION PRODUCTS, I.E. COX, NOX.

Hazardous Polymerization Indicator: NO

Conditions To Avoid Polymerization: NOT RELEVANT.

=====
Toxicological Information
=====

=====
Ecological Information
=====

=====
MSDS Transport Information
=====

=====
Regulatory Information
=====

=====
Other Information
=====

=====
Transportation Information
=====

=====

Responsible Party Cage: IO869
Trans ID NO: 105444
Product ID: ACRYLIC LATEX CAULK WITH SILICONE (ALL COLORS)
MSDS Prepared Date: 02/28/1991
Review Date: 11/08/1994
MFN: 1
Multiple KIT Number: 0
Review IND: Y
Unit Of Issue: CA
Container QTY: 0

=====

Detail DOT Information

=====

DOT PSN Code: ZZZ
DOT Proper Shipping Name: NOT REGULATED BY THIS MODE OF TRANSPORTATION
=

=====

Detail IMO Information

=====

IMO PSN Code: ZZZ
IMO Proper Shipping Name: NOT REGULATED FOR THIS MODE OF TRANSPORTATION

=====

Detail IATA Information

=====

IATA PSN Code: ZZZ
IATA Proper Shipping Name: NOT REGULATED BY THIS MODE OF TRANSPORTATION

=====

=====

Detail AFI Information

=====

AFI PSN Code: ZZZ
AFI Proper Shipping Name: NOT REGULATED BY THIS MODE OF TRANSPORTATION

=====

HAZCOM Label

=====

Product ID: ACRYLIC LATEX CAULK WITH SILICONE (ALL COLORS)
Cage: IO869
Assigned IND: Y
Company Name: D A P INC
Street: UNKNOWN
PO Box: 277
City: DAYTON OH
Zipcode: 45411-0277
Health Emergency Phon

e: 513-236-0911/800-543-3840

Label Required IND: Y

Date Of Label Review: 11/08/1994

Status Code: C

Label Date: 11/08/1994

Origination Code: F

Eye Protection IND: YES

Skin Protection IND: YES

Signal Word: CAUTION

Respiratory Protection IND: YES

Health Hazard: Slight

Contact Hazard: Slight

Fire Hazard: None

Reactivity Hazard: None

Hazard And Precautions: MAY CAUSE SKIN IRRITATION. STORE AWAY FROM CAUSTICS AND OXIDIZERS. KEEP CONTAINERS TIGHTLY CLOSED WHEN NOT IN USE. KEEP OUT OF REACH OF CHILD

REN. TARGET ORGANS:SKIN. FIRST AID: EYE:FLUSH W/LARGE AMOUNTS OF WATER FOR 15MINS. CONTACT A PHYSICIAN. SKIN:WASH W/SOAP & WATER. INHAL:REMOVE TO FRESH AIR. CONTACT A PHYSICIAN IMMED. INGEST:DO NOT INDUCE VOMITING. CONTACT A PHYSICIAN OR REGIONAL POISON CONTROL CENTER IMMED. SPILL:USE ABSORBENT MATERIAL OR SCRAPE UP DRIED MATERIAL AND PLACE INTO CONTAINERS. DISPOSAL:IAW FED/STATE/LOCAL STANDARDS. PRODUCT IS NON-HAZARDOUS ACCORDING TO US EPA'S HAZ WASTE MANAGEMENT REGULATIONS.

=====
Disclaimer (provided with this information by the compiling agencies): This information is formulated for use by elements of the Department of Defense. The United States of America in no manner whatsoever expressly or implied warrants, states, or intends said information to have any application, use or viability by or to any person or persons outside the Department of Defense nor any person or persons contracting with any instrumentality of the United

States of America and disclaims all liability for such use. Any person utilizing this instruction who is not a military or civilian employee of the United States of America should seek competent professional advice to verify and assume responsibility for the suitability of this information to their particular situation regardless of similarity to a corresponding Department of Defense or other government situation.