

ARMOR ALL CORP -- ARMOR ALL PROTECTANT -- 8030-01-103-2868

=====
Product Identification
=====

Product ID:ARMOR ALL PROTECTANT

MSDS Date:03/11/1992

FSC:8030

NIIN:01-103-2868

MSDS Number: BVQCD

=== Responsible Party ===

Company Name:ARMOR ALL CORP

Address:6 LIBERTY

City:ALISO VIEJO

State:CA

ZIP:92656

Country:US

Info Phone Num:714-362-0600

Emergency Phone Num:714-362-0600

CAGE:MO878

=== Contractor I

dentification ===

Company Name:ARMOR ALL CORP

Address:6 LIBERTY

Box:City:ALISO VIEJO

State:CA

ZIP:92656

Country:US

Phone:714-362-0600

CAGE:MO878

Company Name:ARMORALL PRODUCTS CORP

Address:6 LIBERTY

Box:13052

City:ALISO VIEJO

State:CA

ZIP:92656

Country:US

Phone:714-362-0600

CAGE:6J703

=====
Composition/Information on Ingredients
=====

Ingred Name:SILICONE EMULSION

Fraction by Wt: 1.00%

Other REC Limits:NONE RECOMMENDED

=====
Hazards Identification
=====

=====

LD50 LC50 Mixture:LD50 ORAL >5G/KG OF BODY WT.
Routes of Entry: Inhalation:NO Skin:NO Ingestion:YES
Reports of Carcinogenicity:NTP:NO IARC:NO OSHA:NO
Health Hazards Acute and Chronic:SKIN ABSORPTION:NONE KNOWN. INGEST:NOT
TOXIC. INHAL:NONE KNOWN. SKIN CONTACT:NON-IRRITATING.
EYE:NON-IRRITATING. CHRONIC HEALTH:NONE KNOWN.
Explanation of Carcinogenicity:PER MSDS:CARCINOGENIC-NO, NOT LISTED BY
IARC/OSHA/NTP OR PROP 65.
Effects of Overexposure:NONE SPECIFIED BY MFG.
Med
ical Cond Aggravated by Exposure:NONE KNOWN.

===== First Aid Measures =====

First Aid:IF SWALLOWED DO NOT INDUCE VOMITING. CALL PHYSICIAN IMMED.
INHAL:REMOVE TO FRESH AIR. SKIN:FLUSH W/WATER. EYE:FLUSH THOROUGHLY
W/WATER FOR 15MINS. IF IRRIT PERSISTS CALL PHYSICIAN.

===== Fire Fighting Measures =====

Flash Point:NONE
Extinguishing Media:NONE. HOWEVER USE APPROPRIATE EXTINGUISHING MEDIA
FOR SURROUNDING FIRE.
F
ire Fighting Procedures:NONE.
Unusual Fire/Explosion Hazard:NONE KNOWN.

===== Accidental Release Measures =====

Spill Release Procedures:USE ABSORBENT MATERIAL TO COLLECT & CONTAIN
FOR SALVAGE &/OR DISPOSAL.
Neutralizing Agent:NONE SPECIFIED BY MFG.

===== Handling and Storage =====

Handling and Storage Precautions:AVOID PROLONGED/REPEATED BREATHING OF
VAPOR. AVOID PROLONGED/REPEATED SKIN/EYE CONTACT. KEEP CONTAINER
CL

OSD. STORE IN COOL, DRY PLACE.
Other Precautions:NONE SPECIFIED BY MFG.

===== Exposure Controls/Personal Protection =====

Respiratory Protection:NONE SPECIFIED BY MFG.
Ventilation:NONE SPECIFIED BY MFG.
Protective Gloves:NONE SPECIFIED BY MFG.
Eye Protection:SAFETY GLASSES
Other Protective Equipment:NO SPECIAL PROT NECESSARY HOWEVER SAF
SHOES/HARD HATS/SUITABLE CLOTHING IS STD PRACTICE IN MANY
INDUSTRIAL OPERATIONS.
Work Hygienic Practices:WASH THOROUGHLY AFTER HANDL
ING W/SAOP & WATER.
Supplemental Safety and Health

===== Physical/Chemical Properties =====

HCC:N1
Boiling Pt:B.P. Text:211F,99C
Melt/Freeze Pt:M.P/F.P Text:32.0F,0.0C
Vapor Pres:3.1
Vapor Density:1
Spec Gravity:1.000
Evaporation Rate & Reference:0.4, REF NOT GIVEN.
Solubility in Water:APPRECIABLE (>90%)
Appearance and Odor:MILKY WHITE LIQUID, VERY LITTLE ODOR.

===== Stability and Reactivity Data =====

Stability Indicator/Materials to
Avoid:YES
NONE KNOWN.
Stability Condition to Avoid:NONE SPECIFIED BY MFG.
Hazardous Decomposition Products:SULFUR DIOXIDE, CARBON DIOXIDE AND
TRACES OF INCOMPLETE OXIDIZED CARBON.

===== Disposal Considerations =====

Waste Disposal Methods:CAN BE LANDFILLED OR BURNED AS ACCORDING TO
LOCAL, STATE AND FEDERAL REGULATIONS.

Disclaimer (provided with this information by the compiling agencies):
This information is formulated for use by elements of the Depa

rtment

of Defense. The United States of America in no manner whatsoever, expressly or implied, warrants this information to be accurate and disclaims all liability for its use. Any person utilizing this document should seek competent professional advice to verify and assume responsibility for the suitability of this information to their particular situation.