

CHEM-TREND INC -- PENETRANT REMOVER H91A -- 6850-01-268-6719

=====
===== Product Identification =====

Product ID: PENETRANT REMOVER H91A

MSDS Date: 02/02/1994

FSC: 6850

NIIN: 01-268-6719

MSDS Number: BVQDR

=== Responsible Party ===

Company Name: CHEM-TREND INC

Address: 1445 W. MCPHERSON PARK DR

Box: 860

City: HOWELL

State: MI

ZIP: 48844-0860

Country: US

Info Phone Num: 800-727-7730

Emergency Phone Num: 800-727-7730

Preparer's Name: JLG

CAGE: 2W738

=== Contractor Identification ===

Company Name: CHEM-TREND INC

Address: 1445 W. MCPHERSON PARK DR

Box: 860

City: HOWELL

State: MI

ZIP: 48844-0860

Country: US

Phone: 800-727-7730

CAGE: 2W738

Company Name: DUNN R G ASSOCIATES INC

Address: 15104 LEE RD SUITE 203-B

Box: City: HUMBLE

State: TX

ZIP: 77396-2078

Country: US

Phone: 281-441-2001/FAX: 281-441-7772

CAGE: 0A272

=====
===== Composition/Information on Ingredients =====

Ingred Name: DIETHYLENE GLYCOL MONOBUTYL ETHER

C

AS:112-34-5
RTECS #:KJ9100000
Fraction by Wt: 45-55%
Other REC Limits:NONE RECOMMENDED

Ingred Name:NONIONIC SURFACTANTS
Fraction by Wt: 45-55%
Other REC Limits:NONE RECOMMENDED

Ingred Name:SUBSTITUTED IMIDAZOLINE
Fraction by Wt: 212F,>100C
Lower Limits:0.9
Upper Limits:24.6

Extinguishing Media:USE CARBON DIOXIDE, DRY CHEMICAL, FOAM.
Fire Fighting Procedures:FIREFIGHTERS SHOULD WEAR FULL PROTECTIVE
CLOTHING INCLUDING POSITIVE-PRESSURE SELF-CONTAINED BREATHING
APPARATUS IN CONFINED SPACE

S.
Unusual Fire/Explosion Hazard:NONE KNOWN.

===== Accidental Release Measures =====

Spill Release Procedures:SOAK UP WITH ABSORBENT MATERIAL AND PLACE IN A
CONTAINER FOR LATER DISPOSAL.
Neutralizing Agent:NONE SPECIFIED BY MANUFACTURER.

===== Handling and Storage =====

Handling and Storage Precautions:KEEP DRUMS & CONTAINERS OF PRODUCT
CLOSED WHEN NOT IN USE. DO NOT HANDLE OR STORE NEAR HEAT OR FLAMES.
DO NOT ADD ANY
OTHER ADDITIVE INGREDIENTS.
Other Precautions:NONE SPECIFIED BY MANUFACTURER.

===== Exposure Controls/Personal Protection =====

Respiratory Protection:IF ENGINEERING CONTROLS FAIL OR NON-ROUTINE USE
OR EMERGENCY OCCURS; USE NIOSH/MSHA APPROVED RESPIRATOR OR SUPPLIED
AIR RESPIRATOR OR SCBA, AS REQUIRED. USE IAW 29 CFR 1910.134 AND
MANUFACTURER'S RECOMMENDATIONS.
Ventilation:USE ADEQUATE MECHANICAL VENTILATION OR LOCAL EXHAUST.
Protective Gloves:NEOPRENE, PVA, NBR

NITRILE

Eye Protection:SAFETY GLASSES/CHEMICAL SPLASH GOGGLES

Other Protective Equipment:APPROPRIATE CLOTHING TO PREVENT SKIN CONTACT. DLA-HMIS: EYE WASH STATION & SAFETY SHOWER.

Work Hygienic Practices:WASH HANDS AFTER USE AND BEFORE EATING, DRINKING, OR SMOKING. LAUNDER CONTAMINATED CLOTHES BEFORE REUSE.

Supplemental Safety and Health

ENVIRONMENTAL NOTES: SARA 302:NO; SARA 311:YES, IMMEDIATE (ACUTE), DELAYED (CHRONIC). MSDS OFFERED BY CAGE 0A272 FOR CONTRACT NUMBER SP0450-95-M8

084.

===== Physical/Chemical Properties =====

HCC:N1

Boiling Pt:B.P. Text:>446F,>230C

Vapor Pres:1

Vapor Density:>1

Spec Gravity:0.98

Evaporation Rate & Reference: