

ASHLAND CHEMICAL CO DIV OF ASHLAND OIL INC -- FORMALDHYDE (FORMALIN) 10% --
6550-01-276-4598

=====
===== Product Identification =====

Product ID: FORMALDHYDE (FORMALIN) 10%

MSDS Date: 10/28/1991

FSC: 6550

NIIN: 01-276-4598

MSDS Number: BVQDT

=== Responsible Party ===

Company Name: ASHLAND CHEMICAL CO DIV OF ASHLAND OIL INC

Address: 3849 FISHER RD

Box: 2219

City: COLUMBUS

State: OH

ZIP: 43228

Country: US

Info Phon

e Num: 614-790-3333

Emergency Phone Num: 800-274-5263

CAGE: 7L600

=== Contractor Identification ===

Company Name: ASHLAND CHEMICAL CO DIV OF ASHLAND OIL INC

Address: 3849 FISHER RD

Box: 2219

City: COLUMBUS

State: OH

ZIP: 43216

Country: US

Phone: 614-790-3333 / 800-325-3751

CAGE: 7L600

=====
===== Composition/Information on Ingredients =====

Ingred Name: FORMALDEHYDE (SARA III)

CAS: 50-00-0

RTECS #: LP8925000

Fraction by Wt: 3.5-3.9%

Other REC Limits: NONE RECOMMENDED

OSHA PEL: SEE 1910.1048

ACGIH

TLV:C 0.3 PPM; A2; 9394
EPA Rpt Qty:100 LBS
DOT Rpt Qty:100 LBS

Ingred Name:METHYL ALCOHOL (METHANOL) (SARA III)
CAS:67-56-1
RTECS #:PC1400000
Fraction by Wt: 1-2%
Other REC Limits:NONE RECOMMENDED
OSHA PEL:S,200PPM
ACGIH TLV:S,200PPM/250STEL; 94
EPA Rpt Qty:5000 LBS
DOT Rpt Qty:5000 LBS

Ingred Name:SODIUM PHOSPHATE, DIBASIC (SARA III)
CAS:7558-79-4
RTECS #:WC4500000
Fraction by Wt: 6.5% GRL
Other REC Limits:NONE RECOMMENDED
EPA Rpt Qty:5000 LBS
DOT Rpt Qty:5000 LBS

Ingred Name:SODIUM PHOSP
HATE, MONOBASIC
CAS:7558-80-7
RTECS #:WA1900000
Fraction by Wt: 4% GR/L
Other REC Limits:NONE RECOMMENDED

===== Hazards Identification =====

Routes of Entry: Inhalation:YES Skin:YES Ingestion:YES
Reports of Carcinogenicity:NTP:YES IARC:YES OSHA:YES
Health Hazards Acute and Chronic:STRONGLY IRRITATING TO SKIN, EYES,
RESPIRATORY TRACT AND MUCOSAL MEMBRANES. POISONESS. MAY CAUSE
ALLERGIC REACTIONS. MAY CAUSE PERMANENT EYE DAMAGE.
Explanation of Car
cinogenicity:CONTAINS F [50-00-0] WHICH IS
LISTED BY NTP AND IARC AND REGULATED BY OSHA AS A CARCINOGEN.
Effects of Overexposure:INGESTION CAUSES SEVERE GASTROINTESTINAL
SYMPTOMS. POISON.
Medical Cond Aggravated by Exposure:RESPIRATORY AILMENTS, SKIN
CONDITIONS, EYE CONDITIONS.

===== First Aid Measures =====

First Aid:REMOVE TO FRESH AIR IF OVERCOME BY BUMES AND BEGIN
RESUCITATION IF NOT BREATHING. INDUCE VOMITTING IF INGESTED, WASH

ALL CONTAMINATED AREAS, SEEK MEDICAL HELP.

===== Fire Fighting Measures =====

Flash Point Method:PMCC

Flash Point:155F,68C

Extinguishing Media:FOAM, WATER FOG, CARBON DIOXIDE, OR DRY CHEMICAL.

Fire Fighting Procedures:USE SELF-CONTAINED BREATHING APPARATUS WITH FULL FACEPIECE.

Unusual Fire/Explosion Hazard:FORMS HAZARDOUS FUMES, CARBON MONOXIDE, CARBON DIOXIDE.

===== Accidental Release Measures =====

Spill Release Proced

ures:ALLERT PERSONAL, ABSORB IN ABSORBENT MATERIAL, PLACE IN FUME TIGHT CONTAINER. PREVENT RUNOFF TO WATERWAYS OR SWERS. NOTIFY AUTHORITIES OF A SPILL.

===== Handling and Storage =====

Handling and Storage Precautions:WEAR PROTECTIVE CLOTHING, GLOVES AND MASK DESIGNED FOR FORMALDEHYDE. USE ONLY IN WELL VENTILATED AREA. MONITOR EXPOSURE TO MATERIAL.

Other Precautions:NONE

===== Exposure Controls/Personal Protection =====

Re

spiratory Protection:FULL FACE SELF-CONTAINED BREATHING APPARATUS.

Ventilation:LOCAL EXHAUST-MUST COMPLY WITH REGULATIONS.

Protective Gloves:YES, MADE OF MATERIAL RESISTANT.

Eye Protection:FULL FACE SHIELD

Other Protective Equipment:MATERIALS RESISTANT TO PRODUCT.

Work Hygienic Practices:USE CAUTION WHEN HANDLING. MONITOR EXPOSURE TO ATERIAL.

Supplemental Safety and Health
NONE

===== Physical/Chemical Properties =====

HCC:V4

Boiling Pt:B.P. Text:214F,101C

Vapor

Pres:1.3

Vapor Density:1.0

Spec Gravity:1.10

Evaporation Rate & Reference:SLOWER THAN ETHER

Solubility in Water:COMPLETE

Appearance and Odor:CLEAR LIQUID WITH STRONG PUNGENT ODOR.

===== Stability and Reactivity Data =====

Stability Indicator/Materials to Avoid:YES

STRONG ALKALIS, STRONG ACIDS.

Stability Condition to Avoid:NONE SPECIFIED BY MANUFACTURER.

Hazardous Decomposition Products:CARBON DIOXIDE, CARBON MONOXIDE.

===== Disposal Considerations

=====

Waste Disposal Methods:CONSULT LOCAL, STATE AND FEDERAL AUTHORITIES FOR PROPER DISPOSAL METHODS.

Disclaimer (provided with this information by the compiling agencies):

This information is formulated for use by elements of the Department of Defense. The United States of America in no manner whatsoever, expressly or implied, warrants this information to be accurate and disclaims all liability for its use. Any person utilizing this document should seek competent professional advice to verify and assume responsibility for the suitability of this information to their particular situation.