View NSN Online: https://aerobasegroup.com/nsn/6850-01-336-0139

SHARP CORP -- SF-9700V1/ND1 -- 6850-01-336-0139

Product ID:SF-9700V1/ND1 MSDS Date:12/19/1989

FSC:6850

NIIN:01-336-0139

MSDS Number: BVQGF === Responsible Party === Company Name: SHARP CORP

Address:22-22

City:NAGAIKE-CHO, ABENO-KY, OSAKA, JAPAN

Info Phone Num:201-529-8200

Emergency Phone Num:201-529-9223

CAGE:S4117

=== Contractor Identification ===

Company Name:S

HARP CORPORATION

Address:22 22 NAGAIKE CHO ABENO KU

Box:City:OSAKA, JAPAN

Country:JA

Phone:800-237-4277/800-255-3924

CAGE:S4117

Company Name: SHARP ELECTRONICS CORP.

Address:SHARP PLAZA Box:City:MAHWAH

State:NJ

ZIP:07430-2135

Country:US

Phone:201-529-9223

CAGE:18520

======= Composition/Information on Ingredients ========

Ingred Name: CARBON BLACK

CAS:1333-86-4

RTECS #:FF5800000 Fraction by Wt: 0.15% OSHA PEL:3.5 MG/M3 ACGIH TLV:3.5 MG/M3

Ingred Name: FERRITE (FERROSPINEL); (FERRITE)

CAS:1317-54-0

RTECS #:LK0495000 Fraction by Wt: 97.5%

OSHA PEĹ:N/K ACGIH TLV:N/K

Ingred Name: STYRENE ACRYLATE COPOLYMER

Fraction by Wt: 2.15%

OSHA PEL:N/K ACGIH TLV:N/K

Ingred Name:PROPENE POLYMERS; (POLYPROPYLENE)

CAS:9003-07-0

ACGIH TLV:N/K

RTECS #:WD1842000 Fraction by Wt: 0.1% OSHA PEL:N/K

Ingred Name: METAL COMPLEX OF AZO DYE

Fraction by Wt: 0.075%

OSHA PEL:N/K ACGIH TLV:N/K

Ingred Name: IRON OXIDE

CAS:1332-37-2

RTECS #:NO7380000 Fraction by Wt: 0.025% OSHA PEL:10 MG/M3 (FE)

ACGI

H TLV:5 MG/M3 (FE)

============ Hazards Identification ==================

LD50 LC50 Mixture: NONE SPECIFIED BY MANUFACTURER.

Routes of Entry: Inhalation:YES Skin:NO Ingestion:YES Reports of Carcinogenicity:NTP:NO IARC:NO OSHA:NO

Health Hazards Acute and Chronic:MINIMAL IRRITATION TO RESPIRATORY TRACT MAY OCCUR AS WITH EXPOSURE TO ANY NON-TOXIC DUST.

Explanation of Carcinogenicity:NOT RELEVANT Effects of Overexposure:SEE HEALTH HAZARDS. Medical Cond Aggravated by Exposure:

ACCUMULATION OF DUST IN THE RESPIRATORY SYSTEM. First Aid:INGEST:CALL MD IMMEDIATELY . SKIN:FLUSH W/COPIOUS AMOUNTS OF WATER. CALL MD. INHAL:REMOVE TO FRESH AIR, IF EFFECTS OCCUR, CONSULT LOCAL MEDICAL PERSONNEL. EYE: IMMEDIATELY FLUSH W/WATER FO R AT LEAST 15 MINUTES. Extinguishing Media:CO*2, DRY CHEMICAL, FOAM OR WATER. Fire Fighting Pro cedures:USE NIOSH/MSHA APPROVED SCBA & FULL PROTECTIVE EQUIPMENT. Unusual Fire/Explosion Hazard: THIS MATERIAL HAS NO UNUSUAL FIRE OR EXPLOSION HAZARDS. ======== Accidental Release Measures ============ Spill Release Procedures: SWEEP UP OR CLEAN UP W/VACUUM CLEANER. Neutralizing Agent: NONE SPECIFIED BY MANUFACTURER. ============ Handling and Storage =========================== Handling and Storage Precautions: NO SPECIAL STORAGE REQUIREMENTS FOR SAFETY REA SONS. Other Precautions: NONE. ===== Exposure Controls/Personal Protection ========

Respiratory Protection: NONE REQUIRED UNDER NORMAL USE. NIOSH/MSHA APPROVED RESPIRATOR APPROPRIATE FOR EXPOSURE OF CONCERN.

Ventilation:NO.

Protective Gloves: IMPERVIOUS GLOVES.

Eye Protection: ANSI APPROVED CHEM WORKERS GOGGS.

Other Protective Equipment: NONE REQUIRED UNDER NORMAL USE.

Work Hygienic Practices: NONE SPECIFIED BY MANUFACTURER.

Supplemental Safety and Health NONE SPECIFIED BY MANU

FACTURER.
======================================
Spec Gravity:5 (H*2O=1) Solubility in Water:NEGLIGIBLE Appearance and Odor:FINE BLACK POWDER; ODORLESS.
========= Stability and Reactivity Data ==========
Stability Indicator/Materials to Avoid:YES NONE. Stability Condition to Avoid:NONE. Hazardous Decomposition Products:CO, CO*2 & NO*X.
======= Disposal Considerations ===========
Waste Disposal Methods:WASTE MATERIAL MAY BE DUMPED OR INCINERATED

UNDER CONDITIONS WHICH MEET ALL FEDERAL, STATE & LOCAL ENVIRONMENTAL REGULATIONS.

Disclaimer (provided with this information by the compiling agencies): This information is formulated for use by elements of the Department of Defense. The United States of America in no manner whatsoever, expressly or implied, warrants this information to be accurate and disclaims all liability for its use. Any person utilizing this document should seek competent professi onal advice to verify and assume responsibility for the suitability of this information to their particular situation.