View NSN Online: https://aerobasegroup.com/nsn/6525-01-307-8484

CINE MAGNETICS INC FRC DIV -- 999-2602-600 DENT-X EASY CLEAN PROCESSOR CLEANER POWDER -- 6525-01-307-8484

============= Product Identification ==================

Product ID:999-2602-600 DENT-X EASY CLEAN PROCESSOR CLEANER POWDER

MSDS Date:06/01/1992

FSC:6525

NIIN:01-307-8484

MSDS Number: BVTNF === Responsible Party ===

Company Name: CINE MAGNETICS INC FRC DIV

Address:524 S COLUMBUS AVE

City:MT VERNON

State:NY ZIP:1055 0-4712

Country:US

Info Phone Num:312-763-1900/914-667-1002

Emergency Phone Num:312-763-1900

CAGE:21297

=== Contractor Identification ===

Company Name: CINE MAGNETICS INC FR CHEMICALS DIV

Address:524 S COLUMBUS AVE

Box:City:MOUNT VERNON

State:NY

ZIP:10550-4712 Country:US CAGE:21297

======= Composition/Information on Ingredients ========

Ingred Name: CITRIC ACID

CAS:77-92-9

RTECS #:GE7350000 Fraction by Wt: 40-70%

Ingred Name: POTASSIUM PEROXYMONOSULFATE SULFATE

CAS:70693-62-8

=====

======== Hazards Identification ============
Routes of Entry: Inhalation:YES Skin:NO Ingestion:YES Reports of Carcinogenicity:NTP:NO IARC:NO OSHA:NO Health Hazards Acute and Chronic:EYES: MAY CAUSE IRRITATION & DAMAGE TO TISSUE. SKIN: MAY CAUSE IRRITATION. INGESTION: MAY CAUSE IRRITATION/CORROSION TO DIGESTIVE TRACT. INHALATION: MAY CAUSE IRRITATION TO NASAL MUCOUS MEMBRANES/RESP IRATORY TRACT. Explanation of Carcinogenicity:NONE Effects of Overexposure:EYES: MAY CAUSE IRRITATION & DAMAGE TO TISSUE. SKIN: MAY CAUSE IRRITATION. INGESTION: MAY CAUSE IRRITATION/CORROSION TO DIGESTIVE TRACT. INHALATION: MAY CAUSE IRRITATION TO NASAL MUCOUS MEMBRANES/RESP IRATORY TRACT.
======================================
First Aid:EYES: IRRIGATE W/WATER FOR 15 MINS. SKIN: WASH W/COPIOUS AMOUNTS OF WATER & SOAP FOR 15 MINS. INGESTION: ADMINISTER 2-3 GLASSES OF WATER/MILK. NEVER ADMINISTER ANYTHING TO AN UNCONSCIOUS
PERSON. INHAL ATION: REMOVE TO FRESH AIR. OBTAIN MEDICAL ATTENTION IN ALL CASES.
======================================
Flash Point:NONE Extinguishing Media:APPROPRIATE FOR PRIMARY CAUSE OF FIRE Fire Fighting Procedures:EVACUATE AREA. WEAR SELF CONTAINED BREATHING APPARATUS. Unusual Fire/Explosion Hazard:GRINDING/EXCESSIVE MIXING MAY IGNITE MATERIAL.
========= Accidental Release Measures ==========
Spill Release Procedures:USE AP PROPRIATE PROTECTIVE EQUIPMENT. SWEEP INTO A WASTE CONTAINER. PREVENT POWDER FROM ENTERING SEWERS/WATERWAYS.
======================================
Handling and Storage Precautions:STORE IN WELL VENTILATED AREA. KEEP CONTAINER TIGHTLY CAPPED WHEN NOT IN USE. DON'T STORE FOOD/DRINK/TOBACCO IN AREAS WHERE CONTAMINATION POSSIBLE. Other Precautions:AVOID BREATHING VAPORS. AVOID CONTACT W/EYES, SKIN/CLOTHING. DON'T TAKE INTERNALLY. KEEP OUT OF REACH

OF CHILDREN. ===== Exposure Controls/Personal Protection ======== Respiratory Protection: DUST MASK. NIOSH CARTRIDGE RESPIRATOR RECOMMENDED FOR POORLY VENTILATED AREAS. Ventilation: TEN ROOM VOLUMES PER HOUR RECOMMENDED UNDER NORMAL CONDITIONS. Protective Gloves:LATEX/NEOPRENE Eye Protection: CHEMICAL SPLASH GOGGLES Other Protective Equipment: LAB COAT, EYE WASH STATION Work Hygienic Practices: WASH THOROUGHLY AFTER HANDLING. Supplemental Safety and Health ==== Physical/Chemical Properties ========= Solubility in Water: COMPLETE Appearance and Odor:FREE FLOWING WHITE POWDER ======== Stability and Reactivity Data =========== Stability Indicator/Materials to Avoid:YES HEAVY METAL SALTS, NICKEL, COPPER Stability Condition to Avoid:NONE Hazardous Decomposition Products: OXYGEN ======= Disposal Considerations ============

Waste Disposal Methods:TREATMENT, STORAGE, TRANSPORTATION, DISPOSAL MUST B E IAW/FEDERAL, STATE & LOCAL REGULATIONS.

Disclaimer (provided with this information by the compiling agencies): This information is formulated for use by elements of the Department of Defense. The United States of America in no manner whatsoever, expressly or implied, warrants this information to be accurate and disclaims all liability for its use. Any person utilizing this document should seek competent professional advice to verify and assume responsibility for the suitability of th

