

IVOCLAR NORTH AMERICA INC -- 2040410 FUSED ALUMINUM OXIDE BLASTING COMPOUND --  
6520-01-327-0658

===== Product Identification =====

Product ID:2040410 FUSED ALUMINUM OXIDE BLASTING COMPOUND

MSDS Date:07/08/1994

FSC:6520

NIIN:01-327-0658

MSDS Number: BVTNG

=== Responsible Party ===

Company Name:IVOCLAR NORTH AMERICA INC

Address:175 PINEVIEW DR

City:AMHERST

State:NY

ZIP:14228-2286

Country:US

Info Ph

one Num:716-691-0010

Emergency Phone Num:716-691-0010

Preparer's Name:LLOYD V ZIEMENDORF

CAGE:0T2N6

=== Contractor Identification ===

Company Name:IVOCLAR NORTH AMERICA INC

Address:175 PINEVIEW DR

Box:City:AMHERST

State:NY

ZIP:14228-2286

Country:US

Phone:716-691-0010

CAGE:0T2N6

===== Composition/Information on Ingredients =====

Ingred Name:ALUMINUM OXIDE, BAUXITE, ALUMINA, DIALUMINUM TRIOXIDE

CAS:1344-28-1

RTECS #:BD1200000

Fraction by Wt: 60-100%

OSHA PEL:5 MG/CUM

ACGIH TLV:

5 MG/CUM

=====  
===== Hazards Identification =====

Routes of Entry: Inhalation:YES Skin:NO Ingestion:NO  
Reports of Carcinogenicity:NTP:NO IARC:NO OSHA:NO  
Health Hazards Acute and Chronic:INHALATION OF FINE PARTICLES MAY CAUSE LUNG DAMAGE, SHAVER'S DISEASE, RESPIRATORY IRRITATION, CHOKING SENSATION.  
Explanation of Carcinogenicity:NONE  
Effects of Overexposure:INHALATION OF FINE PARTICLES MAY CAUSE LUNG DAMAGE, SHAVER'S DISEASE, RESPIRATORY IRRITATION, CHOKING SENSATION.  
Medical Cond Aggravated by Exposure:PRE-EXISITING LUNG DISORDERS

=====  
===== First Aid Measures =====

First Aid:INHALATION: REMOVE TO FRESH AIR. EYES: RINSE W/WATER FOR 15 MINS. OBTAIN MEDICAL ATTENTION IN ALL CASES.

=====  
===== Fire Fighting Measures =====

Extinguishing Media:FOAM, CO2, DRY CHEMICAL  
Fire Fighting Procedures:NONE  
Unusual Fire/Explosion Hazard:EXOTHERMIC REACTION >392F W/HALO-CARBON VAPORS.

=====  
===== Accidental Release Measures =====

Spill Release Procedures:CLEAN UP USING METHODS TO AVOID DUST GENERATION. IF VACUUM IS USED EXHAUST AIR SHOULD BE FILTERED BY A HIGH EFFICIENCY PARTICULATE AIR FILTER. COMPRESSED AIR SHOULD NOT BE USED. AVOID SKIN/EYE CONTACT & INHALATION OF DUST.

=====  
===== Handling and Storage =====

Handling and Storage Precautions:STORE IN CLOSED CONTAINERS IN A DRY LOCATION.  
Other Preca

utions:HANDLE SO AS NOT TO DISPERSE DUST INTO WORK ENVIRONMENT.

=====  
===== Exposure Controls/Personal Protection =====

Respiratory Protection:REQUIRED IF AIRBORNE TLV IS EXCEEDED.  
Ventilation:ADEQUATE LOCAL EXHAUST  
Protective Gloves:NO  
Eye Protection:SAFETY GOGGLES  
Supplemental Safety and Health  
PH: NEUTRAL.

=====  
===== Physical/Chemical Properties =====

Boiling Pt:B.P. Text:5390.6F  
Melt/Freeze Pt:M.P/F.P Text:3722F  
Vapor Pres:1  
Spec Gravity:3.97  
pH:(SU  
PP)  
Appearance and Odor:WHITE POWDER W/NO ODOR

=====  
===== Stability and Reactivity Data =====

Stability Indicator/Materials to Avoid:YES  
Stability Condition to Avoid:TEMPS >392F  
Hazardous Decomposition Products:HYDROGEN CHLORIDE, PHOSGENE

=====  
===== Disposal Considerations =====

Waste Disposal Methods:DISPOSE OF IAW/FEDERAL, STATE & LOCAL REGULATIONS.

Disclaimer (provided with this information by the compiling agencies):  
This information  
is formulated for use by elements of the Department  
of Defense. The United States of America in no manner whatsoever,  
expressly or implied, warrants this information to be accurate and  
disclaims all liability for its use. Any person utilizing this  
document should seek competent professional advice to verify and  
assume responsibility for the suitability of this information to their  
particular situation.