View NSN Online: https://aerobasegroup.com/nsn/6750-01-353-5780

## HELION INDUSTRIES INC -- HELIOFIX, PART A -- 6750-01-353-5780

============= Product Identification ==============

Product ID:HELIOFIX,PART A

MSDS Date:04/01/1986

FSC:6750

NIIN:01-353-5780

Kit Part:Y

MSDS Number: BVVHL === Responsible Party ===

Company Name: HELION INDUSTRIES INC

Address:681 MAIN ST City:BELLEVILLE

State:NJ ZIP:07109 Country:US

Info Phone Num:201-759-0200

Emergency Phone Num:201-759-0200/800-424-930

0(CHEMTREC)

Preparer's Name: KENNETH R. CIOLETTI

CAGE:0AP29

=== Contractor Identification ===

Company Name: HELION INDUSTRIES INC

Address:681 MAIN ST, BLDG 12

Box:City:BELLEVILLE

State:NJ ZIP:07109 Country:US

Phone:800-327-3456

CAGE:0AP29

Company Name: VISUAL GRAPHICS CORP.

Address:5701 NW 94 TH AVENUE

Box:City:TAMARAC

State:FL

ZIP:33321-4317 Country:US

Phone:305-722-3000 EXT. 2299

CAGE:26030

====== Composition/Information on Ingredients ========

Ingred Name:WATER

CAS:7732-18-5

**RTEC** 

S #:ZC0110000

Fraction by Wt: 30 - 40%

Other REC Limits: NONE RECOMMENDED

Ingred Name: ACETIC ACID (SARA III)

CAS:64-19-7

RTECS #:AF1225000 Fraction by Wt: 5%

Other REC Limits: NONE RECOMMENDED

**OSHA PEL:10 PPM** 

ACGIH TLV:10 PPM/15 STEL; 9394

EPA Rpt Qty:5000 LBS DOT Rpt Qty:5000 LBS

Ingred Name: AMMONIUM THIOSULFATE

CAS:7783-18-8

RTECS #:XN6465000 Fraction by Wt: 45- 55%

Other REC Limits: NONE RECOMMENDED

Ingred Name: SODIUM SULFITE

CAS:7757-83-7

RTECS #:WE2150000 Fraction by Wt: 5 - 10%

Other REC

Limits: NONE RECOMMENDED

Ingred Name:SODIUM BORATE, DECAHYDRATE/BORAX

CAS:12447-40-4 RTECS #:VZ2275000 Fraction by Wt: 0.5 - 5%

Other REC Limits: NONE RECOMMENDED

OSHA PEL:10 MG/M3 ACGIH TLV:5 MG/M3

LD50 LC50 Mixture:LD50 (ORAL, RAT) IS UNKNOWN. Routes of Entry: Inhalation:NO Skin:NO Ingestion:NO Reports of Carcinogenicity:NTP:NO IARC:NO OSHA:NO

Health Hazards Acute and Chronic:TARGET ORGANS:EYE, SKIN, RESPIRATORY

AND G

ASTROINTESTINAL TRACTS. ACUTE- EYE:MAY CAUSE IRRITATION OR TISSUE DAMAGE. SKIN:MAY CAUSE IRRITATION. INHALATION:MAY CAUSE IRRITATION OF RESPIRATORY TRACT. ING ESTION:MAY CAUSE IRRITATION OR CORROSION OF GASTROINTESTINAL TRACT. CHRONIC- UNKNOWN. Explanation of Carcinogenicity:NONE

Effects of Overexposure:EYES, SKIN, RESPIRATORY AND GASTROINTESTINAL TRACTS IRRITATION

Medical Cond Aggravated by Exposure:PERSONS WITH PRE-EXISTING DISORDERS MAY BE SUSCEPTIBLE TO THE EFFECTS OF THI S PRODUCT.

=======================================	Circt Aid Magaziras	
	I II OL AIU IVICASUICS	

First Aid:GET MEDICAL ATTENTION IF SYMPTOMS PERSIST. SKIN:REMOVE CONTAMINATED CLOTHING. WASH SKIN WITH SOAP & WATER. EYE:FLUSH EYES WITH WATER FOR 15 MINUTES. HOLD EYELIDS OPEN. INHALED:REMOVE TO FRESH AIR. OR AL:IF CONSCIOUS, DRINK 2-4 GLASSES OF MILK OR WATER. CALL A PHYSICIAN/POISON CONTROL CENTER IMMEDIATELY.

=======================================	Fire Fighting I	Measures	==========	
---	-----------------	----------	------------	--

## Flash Point:NONE

Extinguishing Media:WATER SPRAY, CARBON DIOXIDE, FOAM OR DRY CHEMICAL FOR SURROUNDING FIRE. USE WATER SPRAY TO COOL FIRE EXPOSED CONTAINERS.

Fire Fighting Procedures: WEAR PROTECTIVE CLOTHING AND NIOSH-APPROVED SELF-CONTAINED BREATHING APPARATUS.

Unusual Fire/Explosion Hazard:NONE

	Accidental	Release	Measures	
--	------------	---------	----------	--

Spill Release Procedures:WEAR PROTECTIVE EQUIPMENT. DIKE SPILL AND SOAK UP WITH SAND OR COMMERCIALLY AVAILABLE ACID SPILL KIT. SWEEP UP

ABSORBANT AND PLACE IN A HAZARDOUS WASTE CONTAINER. Neutralizing Agent:WEAK BASE

	Handling	and Storage	
--	----------	-------------	--

Handling and Storage Precautions:STORE IN COOL, WELL VENTILATED AREA AWAY FROM INCOMPATIBLE MATERIALS. KEEP CONTAINER TIGHTLY CLOSED. KEEP OUT OF REACH OF CHILDREN.

Other Precautions: "EMPTY" CONTAINERS RETAIN RESIDUE AND CAN BE HAZARDOUS. REMOVE AND WASH CONTAMINATED CLOTHING IMMEDIATELY. DO NOT STORE NEAR HEAT. DO NOT STOR

E FOOD, DRINK OR TOBACCO IN AREA WHERE THEY MAY BECOME CON TAMINATED WITH THIS MATERIAL.

====== Exposure Controls/Personal Protection ========

Respiratory Protection: NONE SHOULD BE NEEDED.

Ventilation:LOCAL EXHAUST RECOMMENDED.

Protective Gloves: RUBBER OR LATEX

Eye Protection: CHEMICAL SAFETY GOGGLES/SPLASH SHIELD

Other Protective Equipment:EYE WASH STATION, SAFETY SHOWER, RUBBER OR PLASTIC APRON

Work Hygienic Practices:OBSERVE GOOD INDUSTRIAL HYGIENE PRACTICES AND REC

OMMENDED PROCEDURES.

Supplemental Safety and Health

KEY1:C3. THIS IS A TWO-PART KIT (HELIOFIX AND HARDENER). THE MANUFACTURER DID NOT PROVIDE PART B.

======== Physical/Chemical Properties ===========

HCC:C3 NRC/State Lic Num:NOT RELEVANT Boiling Pt:B.P. Text:>212F,>100C Spec Gravity:1.35 pH:5.3

Evaporation Rate & Deference: