View NSN Online: https://aerobasegroup.com/nsn/8030-00-195-7660

Product ID:4150 DC DECRATREND HPC SMOOTH WHITE MSDS Date:01/01/1992 FSC:8030 NIIN:00-195-7660 MSDS Number: BVWWP === Responsible Party === Company Name: WHITE LIGHTNING PRODUCTS CORP (FORMERLY SUPERIOR) Address:1135 SYLVAN RD SW City:ATLANTA State:GA ZIP:3 0310 Country:US Info Phone Num:404-758-2611 Emergency Phone Num:800-255-3924 CAGE:GO017 === Contractor Identification === Company Name: WHITE LIGHTENING PRODUCTS CORP Address:1135 SYLVAN RD SW Box:City:ATLANTA State:GA ZIP:50310 Country:US Phone:404-758-2611 CAGE:0UDJ1 Company Name: WHITE LIGHTNING PRODUCTS CORP Address:1135 SYLVAN RD SW City:ATLANTA State:GA ZIP:30310-5000 Country:US Phone:800-255-3924/404-758-2611 CAGE:GO017

Ingred Name:ETHYLENE GLYCOL (SARA III) CAS:107-21-1 RTECS #:KW2975000 Fraction by Wt: 1% Other REC Limits:NONE RECOMMENDED ACGIH TLV:C 50 PPM,VAPOR; 9394 EPA Rpt Qty:1 LB DOT Rpt Qty:1 LB

Routes of Entry: Inhalation:NO Skin:NO Ingestion:NO
Reports of Carcinogenicity:NTP:NO IARC:NO OSHA:NO
Health Hazards Acute and Chronic:ACUTE: NO EFFECTS NOTE FOR INHALATION. CONTACT MAY CAUSE SLIGHT EYE IRRITATION. SMALL AMOUNTS ING
ESTED
DURING NORMAL HANDLING ARE NOT LIKELY TO CAUSE INJURY. CHRONIC: PROLONGED EXPOSURE MAY CAUSE SLIG HT SKIN IRRITATION.TARGET ORGANS: NONE.
Explanation of Carcinogenicity:NO INGREDIENT OF A CONCENTRATION OF 0.1% OR GREATER IS LISTED AS A CARCINOGEN OR SUSPECTED CARCINOGEN.
Effects of Overexposure:EYES: REDNESS, DISCOMFORT. SKIN: REDNESS,

Medical Cond Aggravated by Exposure:NONE SPECIFIED BY MANUFACTURER.

=============

First Aid:INGESTED-IF CONSCIOUS, INDUCE VOMITING BY GIVING 2 GLASSES OF WATER & PLACING FINGER AT BACK OF THROAT. CONSULT A PHYSICIAN. EYES-FLUSH WITH WATER FOR 15 MINUTES. CONSULT A PHYSICIAN. SKIN-WASH WITH S OAP & WATER.

Flash Point:>200F,>93C

Extinguishing Media:USE NFPA CLASS B EXTINGUISHERS; CARBON DIOXIDE, DRY CHEMICAL, OR FOAM.

Fire Fighting Procedures: FIREFIGHTERS SHOULD WEAR FULL PROTE CTIVE

CLOTHING INCLUDING POSITIVE-PRESSURE SELF-CONTAINED BREATHING APPARATUS. USE WATER TO COOL FIRE EXPOSED CONTAINERS. Unusual Fire/Explosion Hazard:NONE SPECIFIED BY MANUFACTURER.

Spill Release Procedures: AREA MAY BE SLIPPERY-CARE SHOULD BE TAKEN TO PREVENT FALLS. KEEP SPILL OUT OF SEWERS AND OPEN BODIES OF WATER. Neutralizing Agent: NONE SPECIFIED BY MANUFACTURER.

======================= Handling and Storage =

 Handling and Storage Precautions:DO NOT STORE ABOVE 140F. KEEP FROM FREEZING. AVOID CONTACT WITH SKIN, EYES, OR CLOTHES. WASH THOROUGHLY AFTER HANDLING.
 Other Precautions:NONE SPECIFIED BY MANUFACTURER.

======= Exposure Controls/Personal Protection ==========

Respiratory Protection:NONE NORMALLY REQUIRED. Ventilation:NONE NORMALLY REQUIRED. Protective Gloves:NONE NORMALLY REQUIRED. Eye Protection:SAFETY GLASSES W/SIDE SHIELDS. Other Protective Equipmen t:NONE SPECIFIED BY MANUFACTURER. Work Hygienic Practices:WASH HANDS AFTER USE AND BEFORE EATING, DRINKING, OR SMOKING. LAUNDER CONTAMINATED CLOTHES BEFORE REUSE. Supplemental Safety and Health MSDS ENTERED BY DLA-HMIS UNDER PROJECT FOR GSA. NOTE: COMPANY NAME IS NEW, FORMERLY KNOWN AS SUPERIOR SEALANTS, INC.

HCC:N1 Melt/Freeze Pt:M.P/F.P Text:32.0F,0.0C Vapor Density:>1 Spec Gravity:1.54 pH:7.5 Viscosity:20-25GPS @77 F Solubility in Water:APPRECIABLE Appearance and Odor:WHITE LIQUID; LIGHT ACRYLIC ODOR.

Stability Indicator/Materials to Avoid:YES NONE. Stability Condition to Avoid:NONE. Hazardous Decomposition Products:AT VERY HIGH TEMPERATURES, DECOMPOSITION MAY EVOLVE CARBON MONOXIDE AND CARBON DIOXIDE AND TOXIC MONOMER FUMES.

Conditions to Avoid Polymerization: THIS WILL NOT OCCUR.

========= Disposal Considerations =

Waste Disposal Methods:DISPOSE OF IN ACCORDANCE WITH LOCAL, STATE AND FEDERAL REGULATIONS.

Disclaimer (provided with this information by the compiling agencies): This information is formulated for use by elements of the Department of Defense. The United States of America in no manner whatsoever, expressly or implied, warrants this information to be accurate and disclaims all liability for its use. Any person utilizing this document should seek competent professi onal advice to verify and assume responsibility for the suitability of this information to their particular situation.