View NSN Online: https://aerobasegroup.com/nsn/9130-00-359-2026

## TEXACO REFINING AND MARKETING INC. -- 00406 AVJET A -- 9130-00-359-2026

======== Product Identification ============

Product ID:00406 AVJET A MSDS Date:09/15/1994

FSC:9130

NIIN:00-359-2026

MSDS Number: BVWXG === Responsible Party ===

Company Name: TEXACO REFINING AND MARKETING INC.

Address:1111 RUSK STREET

City:HOUSTON

State:TX

ZIP:77002-3310 Country:US

Info Phone Num:713-650-5206 Emergency Phone Num:914-83 1-3400/CHEMTREC 800-424-9300

CAGE:2R503

=== Contractor Identification ===

Company Name: TEXACO REFINING AND MARKETING INC

Address:1111 RUSK ST Box:City:HOUSTON

State:TX

ZIP:77002-3310 Country:US

Phone:713-650-5206

CAGE:2R503

Company Name: VALLEY OIL DBA VALLEY AVIATION

CAGE:3R068

======= Composition/Information on Ingredients ========

Ingred Name: KEROSEN

CAS:8008-20-6

RTECS #:OA5500000 Fraction by Wt: 100.00%

Other REC Limits: NONE RECOMMENDED

Ingred Name: BENZENE (SARA III)

CAS:71-

43-2

RTECS #:CY1400000 Fraction by Wt: .01-.03%

Other REC Limits: NONE RECOMMENDED

OSHA PEL:SEE 1910.1028 ACGIH TLV:10 PPM; A2; 9394

EPA Rpt Qty:10 LBS DOT Rpt Qty:10 LBS

Ingred Name: CUMENE (SARA III)

CAS:98-82-8

RTECS #:GR8575000 Fraction by Wt: 0.0024%

Other REC Limits: NONE RECOMMENDED

OSHA PEL:S, 50 PPM

ACGIH TLV:S, 50 PPM; 9394

EPA Rpt Qty:5000 LBS DOT Rpt Qty:5000 LBS

=========== Hazards Identification ==========================

LD50 LC50 Mixture:LD50 SIMILAR PRODUCT >5.00G/KG RAT .ORAL

Routes of Entry: Inhalation:YES Skin:YES Ingestion:YES Reports of Carcinogenicity:NTP:NO IARC:NO OSHA:NO Health Hazards Acute and Chronic:ACUTE:EYES:IRRIT,MILD

DISCOMFORT.SKIN:SLIGHT IRRIT FROM BRIEF CONTACT.MORE SEVERE IRRIT & DISCOMFORT FROM PROLONG CONTACT.ABSORPTION OF POTENTIALLY HARMFUL

AMTS OF MATL FROM PROLONG/WIDESPREAD/REPEAT

CONTACT.INHAL:NOSE/THROAT IRRIT.UNCONSC/ASPHYXIATION IN

CONFINE/POOR VENTI AREAS.INGEST:ABDOMINAL DISCOMFORT, ASPIRATION.

## Explanati

on of Carcinogenicity:PER MSDS:MID DIST CAUSES SKIN CANCER IN LAB ANIMALS.STUDIES UNDERWAY OF CARCINOGENIC POTENTIAL OF MIDDLE DISTILLATES.

Effects of Overexposure:EYE:EXCESS REDNESS. SKIN:LOCAL REDNESS & SWELLING. INHAL:DIZZ, DROWSINESS, EUPHORIA, LOSS OF COORDINATION, DISORIENTATION, HEADACHE, NAU, VOMIT. INGEST:NAUSEA, DIARRHEA, LUNG DAMAGE FROM ASPIRATION.

Medical Cond Aggravated by Exposure:BECAUSE OF ITS IRRITATING PROPERTIES, REPEATED SKIN CONTACT MAY AGGRAVATE AN

EXISTING DERMATITIS (SKIN CONDITION).
======================================
First Aid:EYE:IMMED FLUSH W/PLENTY OF WATER FOR @ LEAST 15MINS OPENING EYELIDS.GET MED ATTN.SKIN:WASH W/PLENTY OF SOAP & WATER TIL TRACE MATL ARE REMOVED.REMOVE CONTAMIN CLOTH.GET MED ATTN IF IRRIT PERSISTS/PRO LONGED CONTACT.INGEST:IF CONSC & CAN SWALLOW GIVE 2 GLASSES OF WATER.DO NOT INDUCE VOMIT.IF DOES GIVE FLUIDS AGAIN.CONSULT MED PERSONNEL FOR INDUCTION OF VO MIT.INHAL:REMOVE TO FRESH AIR.(SUPPLEMEN)
======================================
Flash Point Method:CC Flash Point:125F,52C Autoignition Temp:Autoignition Temp Text:380F Lower Limits:5 Upper Limits:4.4 Extinguishing Media:USE WATER SPRAY, DRY CHEMICAL,FOAM OR CARBON DIOXIDE TO EXTINGUISH FLAMES. Fire Fighting Procedures:USE WATER SPRAY TO COOL FIRE-EXPOSED CONTAINERS. NO SPECIAL EQUIPMENT OR PROCEDURES REQUIRED. Unusual Fire/Explosion Hazard:NONE.
=== ========= Accidental Release Measures ====================================
Spill Release Procedures: VENT AREA. AVOID BREATH VAP. WEAR APPROPRIATE PPE INCLUDING APPROPRIATE RESP PROT. CONTAIN SPILL. WIPE UP/ABSORB ON SUITABLE MATL & SHOVEL UP. PREVENT ENTRY INTO SEWERS/WATERWAYS. AVOID CONTACT W/SKIN/EYE/C LOTH. SPILLED > 100000LBS OF PROD PER SARA304/CERCLA Neutralizing Agent: NONE SPECIFIED BY MFG.
======================================
Handling and Storage Precauti

- ons:EYEWASH/SAF SHOWER SHOULD BE AVAILABLE
  NEARBY WHEN THIS PROD IS HANDLED/USED.STORE AWAY FROM HEAT/OPEN
  FLAME.MINIMIZED PERIODS OF EXPO TO HIGH TEMP.
- Other Precautions:WATER COTAMINATION SHOULD BE AVOIDED.NOT INTENDED FOR USE IN SPACE HEATERS.DO NOT USE IN AGRICULTURAL SPRAYS.DONOT USE IN SPRAY APPLICATIONS.MINIMIZE EXPOSURES.

====== Exposure Controls/Personal Protection ========

- Respiratory Protection: AIRBORNE CONCEN SHOULD BE KEPT TO LOWEST LEVELS POSSIBL
- E.IF VAP/MIST/DUST GENERTED & OCCUPA EXPO LIMIT OF PROD/COMPONENT EXCEEDED USE APPRO NIOSH/MSHA APPORVED AIR PURIFYING/AIR SUPPLIED RESP AFT DETE RM CONCEN.IF UNK USE AIR SUPPLIED RESP.
- Ventilation:LOC EXHA VENTI RECOMMNENDED IF GENERATING VAP/DUST/MIST.IF EXHA VENTI NOT AVAILABLE/INADEQ USE MSHA/NIOSH APPROVED RESP.
- Protective Gloves:NITRILE GLOVES.
- Eye Protection: SAFETY GLASSES/CHEM TYP GOGG, FACE SHIELD
- Other Protective Equipment:COVERALLS/LAB COATS.GLOVES/BOOTS RESISTANT T
- O CHEMICAL & PETROLEUM DISTILLATEDS.NITRILE PROTECTIVE MATL RECOMMENDED.
- Work Hygienic Practices:CLEAN(PREFER DRYCLEAN)CONTAMIN CLOTH BEFORE REUSE;DESTROY NON-RESISTANT FOORWEAR.
- Supplemental Safety and Health

INITI ID ATIONI

Vapor Pres:

CHRONIC HEALTH EFFECTS:PERSISTENT IRRIT OR DERMATITIS.1STAID:NOT BREATH GIVE ART RESP;BREATH DIFF GIVE OXY.GET MED ATTN IMMED.ASPIRATION DURING INDUCED EMESIS MAY REUSLT IN SEVERE LUNG INJURY.USE METH OD LEAST LIKELY TO CAUSE ASPIRATION(GASTRIC LAVAGE AFT ENDOTRACHEAL

INTUBATION).		
	Physical/Chemical Properties	
HCC:F4 Boiling Pt:B P. Text:5156	- 268C	