

DELTA PLASTICS CO (FORMALLY DELTA DPC, INC) -- BODY FILLER COMPOUND A & B --  
8010-01-060-7176

===== Product Identification =====

Product ID:BODY FILLER COMPOUND A & B

MSDS Date:12/14/1992

FSC:8010

NIIN:01-060-7176

Kit Part:Y

MSDS Number: BVXBX

=== Responsible Party ===

Company Name:DELTA PLASTICS CO (FORMALLY DELTA DPC, INC)

Address:10513 ROAD 236

City:TERRA BELLA (FORMALLY IN TULARE)

State:CA

ZI

P:93270

Country:US

Info Phone Num:209-535-1332 / 209-535-3723 (FAX)

Emergency Phone Num:209-535-1332 / 209-535-3723 (FAX)

Preparer's Name:ERIC SKIFF

CAGE:DO191

=== Contractor Identification ===

Company Name:DELTA DPC, INC

Address:983 E. LEVIN AVE.

Box:City:TULARE

State:CA

ZIP:93274

Country:US

Phone:209-686-1644

CAGE:0ND20

Company Name:DELTA PLASTICS CO.

Address:280 MAIN ST. PO BOX 489

Box:489

City:PIXLEY

State:CA

ZIP:93256

Phone:209-757-2010

CAGE:DO191

===== Composition/Information on

Ingredients =====

Ingred Name:POLYESTER RESIN

Fraction by Wt: 35-39%

Other REC Limits:NONE RECOMMENDED

===== Hazards Identification =====

Routes of Entry: Inhalation:NO Skin:YES Ingestion:YES

Reports of Carcinogenicity:NTP:NO IARC:NO OSHA:NO

Health Hazards Acute and Chronic:ACUTE: MAY CAUSE RESPIRATORY

IRRITATION OR NAUSEA. CHRONIC: NONE SPECIFIED BY MANUFACTURER.

Explanation of Carcinogenicity:NO INGREDIENT OF A CONCENTRATION OF 0.1%  
OR

GREATER IS LISTED AS A CARCINOGEN OR SUSPECTED CARCINOGEN.

Effects of Overexposure:REDNESS, IRRITATION.

Medical Cond Aggravated by Exposure:ALLERGY, SKIN CONDITIONS.

===== First Aid Measures =====

First Aid:EYES-FLUSH WITH LOTS OF WATER FOR 15 MINUTES. GET MEDICAL  
ATTENTION. SKIN-REMOVE CONTAMINATED CLOTHES. FLUSH WITH WATER.  
INHALATION-REMOVE TO FRESH AIR. RESTORE BREATHING IF NEEDED. GET  
MEDICAL ATTENTION. INGESTION-INDUCE VOMITING ONLY UNDER

R

SUPERVISION OF MEDICAL PERSONNEL. NEVER GIVE ANYTHING BY MOUTH TO  
UNCONSCIOUS PERSON.

===== Fire Fighting Measures =====

Flash Point Method:TOC

Flash Point:210F,99C

Extinguishing Media:CARBON DIOXIDE, FOAM, DRY CHEMICAL.

Fire Fighting Procedures:WEAR SELF-CONTAINED BREATHING APPARATUS.

Unusual Fire/Explosion Hazard:KEEP AWAY FROM HEAT AND SOURCES OF  
IGNITION.

===== Accidental Release Measures =====

Spill Release Proc

edures:ELIMINATE ALL SOURCES OF IGNITION. PREVENT  
FLOW INTO SEWERS OR WATERWAYS. CLEAN UP WITH AN INERT ABSORBANT  
USING NON-SPARKING TOOLS.  
Neutralizing Agent:NOT APPLICABLE.

=====  
Handling and Storage  
=====

Handling and Storage Precautions:KEEP PRODUCT COOL, DRY AND AWAY FROM  
SOURCES OF IGNITION AND INCOMPATIBLE MATERIALS. USE WITH ADEQUATE  
VENTILATION.  
Other Precautions:NONE SPECIFIED BY MANUFACTURER.

=====  
Exposure Controls/Person  
al Protection  
=====

Respiratory Protection:USE PROVIDED RESPIRATOR. DLA-HMIS-IF ENGINEERING  
CONTROLS FAIL OR NON-ROUTINE USE OR EMERGENCY OCCURS;USE NIOSH/MSHA  
APPROVED RESPIRATOR OR SUPPLIED AIR RESPIRATOR OR SCBA,AS  
REQUIRED.USE IAW 29 CFR 1 910.134 & MFR'S RECOMMENDATIONS.  
Ventilation:LOCAL EXHAUST PREFERABLE.  
Protective Gloves:USE PROVIDED GLOVES.  
Eye Protection:CHEMICAL SPLASH GOGGLES  
Other Protective Equipment:EYE WASH STATION.  
Work Hygienic Practices:FOLLOW PRUDENT H  
YGENIC PROCEDURES.  
Supplemental Safety and Health  
KEY1=N1. PART A OF 4 PART KIT. FOR PART B,C & D SEE PNI B,C & D THIS  
NSN/CAGE. MSDS ENTERED BY DLA-HMIS UNDER PROJECT FOR GSA.

=====  
Physical/Chemical Properties  
=====

HCC:V5  
Vapor Density:>1  
Spec Gravity:1.02  
Viscosity:PASTE  
Evaporation Rate & Reference: