View NSN Online: https://aerobasegroup.com/nsn/1680-01-284-5113 WALTER KIDD AEROSPACE INC -- HALON 1301, 472083-4 -- 1680-01-284-5113 Product ID:HALON 1301, 472083-4 MSDS Date:03/07/1990 FSC:1680 NIIN:01-284-5113 MSDS Number: BVXDG === Responsible Party === Company Name: WALTER KIDD AEROSPACE INC Address:2500 AIRPORT DR City:WILSON State:NC ZIP:27893 Country:US Info Phone Num:919-237-7004 Emergency Phone Num:919-237-7004 CAGE :5V736 === Contractor Identification === Company Name: WALTER KIDD AEROSPACE INC Address:2500 AIRPORT DR Box:City:WILSON State:NC ZIP:27893-9604 Country:US Phone:919-237-7004 CAGE:5V736 ======= Composition/Information on Ingredients ========

Ingred Name:METHANE, BROMOTRIFLUORO-; (HALON 1301); (BROMOTRIFLUOROMETHANE (CBRF*3)) (SARA III)

CAS:75-63-8

RTECS #:PA5425000 Fraction by Wt: >99% OSHA PEL:1000 PPM ACGIH TLV:1000 PPM Ozone Depleting Chemical:1

====== Haza

rds Identification ===========
LD50 LC50 Mixture:NONE SPECIFIED BY MANUFACTURER. Routes of Entry: Inhalation:YES Skin:NO Ingestion:NO Reports of Carcinogenicity:NTP:NO IARC:NO OSHA:NO Health Hazards Acute and Chronic:ACUTE:LOW - SLIGHT TOXICITY. OVEREXPOSURE MAY CAUSE LIGHT HEADEDNESS, GIDDINESS, DIZZINESS. INHAL:LOW INHALATION. EYES/SKIN:LOW CONTACT. CHRONIC:NOT APPLICABLE.
Explanation of Carcinogenicity:NOT RELEVANT Effects of Overexposure:SEE HEALTH HAZARDS. Medic
al Cond Aggravated by Exposure:AT CONCENTRATIONS OF 10% BY VOLUME & HIGHER MAY CAUSE POSSIBLE NARCOSIS & CARDIAC ARRHYTHMIAS.
======================================
First Aid:INGEST:CALL MD IMMEDIATELY . INHAL:REMOVE TO FRESH AIR. CALL MD. DO NOT GIVE EPINEPHRINE OR SIMILAR DRUGS. SKIN:FLUSH W/WATER. EYES:FLUSH W/WATER FOR AT LEAST 15 MINUTES.
======================================
Flash Point:NONFLAMMABLE Extinguishing Media:HALON 1301 IS A FIRE EXTINGUISHING MEDIA. Fire Fighting Procedures:USE NIOSH/MSHA APPROVED SCBA & FULL PROTECTIVE EQUIPMENT.
======== Accidental Release Measures =========
Spill Release Procedures:VENTILATE AREA - ESPECIALLY LOW PLACES WHERE HEAVY VAPORS MAY COLLECT. REMOVE OPEN FLAMES. Neutralizing Agent:NONE SPECIFIED BY MANUFACTURER.
========== Handling and Storage ===========
Handling and Storage Precautions:STORE CONTAINERS IN A CLEAN, DRY AREA. DO NOT HEAT >125F.
Other Precautions:AVOID CONTAINER DAMAGE.
====== Exposure Controls/Personal Protection ========
Respiratory Protection: USE A NIOSH/MSHA APPROVED FULL FACE PIECE SUPPLIED AIR RESPIRATOR OR SELF CONTAINED BREATHING APPARATUS FOR

CONCENTRATIONS GREATER THAN TLV.

Ventilation:LOCAL EXHAUST: IF TLV IS EXCEEDED. MECHANICAL (GENERAL): VENTILATE - SUMPS & PITS WHERE VAPORS MAY COLLECT.

Protective Gloves:PVA OR PVC GLOVES.

Eye Protectio

n:CHEMICAL WORKERS GOGGLES. Other Protective Equipment: SAFETY SHOWER & EYE WASH STATION NEAR WORK AREA. Work Hygienic Practices: GOOD HYGIENE PRACTICES AS W/ANY INDUSTRIAL CHEMICAL. Supplemental Safety and Health VP:12,152 MMHGA @ 77F. ======== Physical/Chemical Properties =========== HCC:G3 Boiling Pt:B.P. Text:-72F,-58C Vapor Pres:SUPP DATA Vapor Density:8.71 Spec Gravity: 1.338 (H*2O=1) Solubility in Water: 0.03 @ 77F (%BY WT) Appearance and Odor: COLORLESS GAS & LIQU ID; SLIGHT ETHEREAL ODOR. ======== Stability and Reactivity Data =========== Stability Indicator/Materials to Avoid:YES LIQUID CONTACT W/ALKALI & ALKALINE EARTH METALS - POWERED ALUMINUM, ZINC, BERYLLIUM, ETC. Stability Condition to Avoid: AVOID CONTACT W/OPEN FLAMES OR

TEMPERATURES > 1000F.

Hazardous Decomposition Products: HYDROGEN FLUORIDES, HYDROGEN BROMIDES, FREE BROMINE, HALOGEN ACIDS & CARBONYL HALIDE.

====== Disposal Considerations ========

Waste Disposal Methods: CONSULT FEDERAL, STATE & LOCAL REGULATIONS. EVAPORATE OUT DOORS.

Disclaimer (provided with this information by the compiling agencies): This information is formulated for use by elements of the Department of Defense. The United States of America in no manner whatsoever, expressly or implied, warrants this information to be accurate and disclaims all liability for its use. Any person utilizing this document should seek competent professional advice t

o verify and assume responsibility for the suitability of this information to their particular situation.